

Version 3.1	Revision Date 06/26/2018	Print Date 09/17/2018
SECTION 1. PRODUCT AND COMP	PANY IDENTIFICATION	

Material name	:	ZEP GLASS CLEANER CONCENT
Material number	:	ZU1052128
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

### **Emergency telephone numbers**

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

Recommended use : Glass Cleaner

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid
Colour	dark green
Odour	characteristic

#### **GHS Classification**

Flammable liquids Eye irritation Specific target organ toxicity - repeated exposure (Inhalation)	:	Category 3 Category 2A Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning



Version 3.1	Revision Date 06/26/2018	Print Date 09/17/2018	
Hazard statements	H319 Causes serious eye irritat	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H319 Causes serious eye irritation.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>	
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot and other ignition sources. No s P233 Keep container tightly clo P240 Ground and bond contain P241 Use explosion-proof elect equipment. P242 Use only non-sparking too P243 Take precautionary meas P260 Do not breathe dust/ fund P264 Wash skin thoroughly afte P280 Wear protective gloves/ e <b>Response:</b> P303 + P361 + P353 IF ON SK immediately all contaminated cl water/shower. P305 + P351 + P338 IF IN EYE for several minutes. Remove co easy to do. Continue rinsing. P314 Get medical advice/ atten P337 + P313 If eye irritation per attention.</li> <li>P370 + P378 In case of fire: Us alcohol-resistant foam to exting <b>Storage:</b> P403 + P235 Store in a well-ver <b>Disposal:</b> P501 Dispose of contents/contar regulation.</li> </ul>	smoking. sed. her and receiving equipment. trical/ ventilating/ lighting ols. sures against static discharge. e/ gas/ mist/ vapours/ spray. er handling. eye protection/ face protection. (IN (or hair): Take off lothing. Rinse skin with ES: Rinse cautiously with water ontact lenses, if present and ntion if you feel unwell. rsists: Get medical advice/ se dry sand, dry chemical or juish. ntilated place. Keep cool.	

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 10 - < 20
ammonium dodecyl sulphate	2235-54-3	>= 1 - < 3
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice

: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.



Version 3.1	Revision Date 06/26/2018	Print Date 09/17/2018
	Get medical attention.	
If inhaled	: Consult a physician after signifi If unconscious, place in recover advice.	
In case of skin contact	: Wash off immediately with plen Remove contaminated clothing Wash contaminated clothing be If skin irritation persists, call a p	and shoes. fore reuse.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsin If eye irritation persists, consult Rinse immediately with plenty of for at least 15 minutes.	a specialist.
If swallowed	<ul> <li>Keep respiratory tract clear. Never give anything by mouth t DO NOT induce vomiting unles physician or poison control cent If symptoms persist, call a phys Do not give milk or alcoholic be</li> </ul>	s directed to do so by a ter. ician.
Most important symptoms and effects, both acute and delayed	<ul> <li>Symptoms may include irritation Symptoms may differ dependin affected. These effects genera function or change, which may respiratory issues, and general Effects are dependent on exposision contact time).</li> <li>Causes serious eye irritation.</li> <li>May cause damage to organs the exposure if inhaled.</li> <li>Review section 2 of SDS to see</li> </ul>	g on organs and systems lly are reflected in reduced include cramping, swelling, pain. sure (dose, concentration, hrough prolonged or repeated
Notes to physician	: Treat symptomatically. Sympto	oms may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wat courses.	er
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	



Version 3.1	Revision Date 06/26/2018	Print Date 09/17/2018
Specific extinguishing methods	Nitrogen oxides (NOx) Sulphur oxides : Use extinguishing measures that a circumstances and the surrounding	
Further information	: Collect contaminated fire extinguis must not be discharged into drains For safety reasons in case of fire, of separately in closed containments. Use a water spray to cool fully close	cans should be stored
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	aratus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Do not breathe vapours or spray mist.</li> </ul>
Conditions for safe storage	<ul> <li>No smoking. Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents



Version 3.1

Revision Date 06/26/2018

Print Date 09/17/2018

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL

Engineering measures	:	effective ventilation in all processing areas	
Personal protective equipment	nt		
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.	
Hand protection			
Material Remarks		Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	:	Safety glasses Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.	
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

## SAFETY DATA SHEET



# ZEP GLASS CLEANER CONCENT

Version 3.1	Revision Date 06/26/2018	Print Date 09/17/2018
Colour	: dark green	
Odour	: characteristic	
Odour Threshold	: No data available	
рH	: 7.5 - 8.5	
Melting point/freezing point	: No data available	
Boiling point	: 100 °C	
Flash point	: 27.7 °C Method: closed cup	
Evaporation rate	: 1	
Upper explosion limit	: 12 %(V)	
Lower explosion limit	: 1 %(V)	
Vapour pressure	: not determined	
Density	: 0.97 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx) Sulphur compounds



Version 3.1

Revision Date 06/26/2018

Print Date 09/17/2018

#### SECTION 11. TOXICOLOGICAL INFORMATION

	Potential Health Effects	
	Aggravated Medical Condition	: None known.
	Symptoms of Overexposure	<ul> <li>Symptoms may include irritation, redness, pain, and rash.</li> <li>Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain.</li> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> </ul>
	Carcinogenicity:	
	IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	ACGIH	Confirmed animal carcinogen with unknown relevance to humans
	OSHA	ethanol 64-17-5 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
	NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acu	te toxicity	
	Product:	
	Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
	Components:	
	ethanol:	
	Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg
	Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
	ammonium dodecyl sulphate Acute oral toxicity	: : LD50 Oral Rat: > 5,000 mg/kg
Skir	n corrosion/irritation	
	Product:	
	Remarks: May irritate skin.	



Version 3.1

Revision Date 06/26/2018

Print Date 09/17/2018

#### Serious eye damage/eye irritation

#### Product:

Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

#### Components:

#### **tetrasodium ethylenediaminetetraacetate:** Exposure routes: Inhalation Assessment: May cause damage to organs through prolonged or repeated exposure.

#### Aspiration toxicity

No data available

#### **Further information**

Product:

Remarks: No data available

Remarks: Solvents may degrease the skin.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

No data available

### Persistence and degradability

No data available Bioaccumulative potential

#### Product:



Version 3.1	Revision Date 06/26/2018	Print Date 09/17/2018
Partition coefficient: n- octanol/water <u>Components:</u> ethanol :	: Remarks: No data available	
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (ISOPROPANOL), 3, III

Transportation Regulation: IATA (Cargo Air): UN1993, Flammable liquid, n.o.s., (ISOPROPANOL), 3, III

## SAFETY DATA SHEET



## ZEP GLASS CLEANER CONCENT

Version 3.1

Revision Date 06/26/2018

Print Date 09/17/2018

Transportation Regulation: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., (ISOPROPANOL), 3, III

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product does not contain any chemicals known to State or California to cause cancer, birth defects, or any other reproductive harm.



Version 3.1

Revision Date 06/26/2018

Print Date 09/17/2018

#### The components of this product are reported in the following inventories:

TSCAOn TSCA InventoryDSLAll components of this product are on the Canadian DSL


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**



#### **OSHA - GHS Label Information:**

Hazard pictograms	
Signal word	: Warning:
Hazard statements	: Flammable liquid and vapour. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	
	<ul> <li>Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.</li> <li>Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.</li> <li>Storage: Store in a well-ventilated place. Keep cool.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>



Version 3.1

Revision Date 06/26/2018

Print Date 09/17/2018

Version:	3.1
Revision Date:	06/26/2018
Print Date:	09/17/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.