



The Legacy Companies
 3355 Enterprise Avenue, Suite 160, Fort Lauderdale, FL 33331
 Sales: (954) 202-7419 • Sales@TheLegacyCompanies.com
 Tech Service: (877) 368-2797 • Service@MaxxHelp.com

Project Name: _____
 Location: _____
 Item #: _____ Qty: _____
 Model: _____

www.MaximumFoodService.com

SOLID DOOR REFRIGERATORS

INDOOR/OUTDOOR REFRIGERATION

Model: MCR3U

MCR3U-O

International Model: Add -50 (220V/50Hz/1Ph)
 or -60 (220V/60Hz/1Ph)



MCR3U



MCR3U-O

Maxx Ice Indoor/Outdoor refrigeration is designed to fulfill your entertainment area needs. Perfect for any entertainment space, these units can be freestanding or built in and are designed to weather the elements when necessary while providing years of enjoyment with easy maintenance.

FEATURES

- Solid insulated stainless steel door enhances energy efficiency by preventing heat loss and minimizing condensation
- Interior long lasting and energy efficient LED lighting
- Field-reversible door
- 4 metallic wire shelves
- Comes with a 6' NEMA 5-15P cord set making the unit plug & play
- Approved for residential & commercial applications

TEMPERATURE

- Holding temperature: 35° to 40°F (1° to 5°C)
- Digitally controlled system maintains optimum temperature
- This unit is designed to store pre-chilled product at the ideal serving temperature – it is not intended to perform as a pull down refrigerator

CONSTRUCTION


- Exterior Material:
 - MCR3U: Black painted steel
 - MCR3U-O: Brushed stainless steel is durable, easy to polish and clean and withstands a harsh outdoor environment (avoiding direct sunlight & heavy rain is suggested)
- Stainless steel door with easy to grip handle running the length of the door
- Interior Material: ABS, an easy to clean, low maintenance surface
- Adjustable legs
- Polyurethane foam insulation to provide better thermal regulation and energy efficiency
- Comes with integrated condensate evaporator so no drain line connection is needed

REFRIGERANT

Environmentally friendly, CFC & HCFC free R-134A

ELECTRIC

120V/60Hz/1 Ph (NEMA 5-15P)
 (220V/50 or 60Hz/1ph available as an option)
 Circuit must be grounded & protected to 15 or 20 amps



Intertek
 Certified to
 ANSI-NSF 7



Certified to
 ANSI UL 471



For European
 Market



DOE 2017
 Compliant

Maxx Ice WARRANTY (USA / CANADA)

One (1) year parts
 One (1) year on-site labor
 Five (5) years compressor (part only)
 Administered by The Legacy Companies, 877.368.2797

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.

The built in performance enhancing functions ensure that given proper attention and preventative maintenance, each Maxx Product will deliver years of trouble free, reliable, low maintenance, efficient operation.

03302017W



The Legacy Companies
 3355 Enterprise Avenue, Suite 160, Fort Lauderdale, FL 33331
 Sales: (954) 202-7419 • Sales@TheLegacyCompanies.com
 Tech Service: (877) 368-2797 • Service@MaxxHelp.com


Project Name: _____
 Location: _____
 Item #: _____ Qty: _____
 Model: _____

www.MaximumFoodService.com


SOLID DOOR REFRIGERATORS

INDOOR/OUTDOOR REFRIGERATION


MCR3U & MCR3U-O



FRONT



SIDE



TOP

Model	W x D x H (in) (mm)	Temperature Range	Watts	Amp Draw	Doors	Weight	Shelves
MCR3U	14.5 x 23 x 33.5in 368 x 584 x 851mm	35° to 40° F 1° to 5° C	400	4	1	77 lb 35 kg	3
MCR3U-O	14.5 x 23 x 33.5in 368 x 584 x 851mm	35° to 40° F 1° to 5° C	460	4	1	67 lb 30 kg	3

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.