According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/20
ECTION 1. IDENTIFICATION		
Product name	: FormulaShell SAE 10W-30 Motor	Oil
Product code	: 001D7227	
Manufacturer or supplier	's details	
Manufacturer/Supplier	: Shell Oil Products US P.O. Box 4427 Houston TX 77210-4427 USA	
SDS Request	: (+1) 877-276-7285	
Customer Service	:	
Emergency telephone nu	mber	
	: 877-504-9351	
Health Information	: 877-242-7400	
Recommended use of th	e chemical and restrictions on use	
Recommended use		

# **SECTION 2. HAZARDS IDENTIFICATION**

# **GHS Classification**

Not a hazardous substance or mixture.

# GHS Label element

Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHScriteria. HEALTH HAZARDS: Not classified as a health hazard under GHScriteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.</li> </ul>
Precautionary statements	<ul> <li>Prevention: No precautionary phrases.</li> <li>Response: No precautionary phrases.</li> <li>Storage: No precautionary phrases.</li> <li>Disposal: No precautionary phrases.</li> </ul>

# Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

# SAFETY DATA SHEET According to OSHA Hazard Communication Standard, 29 CFR

1910.1200

Version 1.2

Revision Date: 07/07/2015

Print Date: 07/08/2015

Used oil may contain harmful impurities. Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	<ul> <li>Highly refined mineral oil.</li> <li>Synthetic base oil and additives.</li> <li>The highly refined mineral oil contains &lt;3% (w/w) DMSO- extract, according to IP346.</li> </ul>
	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9.

# Hazardous components

Chemical Name	Synonyms	CAS- No.	Concentration (%)
Polyolefin Amide		308070-26-0	1 – 3
Alkeneamine Polyol			
Alkaryl amine		112-90-3	1 – 3
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		64742-54-7 and 848301-69-9	0 - 94

# **SECTION 4. FIRST-AID MEASURES**

General advice	: Not expected to be a health hazard when used under normal conditions.
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	: Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	: Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/2015
Protection of first-aiders	: When administering first aid, ens appropriate personal protective e incident, injury and surroundings.	quipment according to the
Immediate medical attention, special treatment	: Treat symptomatically.	

# SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Foam, water spray or fog. Dry chemical powder, carbon dio- xide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	: Do not use water in a jet.
Specific hazards during fire- fighting	<ul> <li>Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke).</li> <li>Carbon monoxide may be evolved if incomplete combustion occurs.</li> <li>Unidentified organic and inorganic compounds.</li> </ul>
Specific extinguishing me- thods	: Use extinguishing measures that are appropriate to local cir- cumstances and the surroundingenvironment.
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	: Avoid contact with skin and eyes.
Environmental precautions	<ul> <li>Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
Methods and materials for containment and cleaning up	: Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/2015
Additional advice	: For guidance on selection of per see Chapter 8 of this Safety Da For guidance on disposal of spi this Safety Data Sheet.	ta Sheet.

# SECTION 7. HANDLING AND STORAGE

Technical measures	: Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Precautions for safe handling	<ul> <li>Avoid prolonged or repeated contact with skin.</li> <li>Avoid inhaling vapour and/or mists.</li> <li>When handling product in drums, safety footwear should be worn and proper handling equipment should be used.</li> <li>Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.</li> </ul>
Avoidance of contact	: Strong oxidising agents.
Product Transfer	: This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
Storage	
Other data	<ul> <li>Keep container tightly closed and in a cool, well-ventilated place.</li> <li>Use properly labeled and closable containers.</li> </ul>
	Store at ambient temperature.
Packaging material	: Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	: Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.

# SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

<u> </u>	•			
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Oil mist, mineral	Not Assigned	TWA ((inhal-	5 mg/m3	US. ACGIH
	C C	able frac-	Ū	Threshold
		tion))		Limit Values
		(Mist)	5 mg/m3	OSHA_TRA

# Components with workplace control parameters

# SAFETY DATA SHEET According to OSHA Hazard Communication Standard, 29 CFR

1910.1200

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/2015
		NS

# **Biological occupational exposure limits**

No biological limit allocated.

# **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	<ul> <li>The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.</li> </ul>
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information:
	Define procedures for safe handling and maintenance of controls.
	Educate and train workers in the hazards and control meas- ures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or mainten-
	ance. Retain drain downs in sealed storage pending disposal or subsequent recycle.
	Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard con- taminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

# Personal protective equipment

Respiratory protection : No respiratory protection is ordinarily required undernormal conditions of use. In accordance with good industrial hygiene practices, precau-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/2015
	tions should be taken to avoid b If engineering controls do not m tions to a level which is adequat select respiratory protection equ cific conditions of use and meet Check with respiratory protectiv Where air-filtering respirators ar priate combination of mask and Select a filter suitable for the con and vapours [Type A/Type P bo	aintain airborne concentra- te to protect worker health, uipment suitable for the spe- ing relevant legislation. e equipment suppliers. re suitable, select an appro- filter. mbination of organic gases
Hand protection		
Remarks	: Where hand contact with the pro- gloves approved to relevant star US: F739) made from the follow suitable chemical protection. PV gloves Suitability and durability usage, e.g. frequency and durat sistance of glove material, dexte glove suppliers. Contaminated g Personal hygiene is a key eleme Gloves must only be worn on cle gloves, hands should be washe cation of a non-perfumed moistu For continuous contact we recon through time of more than 240 r 480 minutes where suitable gloves o may not be available and in this time maybe acceptable so long and replacement regimes are for a good predictor of glove resista dependent on the exact compos Glove thickness should be typic depending on the glove make ar	ndards (e.g. Europe: EN374, ving materials may provide /C, neoprene or nitrile rubber of a glove is dependent on tion of contact, chemical re- erity. Always seek advice from gloves should be replaced. ent of effective hand care. ean hands. After using d and dried thoroughly. Appli- urizer is recommended. mmend gloves with break- ninutes with preference for > ves can be identified. For recommend the same, but ffering this level of protection case a lower breakthrough as appropriate maintenance blowed. Glove thickness is not ance to a chemical as it is sition of the glove material. ally greater than 0.35 mm
Eye protection	: If material is handled such that it protective eyewear is recommer	· · · ·
Skin and body protection	: Skin protection is not ordinarily work clothes. It is good practice to wear chemi	
Protective measures	: Personal protective equipment ( mended national standards. Ch	
Environmental exposure of	controls	
General advice	: Take appropriate measures to fu vant environmental protection le of the environment by following necessary, prevent undissolved charged to waste water. Waste municipal or industrial waste wa discharge to surface water.	egislation. Avoid contamination advice given in Chapter 6. If material from being dis- water should be treated in a tter treatment plant before
15	Local guidelines on emission lim	800001028894

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/201
	must be observed for the dischar vapour.	arge of exhaust air containing
SECTION 9. PHYSICAL AND CHE	<b>EMICAL PROPERTIES</b>	
Appearance	: Liquid at room temperature.	
Colour	: amber	
Odour	: Slight hydrocarbon	
Odour Threshold	: Data not available	
рН	: Not applicable	
pour point	: -43 °C / -45 °FMethod: Unspec	sified
Initial boiling point and boiling range	: > 280 °C / 536 °Festimated val	lue(s)
Flash point	: 228 °C / 442 °F Method: Unspecified	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.880 (15 °C / 59 °F)	
Density	: 880 kg/m3 (15.0 °C / 59.0 °F) Method: Unspecified	
Solubility(ies) Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: Pow: > 6(based on information	n on similar products)
Auto-ignition temperature	: > 320 °C / 608 °F	

Viscosity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/2015
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 69.05 mm2/s (40.0 °C / 104.0 °F) Method: Unspecified	
	10.42 mm2/s (100 °C / 212 °F) Method: Unspecified	
Conductivity	: This material is not expected to be	a static accumulator.
Decomposition temperature	: Data not available	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	: Stable.
Possibility of hazardous reac- tions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: Hazardous decomposition products are not expected to form during normal storage.

# SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment : Information given is based on dat the toxicology of similar products. the data presented is representat whole, rather than for individual of	Unless indicated otherwise, ive of the product as a
--	--

# Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

# Acute toxicity

Product:	
Acute oral toxicity	: LD50 (rat): > 5,000 mg/kg Remarks: Expected to be of low toxicity:
Acute inhalation toxicity	: Remarks: Not considered to be an inhalation hazard under normal conditions of use.
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Remarks: Expected to be of low toxicity:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2

Revision Date: 07/07/2015

Print Date: 07/08/2015

# Skin corrosion/irritation

# Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

# Serious eye damage/eye irritation

# Product:

Remarks: Expected to be slightly irritating.

# Respiratory or skin sensitisation

# Product:

Remarks: Not expected to be a skin sensitiser.

# Germ cell mutagenicity

# Product:

: Remarks: Not considered a mutagenic hazard.

# Carcinogenicity

# Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	

# Product:

Remarks: Not expected to impair fertility., Not expected to be

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2

#### Revision Date: 07/07/2015

Print Date: 07/08/2015

a developmental toxicant.

# STOT - single exposure

# Product:

Remarks: Not expected to be a hazard.

# STOT - repeated exposure

# Product:

Remarks: Not expected to be a hazard.

# Aspiration toxicity

# Product:

Not considered an aspiration hazard.

# **Further information**

# Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

# SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment :	Ecotoxicological data have not been determined for this product. Information given is based on a knowledge of the and the ecotoxicology of similar products. Unless indicated otherwise, the data presented tive of the product as a whole, rather than for in- ponent(s).(LL/EL/IL50 expressed as the nominal product required to prepare aqueous test extract	he components is representa- dividual com- al amount of
Ecotoxicity		
Product: Toxicity to fish (Acute toxic- : ity)	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l	
Toxicity to daphnia and other : aquatic invertebrates (Acute toxicity)	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l	
Toxicity to algae (Acute toxic- : ity)	Remarks: Expected to be practically nontoxic:	
/ 15		800001028894

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

sion 1.2	Revision Date: 07/07/2015	Print Date: 07/08/
	LL/EL/IL50 > 100 mg/l	
Toxicity to fish (Chronic toxic- ity)	: Remarks: Data not available	
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	: Remarks: Data not available	
Toxicity to bacteria (Acute toxicity)	: Remarks: Data not available	
Persistence and degradability	/	
Product:		
Biodegradability	: Remarks: Expected to be not Major constituents are expect ble, but contains components ment.	ed to be inherently biodegra
Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains componer cumulate.	ts with the potential to bioa
Mobility in soil		
Product:		
Mobility	: Remarks: Liquid under most e If it enters soil, it will adsorb to mobile.	
	Remarks: Floats on water.	
Other adverse effects		
no data available		
Product:		
Additional ecological informa- tion	: Product is a mixture of non-vola expected to be released to air Not expected to have ozone d cal ozone creation potential or	in any significant quantities. epletion potential, photoche
	Poorly soluble mixture.	
	May cause physical fouling of	aquatic organisms.

Version 1.2

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Print Date: 07/08/2015

# SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
	Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or na- tional requirements and must be complied with.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Revision Date: 07/07/2015

# **SECTION 14. TRANSPORT INFORMATION**

#### **National Regulations**

# US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

#### International Regulation

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Pollution category	: Not applicable
Ship type	: Not applicable
Product name	: Not applicable
Special precautions	: Not applicable

# Special precautions for user

Remarks

- : Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.
- Additional Information : MARPOL Annex 1 rules apply for bulk shipments by sea.

# **SECTION 15. REGULATORY INFORMATION**

- **OSHA Hazards**
- : No OSHA Hazards

Version 1.2	Revision Date: 07/07/2015	Print Date: 07/08/2015

# EPCRA - Emergency Planning and Community Right-to-Know Act

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# **Clean Water Act**

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of this prod EINECS	uct are reported in the following inventories: : All components listed or polymer exempt.
TSCA	: All components listed.
DSL	: All components listed.

# **SECTION 16. OTHER INFORMATION**

# Further information

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

		indicates an amendment from the previous version. The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes
1	15	80000102880

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

rsion 1.2	Revision Date: 07/07/2015	Print Date: 07/08/201
	CAS = Chemical Abstracts Ser	vice
	CEFIC = European Chemical	
	CLP = Classification Packagin	
	COC = Cleveland Open-Cup	
	DIN = Deutsches Institut fur N	ormuna
	DMEL = Derived Minimal Effe	
	DNEL = Derived No Effect Lev	
	DSL = Canada Domestic Subs	
	EC = European Commission	
	EC50 = Effective Concentratio	n fifty
	ECETOC = European Center of	
	gy Of Chemicals	
	ECHA = European Chemicals	Agency
	EINECS = The European Inve	
	Chemical Substances	ntory of Existing Commercial
	EL50 = Effective Loading fifty	
	ENCS = Japanese Existing an	d New Chemical Substances
	Inventory	
	EWC = European Waste Code	1
	GHS = Globally Harmonised S	
	Labelling of Chemicals	yetem er elacemeatien and
	IARC = International Agency for	or Research on Cancer
	IATA = International Air Transp	
	IC50 = Inhibitory Concentration	
	IL50 = Inhibitory Level fifty	
	IMDG = International Maritime	Dangerous Goods
	INV = Chinese Chemicals Inve	
	IP346 = Institute of Petroleum	
	determination of polycyclic aro	
	KECI = Korea Existing Chemic	
	LC50 = Lethal Concentration fi	
	LD50 = Lethal Dose fifty per ce	
	LL/EL/IL = Lethal Loading/Effe	
	LL50 = Lethal Loading fifty	
	MARPOL = International Conv	ention for the Prevention of
	Pollution From Ships	
	NOEC/NOEL = No Observed I	Effect Concentration / NoOb-
	served Effect Level	
	OE_HPV = Occupational Expo	sure - High Production Volume
	PBT = Persistent, Bioaccumula	
	PICCS = Philippine Inventory	
	Substances	
	PNEC = Predicted No Effect C	oncentration
	REACH = Registration Evaluat	
	Chemicals	
	RID = Regulations Relating to	International Carriage of Dan-
	gerous Goods by Rail	
	SKIN_DES = Skin Designation	
	STEL = Short term exposure li	
	TRA = Targeted Risk Assessm	
	TSCA = US Toxic Substances	
	TWA = Time-Weighted Average	
	vPvB = very Persistent and ve	

# SAFETY DATA SHEET According to OSHA Hazard Communication Standard, 29 CFR

1910.1200

Version 1.2 Revision Date: 07/07/2015 Print Date: 07/08/2015

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

# Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier				
Product Name	BattNonSpillSams			
Other means of identification				
Synonyms	None			
Recommended use of the chemical	and restrictions on use			
Recommended Use	Lead Acid (Non-Spillable) Battery			
Uses advised against	No information available			
Details of the supplier of the safety data sheet				
Supplier Name	East Penn Mfg.			
Supplier Address	Deka Rd Lyon Station PA 19536 US			
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361			
Supplier Email	mgriffith@dekabatteries.com			
Emergency telephone number				
Company Emergency Phone Number	610-682-6361			

# 2. HAZARDS IDENTIFICATION

# **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

#### **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

# Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

# Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

# Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).
Most important symptoms and effe	ects, both acute and delayed
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.
Indication of any immediate medica	al attention and special treatment needed
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

# **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



# **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

# Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health			
Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)		
Appropriate engineering controls	<u>i</u>		
Engineering Measures	Showers Eyewash stations Ventilation systems		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Face protection shield.		
Skin and body protection	Wear protective gloves and pro apron. Impervious gloves.	tective clothing. Long sleeved	clothing. Chemical resistant
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



#### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h
7664-93-9			

#### Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

# Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

# Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

# Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

# California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

# **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

# International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

# US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive	
Sulfuric acid - 7664-93-9	Carcinogen	
Arsenic - 7440-38-2	Carcinogen	

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

# International Regulations

# Mexico

# National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60 - 100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

# Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

# End of Safety Data Sheet



# Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier					
Product Name	BattNonSpillSams				
Other means of identification					
Synonyms	None				
Recommended use of the chemical	and restrictions on use				
Recommended Use	Lead Acid (Non-Spillable) Battery				
Uses advised against	No information available				
Details of the supplier of the safety data sheet					
Supplier Name	East Penn Mfg.				
Supplier Address	Deka Rd Lyon Station PA 19536 US				
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361				
Supplier Email	mgriffith@dekabatteries.com				
Emergency telephone number					
Company Emergency Phone Number	610-682-6361				

# 2. HAZARDS IDENTIFICATION

# **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

#### **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

# Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

# Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

# Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).
Most important symptoms and effe	ects, both acute and delayed
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.
Indication of any immediate medica	al attention and special treatment needed
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

# **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



# **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

# Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health				
Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)			
Appropriate engineering controls	<u>i</u>			
Engineering Measures	Showers Eyewash stations Ventilation systems			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Face protection shield.			
Skin and body protection	Wear protective gloves and pro apron. Impervious gloves.	tective clothing. Long sleeved	clothing. Chemical resistant	
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be	
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



#### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

hemical name Oral LD50		Dermal LD50	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h
7664-93-9			

#### Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

# Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

# Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

# Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



## **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

## California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

## International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Sulfuric acid - 7664-93-9	Carcinogen
Arsenic - 7440-38-2	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

## International Regulations

## Mexico

## National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60 - 100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

## Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

## End of Safety Data Sheet



## Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	BattNonSpillSams
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Lead Acid (Non-Spillable) Battery
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	East Penn Mfg.
Supplier Address	Deka Rd Lyon Station PA 19536 US
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361
Supplier Email	mgriffith@dekabatteries.com
Emergency telephone number	
Company Emergency Phone Number	610-682-6361

## 2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

## **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

## Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

## Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

## Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).	
Most important symptoms and effe	ects, both acute and delayed	
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood	

## **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



## **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health				
Other Exposure Guidelines	Vacated limits revoked by the C (11th Cir., 1992)	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)		
Appropriate engineering controls	<u>i</u>			
Engineering Measures	Showers Eyewash stations Ventilation systems			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Face protection shield.			
Skin and body protection	Wear protective gloves and pro apron. Impervious gloves.	tective clothing. Long sleeved	clothing. Chemical resistant	
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be	
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

## **10. STABILITY AND REACTIVITY**

## **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h
7664-93-9			

## Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

## Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

## **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

## Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



## **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

## California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

## International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Sulfuric acid - 7664-93-9	Carcinogen
Arsenic - 7440-38-2	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

## International Regulations

## Mexico

## National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60 - 100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

## Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

## End of Safety Data Sheet



## Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	BattNonSpillSams
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Lead Acid (Non-Spillable) Battery
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	East Penn Mfg.
Supplier Address	Deka Rd Lyon Station PA 19536 US
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361
Supplier Email	mgriffith@dekabatteries.com
Emergency telephone number	
Company Emergency Phone Number	610-682-6361

## 2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

## **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

## Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

## Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

## Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).
Most important symptoms and effe	ects, both acute and delayed
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.
Indication of any immediate medica	al attention and special treatment needed
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

## **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



## **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>		
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health					
Other Exposure Guidelines	Vacated limits revoked by the C (11th Cir., 1992)	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)			
Appropriate engineering controls	<u>i</u>				
Engineering Measures	s Showers Eyewash stations Ventilation systems				
Individual protection measures, such as personal protective equipment					
Eye/face protection	Face protection shield.				
Skin and body protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves.				
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be		
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

## **10. STABILITY AND REACTIVITY**

## **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h	
7664-93-9				

## Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

## Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

## **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

## Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



## **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

## California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

## International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Sulfuric acid - 7664-93-9	Carcinogen
Arsenic - 7440-38-2	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

## International Regulations

## Mexico

## National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60 - 100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

## Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

## End of Safety Data Sheet



## Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	BattNonSpillSams
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Lead Acid (Non-Spillable) Battery
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	East Penn Mfg.
Supplier Address	Deka Rd Lyon Station PA 19536 US
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361
Supplier Email	mgriffith@dekabatteries.com
Emergency telephone number	
Company Emergency Phone Number	610-682-6361

## 2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

## **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

## Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

## Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

## Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).	
Most important symptoms and effe	ects, both acute and delayed	
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood	

## **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



## **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health				
Other Exposure Guidelines	Vacated limits revoked by the C (11th Cir., 1992)	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)		
Appropriate engineering controls	<u>i</u>			
Engineering Measures	Showers Eyewash stations Ventilation systems			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Face protection shield.			
Skin and body protection	Wear protective gloves and pro apron. Impervious gloves.	tective clothing. Long sleeved	clothing. Chemical resistant	
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be	
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

## **10. STABILITY AND REACTIVITY**

## **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h	
7664-93-9				

## Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

## Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

## **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

## Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



### **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

### California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Sulfuric acid - 7664-93-9	Carcinogen
Arsenic - 7440-38-2	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

### International Regulations

### Mexico

### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60 - 100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

### Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

### End of Safety Data Sheet



### Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	BattNonSpillSams
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Lead Acid (Non-Spillable) Battery
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	East Penn Mfg.
Supplier Address	Deka Rd Lyon Station PA 19536 US
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361
Supplier Email	mgriffith@dekabatteries.com
Emergency telephone number	
Company Emergency Phone Number	610-682-6361

### 2. HAZARDS IDENTIFICATION

### **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

### **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

### Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).	
Most important symptoms and effe	ects, both acute and delayed	
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood	

### **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



### **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health				
Other Exposure Guidelines	Vacated limits revoked by the C (11th Cir., 1992)	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)		
Appropriate engineering controls	<u>i</u>			
Engineering Measures	Showers Eyewash stations Ventilation systems			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Face protection shield.			
Skin and body protection	Wear protective gloves and pro apron. Impervious gloves.	tective clothing. Long sleeved	clothing. Chemical resistant	
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be	
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

## **10. STABILITY AND REACTIVITY**

### **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h
7664-93-9			

### Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

### Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

### **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



### **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

### California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Sulfuric acid - 7664-93-9	Carcinogen
Arsenic - 7440-38-2	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

### International Regulations

### Mexico

### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60 - 100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

### Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

### End of Safety Data Sheet



### Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	BattNonSpillSams
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Lead Acid (Non-Spillable) Battery
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	East Penn Mfg.
Supplier Address	Deka Rd Lyon Station PA 19536 US
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361
Supplier Email	mgriffith@dekabatteries.com
Emergency telephone number	
Company Emergency Phone Number	610-682-6361

### 2. HAZARDS IDENTIFICATION

### **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

### **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

### Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).
Most important symptoms and effe	ects, both acute and delayed
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.
Indication of any immediate medica	al attention and special treatment needed
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

### **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



### **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>		
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health					
Other Exposure Guidelines	Vacated limits revoked by the C (11th Cir., 1992)	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)			
Appropriate engineering controls	<u>i</u>				
Engineering Measures	s Showers Eyewash stations Ventilation systems				
Individual protection measures, such as personal protective equipment					
Eye/face protection	Face protection shield.				
Skin and body protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves.				
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be		
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

## **10. STABILITY AND REACTIVITY**

### **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h	
7664-93-9				

### Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

### Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

### **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



### **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

### California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Sulfuric acid - 7664-93-9	Carcinogen
Arsenic - 7440-38-2	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

### International Regulations

### Mexico

### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60 - 100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

### Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

### End of Safety Data Sheet



### Issuing Date 19-Feb-2016

# SAFETY DATA SHEET

Revision Date 19-Feb-2016

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	BattNonSpillSams
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Lead Acid (Non-Spillable) Battery
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	East Penn Mfg.
Supplier Address	Deka Rd Lyon Station PA 19536 US
Supplier Phone Number	Phone:610-682-6361 Fax:610-682-1650 Contact Phone610-682-6361
Supplier Email	mgriffith@dekabatteries.com
Emergency telephone number	
Company Emergency Phone Number	610-682-6361

### 2. HAZARDS IDENTIFICATION

### **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4



Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

### **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
Harmful if swallowed		
Harmful if inhaled		
Toxic if inhaled		
Causes severe skin burns and e	eye damage	
May cause cancer		
May damage fertility or the unbo		
Causes damage to organs throu	igh prolonged or repeated exposure	
	ch contains a chemical substance. Safety information is give should not result in exposure to the chemical substance. This above hazards exist.	
	Physical state Solid	Odor Odorless

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

### Inhalation

(	2
C	צ

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects

### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Lead	7439-92-1	60 - 100	*
Sulfuric acid	7664-93-9	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

General Advice	First aid is upon rupture of sealed battery.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel



	should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).	
Most important symptoms and effe	ects, both acute and delayed	
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Lead poisoning is characterized by a metallic taste in the mouth, loss of appetite indigestion, nausea, vomiting, constipation, sleep disturbances and overall weakness. Severe exposures can lead to shock, circulatory collapse, and death.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood	

### **5. FIRE-FIGHTING MEASURES**

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code	Toxic: Liquid Corrosive: Acid-Liquid

**Explosion Data** Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



### **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 100 mg/m <sup>3</sup>
7439-92-1		Pb Action Level: 30 μg/m <sup>3</sup> Poison, See 29 CFR 1910.1025 Action	TWA: 0.050 mg/m <sup>3</sup>
		Level: 30 µg/m <sup>3</sup> Pb Poison, See 29 CFR 1910.1025	



Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health				
Other Exposure Guidelines	Vacated limits revoked by the C (11th Cir., 1992)	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)		
Appropriate engineering controls	<u>i</u>			
Engineering Measures	Showers Eyewash stations Ventilation systems			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Face protection shield.			
Skin and body protection	Wear protective gloves and pro apron. Impervious gloves.	tective clothing. Long sleeved	clothing. Chemical resistant	
Respiratory protection	If exposure limits are exceeded respiratory protection should be required for high airborne conta provided in accordance with cu	worn. Positive-pressure suppliminant concentrations. Respire	lied air respirators may be	
Hygiene Measures	Handle in accordance with good skin, eyes or clothing. Wear sui smoke when using this product. the workplace. Regular cleaning Wash hands before breaks and contaminated clothing and wasl	table gloves and eye/face proto Contaminated work clothing s g of equipment, work area and immediately after handling the	ection. Do not eat, drink or should not be allowed out of clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical state Appearance Color	Solid Colorless No information available	Odor Odor Threshold	Odorless No information available
Property	Values	Remarks Method	
pH	2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Immiscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	er.7	None known	
Autoignition temperature	No data available	None known	



### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available 26.7 No data available No data available

No data available No data available No data available None known None known None known

## **10. STABILITY AND REACTIVITY**

### **Reactivity**

Ρ

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods. Excessive heat. <u>Incompatible materials</u> Acids. Bases. Oxidizing agent. <u>Hazardous Decomposition Products</u> None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Prolonged skin contact causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause

Revision Date 19-Feb-2016

gastrointestinal irritation, nausea, vomiting and diarrhea.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m <sup>3</sup> (Rat) 2 h
7664-93-9			

### Information on toxicological effects

SymptomsErythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.Difficulty in breathing.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

### Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity STOT - single exposure	Contains ingredients that have suspected developmental hazards. No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen. Possible risk of irreversible effects. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Lead compounds may be absorbed by ingestion, by inhalation and through the skin. Lead may damage kidney function, the blood forming system and the reproductive system.

Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Gingival Tissue. Kidney. Respiratory system. Skin. Teeth. Systemic Toxicity. Reproductive System. May damage the unborn child.
Aspiration Hazard	No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 637.00 mg/kg ATEmix (inhalation-gas) 6,000.00 ppm ATEmix (inhalation-dust/mist) 0.92 mg/l ATEmix (inhalation-vapor) 15.00 ATEmix

### **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead 7439-92-1		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss)		48h EC50: = 600 μg/L
Sulfuric acid 7664-93-9		96h LC50: > 500 mg/L (Brachydanio rerio)		24h EC50: = 29 mg/L

### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



### **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Do not reuse empty containers.
US EPA Waste Number	D002 D004 D008

### California Hazardous Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	60 - 100	0.1
Sulfuric acid - 7664-93-9	7664-93-9	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	X	
Sulfuric acid 7664-93-9	1000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Sulfuric acid - 7664-93-9	Carcinogen
Arsenic - 7440-38-2	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Antimony 7440-36-0	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х



7440-38-2			

### International Regulations

### Mexico

### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Lead 7439-92-1(60-100)	A3	Mexico: TWA= 0.15 mg/m <sup>3</sup>
Sulfuric acid 7664-93-9 ( 10 - 30 )	A2	Mexico: TWA 1 mg/m <sup>3</sup>

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled

Non-controlled

#### **16. OTHER INFORMATION NFPA** Health Hazards 3 Flammability 0 Instability 0 Physical and **Chemical Hazards** -HMIS Health Hazards 0 Physical Hazard 0 **Personal Protection** Flammability 0 Х **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 19-Feb-2016 **Issuing Date Revision Date** 19-Feb-2016

### Disclaimer

**Revision Note** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

No information available

### End of Safety Data Sheet

