

Version 3.0	Revision Date 07/10/2018	Print Date 09/17/2018			
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION					

Material name	:	ZEP GROUT CLEANER ZU10463
Material number	:	ZU104632
Manufacturer or supplier's o	deta	nils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Bathroom Care Maintenance

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

GHS Classification

Appearance	liquid
Colour	colourless, light yellow
Odour	characteristic

GHS Classification	
Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	: Prevention:



P264 Wash skin thoroughly after handl P280 Wear protective gloves/ protective protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED induce vomiting. P303 + P361 + P353 IF ON SKIN (or h immediately all contaminated clothing.	e clothing/ eye : Rinse mouth. Do NOT air): Take off
water/shower. P304 + P340 + P310 IF INHALED: Rer and keep comfortable for breathing. Im POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYE water for several minutes. Remove con and easy to do. Continue rinsing. Imme CENTER/doctor. P363 Wash contaminated clothing befor Disposal: P501 Dispose of contents/container in a regulation.	nove person to fresh air mediately call a S: Rinse cautiously with tact lenses, if present ediately call a POISON pre reuse.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
urea hydrochloride	506-89-8	>= 10 - < 30
Monoethanolamine Chloride	Not Assigned	>= 1 - < 3
hydrochloric acid	7647-01-0	>= 1 - < 3
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.



Version 3.0	Revision Date 07/10/2018	Print Date 09/17/2018
	If skin irritation persists, call a phys	ician.
In case of eye contact	 Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of we for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s 	ater, also under the eyelids,
If swallowed	 Keep respiratory tract clear. DO NOT induce vomiting unless di physician or poison control center. Do not give milk or alcoholic bever Never give anything by mouth to an If symptoms persist, call a physicia Take victim immediately to hospita 	ages. n unconscious person. n.
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposure contact time). Effects are immediate and delayed Symptoms may include blistering, i Causes severe skin burns and eye Review section 2 of SDS to see all 	rritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.



Version 3.0	Revision Date 07/10/2018	Print Date 09/17/2018
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	paratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid dust formation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling :	 Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	Store and keep away from bleach. Oxidizing agents Store and keep away from bases and alkalies.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrochloric acid	7647-01-0	С	2 ppm	ACGIH
		С	5 ppm	NIOSH REL
			7 mg/m3	



Version 3.0	Revision Date 07/10/2	018 Print	Date 09/17/2018
	C	5 ppm 7 mg/m3	OSHA Z-1
	C	5 ppm 7 mg/m3	OSHA P0
	PEL	0.3 ppm 0.45 mg/m3	CAL PEL
	С	2 ppm	CAL PEL

Engineering measures	:	effective ventilation in all processing areas
Personal protective equipment	nt	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless, light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: <1
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	: daag oot flagb
	does not flash



Version 3.0	Revision Date 07/10/2018	Print Date 09/17/2018
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 1.06 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Bases
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx) Chlorine

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain.



Version 3.0	Revision Date 07/10/2018	Print Date 09/17/2018
	101001 Date 01/10/2010	
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with un humans 2-butoxyethanol	nknown relevance to 111-76-2
OSHA	No component of this product presen equal to 0.1% is on OSHA's list of reg	t at levels greater than or
NTP	No component of this product presen equal to 0.1% is identified as a known by NTP.	it at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 2,975 mg, Method: Calculation method	/kg
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg, Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	/1
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ng/kg
Components:		
Alcohols, C9-11, ethoxylate Acute oral toxicity	ed: : LD50 Oral Rat: 1,400 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosiv	e and destructive to tissue.	
Serious eye damage/eye irritatio	on	
Product:		
Remarks: May cause irrevers	ible eye damage.	
Respiratory or skin sensitisatio	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		



Version 3.0

Revision Date 07/10/2018

Print Date 09/17/2018

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

<u> </u>	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available



Version 3.0

Revision Date 07/10/2018

Print Date 09/17/2018

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation: IMDG (Vessel): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

Transportation Regulation: IATA (Cargo Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation: TDG (Canada): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

SAFETY DATA SHEET



ZEP GROUT CLEANER ZU10463

sion 3.0	Revision Date 07/10/	Revision Date 07/10/2018		
Components	CAS-No. Component RQ (lbs)		Calculated product RQ (lbs)	
hydrochloric acid	7647-01-0	5000	*	
*: Calculated RQ exceeds re	asonably attainable upper li	imit.		
SARA 304 Extremely Haza	rdous Substances Report	able Quantity		
This material does not conta	in any components with a s	ection 304 EHS	RQ.	
SARA 311/312 Hazards	: Skin corrosion or irritati Serious eye damage of			
SARA 302	: No chemicals in this marked requirements of SARA	•		
SARA 313	known CAS numbers th	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
California Prop. 65				
	This product does no California to cause ca reproductive harm.		emicals known to State c cts, or any other	

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 3.0

Revision Date 07/10/2018

Print Date 09/17/2018

Further information



OSHA - GHS Label Information:

Hazard pictograms	
Signal word Hazard statements Precautionary statements	 Danger: Causes severe skin burns and eye damage. Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	3.0
Revision Date:	07/10/2018
Print Date:	09/17/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.



Version 3.0

Revision Date 07/10/2018

Print Date 09/17/2018