

Version 1.1Revision Date 03/26/2015Print Date 04/09/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP GROUT CLEANER ZU10463
Material number	:	ZU104632
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	colourless, light yellow
Odour	characteristic

GHS Classification

Skin corrosion Serious eye damage	: Category 1A : Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.



	Revision Date 03/26/2015	Print Date 04/09/2015
Potential Health Effe	P304 + P340 + P310 IF INHALED: and keep at rest in a position comfo Immediately call a POISON CENTE P305 + P351 + P338 + P310 IF IN I water for several minutes. Remove and easy to do. Continue rinsing. Im CENTER or doctor/ physician. P363 Wash contaminated clothing k Storage: P405 Store locked up. Disposal: P501 Dispose of contents/container regulation.	rtable for breathing. R or doctor/ physician. EYES: Rinse cautiously wi contact lenses, if present mediately call a POISON before reuse.
Carcinogenicity:		
Carcinogenicity: IARC	No component of this product present a equal to 0.1% is identified as probable, human carcinogen by IARC.	
C	equal to 0.1% is identified as probable, human carcinogen by IARC. Confirmed animal carcinogen with unkr humans	possible or confirmed
IARC	equal to 0.1% is identified as probable, human carcinogen by IARC. Confirmed animal carcinogen with unkr	possible or confirmed nown relevance to 111-76-2 at levels greater than or

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
urea	57-13-6	>= 5 - < 10
HYDROCHLORIC ACID	7647-01-0	>= 5 - < 10
Alcohols, C10-14, ethoxylated	66455-15-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 Remove to fresh air. Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	: Wash off immediately with plenty of water for at least 15



Version 1.1	Revision Date 03/26/2015	Print Date 04/09/2015
	minutes. If skin irritation persists, call a physi If on clothes, remove clothes.	ician.
In case of eye contact	 Rinse immediately with plenty of wa If eye irritation persists, consult a sy Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. 	
If swallowed	: Keep respiratory tract clear. Rinse mouth with water. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center.	n.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Chlorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid dust formation.
Environmental precautions	: Prevent further leakage or spillage if safe to do so.



Version 1.1	Revision Date 03/26/2015	Print Date 04/09/2015
	Prevent product from entering drain If the product contaminates rivers a respective authorities.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mater acid binder, universal binder, sawd Keep in suitable, closed containers	ust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Avoid contact with skin and eyes. For personal protection see section 8. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	 Store and keep away from bleach. Oxidizing agents Store and keep away from bases and alkalies. Keep away from metals.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
urea	57-13-6	TWA	10 mg/m3	US WEEL
HYDROCHLORIC ACID	7647-01-0	С	2 ppm	ACGIH
		С	5 ppm 7 mg/m3	NIOSH REL
		С	5 ppm 7 mg/m3	OSHA Z-1
		С	5 ppm 7 mg/m3	OSHA P0
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0



Version 1.1	Revision Date 03/26/2015	Print Date 04/09/2015
Personal protective equipment		
Respiratory protection :	In case of insufficient ventilation, wear equipment.	suitable respiratory
Hand protection Remarks :	The suitability for a specific workplace	
	with the producers of the protective glo	Ves.
Eye protection :	Tightly fitting safety goggles Ensure that eyewash stations and safe the workstation location.	ty showers are close to
Skin and body protection :	impervious clothing Choose body protection according to the concentration of the dangerous substa	
Hygiene measures :	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the o	end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless, light yellow
Odour	: characteristic
Odour Threshold	: no data available
рН	: <1
Melting point/freezing point	: no data available
Boiling point	: 100 °C
Flash point	:
	does not flash
Evaporation rate	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: not determined
Relative vapour density	: no data available
Density	: 1.06 g/cm3
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined

SAFETY DATA SHEET

_



ZEP GROUT CLEANER ZU10463

Version 1.1	Revision Date 03/26/2015	Print Date 04/09/2015
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Bases Metals
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx) Chlorine

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/l	
		Method: Calculation method	

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available



Version 1.1

Revision Date 03/26/2015

Print Date 04/09/2015

Reproductive toxicity

no data available

urea: HYDROCHLORIC ACID: Alcohols, C10-14, ethoxylated:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: no data available
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available



Version 1.1

Revision Date 03/26/2015

Print Date 04/09/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: IMDG (Vessel): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: IATA (Cargo Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: IATA (Passenger Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: TDG (Canada): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
HYDROCHLORIC ACID	7647-01-0	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard




sion 1.1	Revision Date 03/26/2015	Print Date 04/09/2015
SARA 302	: SARA 302: No chemicals in this ma reporting requirements of SARA Tr	-
SARA 313	: SARA 313: This material does not components with known CAS numl threshold (De Minimis) reporting le Title III, Section 313.	pers that exceed the
California Prop 65	This product does not contain any California to cause cancer, birth de reproductive harm.	
The components of	his product are reported in the following ir	iventories:
TSCA	On TSCA Inventory	
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.	
AICS	Not in compliance with the inventory	
NZIOC	Not in compliance with the inventory	
PICCS	Not in compliance with the inventory	
IECSC	Not in compliance with the inventory	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms





Version 1.1	Revision Date 03/26/2015	Print Date 04/09/2015		
Signal w ord Hazard statements	: Danger:			
Precautionary statements	. Causes severe skir burns and eye damage.	Causes severe skin burns and eye damage.		
	 Prevention: Wash skin thoroughly after handling. Wear clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT ind hair): Remove/ Take off immediately all contaminated cl show er. IF INHALED: Remove victim to fresh air and ke comfortable for breathing. Immediately call a POISON C IN EYES: Rinse cautiously with water for several minute present and easy to do. Continue rinsing. Immediately contor/physician. Wash contaminated clothing before restorage: Store locked up. Disposal: Dispose of contents/container in accordance 	duce vomiting. IF ON SKIN (or othing. Rinse skin w ith w ater/ ep at rest in a position ENTER or doctor/physician. IF as. Remove contact lenses, if call a POISON CENTER or euse.		

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.