

LAVATORY FAUCET
K-7404-K
ALSO K-7404

Features

- Brass construction
- Brass valve bodies
- Quarter-turn washerless ceramic disc valves
- 4" (10.2 cm) spout reach
- For 4" (10.2 cm) centers
- Available with standard or vandal-resistant Water-Guard® aerator
- Variety of handle style options
- 1.5 gallons (5.7 L) per minute


ADA **CSA B651** **OBC**




Codes/Standards Applicable

Specified model meets or exceeds the following at date of manufacture:

- ADA
- ICC/ANSI A117.1
- CSA B651
- OBC
- ASME A112.18.1/CSA B125.1
- NSF 61
- EPA WaterSense®



K-7404-K



K-7404

Colors/Finishes

- CP: Polished Chrome

Accessories

- CP: Polished Chrome





Specified Model

Model	Description	Colors/Finishes
K-7404-K	Triton® lavatory faucet with standard aerator – less handles	<input type="checkbox"/> CP
K-7404-KE	Triton lavatory faucet with vandal-resistant aerator – less handles	<input type="checkbox"/> CP
K-7404-2A	Triton lavatory faucet with standard handles and standard aerator	<input type="checkbox"/> CP
K-7404-5A	Triton lavatory faucet with wristblade lever handles and standard aerator	<input type="checkbox"/> CP

Product Specification

Two-handle centerset lavatory faucet shall be made of brass construction with brass valve bodies. Faucet shall feature quarter-turn washerless ceramic disc valves, assuring positive handle stop positioning. Product shall feature a flow rate of 1.5 gallons (5.7 L) per minute. Product shall include 4" (10.2 cm) centers and 4" (10.2 cm) spout. Optional features shall be standard or vandal-resistant Water-Guard® aerator. Base faucet shall be Kohler Model K-7404-_____-CP with Kohler Model K-16010-_____-CP handles OR complete faucet shall be Kohler Model K-7404-_____-CP.


TRITON®

Required Accessories					
K-16010-2	Triton® standard handles	<input type="checkbox"/> CP			
K-16010-3	Triton cross handles		<input type="checkbox"/> CP		
K-16010-4	Triton lever handles			<input type="checkbox"/> CP	
K-16010-5	Triton wristblade lever handles				<input type="checkbox"/> CP

Installation Notes

Install this product according to the installation guide.

ADA, CSA B651, OBC compliant when installed to the specific requirements of these regulations.



Product Diagram