SAFETY DATA SHEET

Issuing Date No data available

Revision Date 26-Oct-2017

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Lead Acid (Non-Spillable) Battery

Other means of identification

Product Code(s) 1422845

Recommended use of the chemical and restrictions on use

Recommended Use Lead Acid (Non-Spillable) Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Neata Battery Manufacture Co.,Ltd.

Address West Zone Industrial Park, Xiaolan Twon, Zhongshan, China

Zhongshan Guangdong 528014 CN

Telephone Phone:755-26966669

E-mail sales@neatabattery.com

Emergency telephone number

Company Emergency Phone

Number

86-13603048099

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category A



Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
Effects on or via lactation	Yes
Specific target organ toxicity (repeated exposure)	Category 1

Appearance Black Physical state Solid Odor None

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed

Toxic if inhaled

Causes severe skin burns and eye damage

May cause cancer

May damage fertility or the unborn child

May cause harm to breast-fed children

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Avoid contact during pregnancy/while nursing

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Immediately call a POISON CENTER or doctor

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Do NOT induce vomiting



Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

99.8 % of the mixture consists of ingredient(s) of unknown toxicity

10.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.8 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

34.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

34.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

10.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA	Date HMIRA filed and date exemption granted (if applicable)
			registry #)	, , ,
Lead	7439-92-1	65	-	-
Sulfuric acid	7664-93-9	24.6	-	-
Copper	7440-50-8	0.1	-	-

4. FIRST AID MEASURES

First aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention. Do not breathe dust.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.



Page 3/13

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not

breathe dust.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.



Page 4/13

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Do not breathe dust. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Protect from moisture. Store away from other materials. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	0	SHA PEL		NIOSH IDLH
Lead		TWA: 0.05 r	VA: 0.05 mg/m ³		TWA: 50 μg/m³ TWA: 50 μg/m³		H: 100 mg/m³ IDLH: 100
7439-92-1			Pb			mg/m³ Pb	
				Action Level: 30 µg/m³		TWA:	0.050 mg/m ³ TWA: 0.050
					29 CFR 1910.1025		mg/m³ Pb
					vel: 30 µg/m³ Pb		3
					29 CFR 1910.1025		
Sulfuric acid		TWA: 0.2 mg/m ³	³ thoracic		A: 1 mg/m ³		IDLH: 15 mg/m ³
7664-93-9		particulate n) TWA: 1 mg/m³		TWA: 1 mg/m ³
Copper		TWA: 0.2 mg/m ³ fume TWA: 1				IDLH	1: 100 mg/m ³ dust, fume
7440-50-8		mg/m ³ Cu dust	and mist	TWA: 1 mg	/m ³ dust and mist	and r	mist IDLH: 100 mg/m3 Cu
				(vacated) TWA: 0.1 mg/m³ Cu			dust and mist
				dust, fume, mist		TWA	: 1 mg/m ³ dust and mist
				,		TWA:	0.1 mg/m ³ fume TWA: 1
						m _g	g/m³ Cu dust and mist
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Lead	T۱	VA: 0.05 mg/m ³	TWA: 0.0	05 mg/m ³	TWA: 0.05 mg/l	m³	TWA: 0.05 mg/m ³
7439-92-1		3		J	· ·		
Sulfuric acid	-	TWA: 1 mg/m ³ TWA: 0.		.2 mg/m ³	TWA: 0.2 mg/n	n ³	TWA: 1 mg/m ³
7664-93-9		STEL: 3 mg/m ³					STEL: 3 mg/m ³
Copper	Т	WA: 0.2 mg/m ³	TWA: 1	l mg/m³	TWA: 0.2 mg/m ³		TWA: 0.2 mg/m ³
7440-50-8	-	•		.2 mg/m ³	TWA: 1 mg/m ³		TWA: 1 mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls

Eyewash stations Ventilation systems.

Showers

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield.



Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe dust. Take off contaminated clothing and wash before reuse. Handle in

accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Solid Physical state **Appearance** Black Odor None

Color No information available **Odor Threshold** No information available

Property Remarks Method Values

No data available pН None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known None known

Flammability Limit in Air

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known

Water Solubility Insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waternone

Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known

Other Information

Explosive properties No information available Oxidizing properties No information available **Softening Point** No information available No information available **Molecular Weight VOC Content (%)** No information available No information available **Liquid Density Bulk Density** No information available **Particle Size** No information available Particle Size Distribution No information available

10. STABILITY AND REACTIVITY



Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials Acids. Bases. Oxidizing agent.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Toxic by inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Information on toxicological effects

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Difficulty in

breathing.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 635.00 mg/kg
ATEmix (inhalation-gas) 4,514.00 mg/L
ATEmix (inhalation-dust/mist) 0.64 mg/L
ATEmix (inhalation-vapor) 11.03 mg/L

Unknown acute toxicity 99.8 % of the mixture consists of ingredient(s) of unknown toxicity



10.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.8 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

34.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

34.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

10.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 510 mg/m³ (Rat) 2 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Classification based on data available for ingredients. Contains a known or suspected

carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead 7439-92-1	A3	Group 2A	Reasonably Anticipated	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Classification based on data available for ingredients. Contains a known or suspected

reproductive toxin. May cause harm to breastfed babies.

STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.



Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lead	-	96h LC50: = 0.44 mg/L	-	48h EC50: = 600 μg/L
		(Cyprinus carpio) 96h		
		LC50: = 1.17 mg/L		
		(Oncorhynchus mykiss)		
		96h LC50: = 1.32 mg/L		
		(Oncorhynchus mykiss)		
Sulfuric acid	-	96h LC50: > 500 mg/L	-	24h EC50: = 29 mg/L
		(Brachydanio rerio)		
Copper	96h EC50: 0.031 - 0.054		-	48h EC50: = 0.03 mg/L
		0.0156 mg/L (Pimephales		g. =
	(Pseudokirchneriella	promelas) 96h LC50: =		
	subcapitata) 72h EC50:	1.25 mg/L (Lepomis		
	0.0426 - 0.0535 mg/L	macrochirus) 96h LC50:		
	(Pseudokirchneriella	= 0.052 mg/L		
	subcapitata)	(Oncorhynchus mykiss)		
		96h LC50: = 0.2 mg/L		
		(Pimephales promelas)		
		96h LC50: < 0.3 mg/L		
		(Pimephales promelas)		
		96h LC50: = 0.112 mg/L		
		(Poecilia reticulata) 96h		
		LC50: = 0.3 mg/L		
		(Cyprinus carpio) 96h		
		LC50: = 0.8 mg/L		
		(Cyprinus carpio)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

D008

California Waste Codes

141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lead	Toxic
7439-92-1	
Sulfuric acid	Toxic
7664-93-9	Corrosive



Copper	Toxic
7440-50-8	

14. TRANSPORT INFORMATION

DOT

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

Emergency Response Guide 154

Number

TDG

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

MEX

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

ICAO

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

<u>IATA</u>

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8 ERG Code 8L

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

IMDG/IMO

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8 EmS-No. 8-A, S-B

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

<u>RID</u>

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8 Classification code C11

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

ADR/RID-Labels 8

ADR

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8
Classification code C11



Tunnel restriction code (E)

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8, (E)

ADN

UN-No. UN2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE

Hazard Class 8 Classification code C11

Special Provisions 238, 295, 598

Description UN2800, BATTERIES, WET, NON-SPILLABLE, 8

Hazard Labels 8 Limited Quantity 1 L

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Lead - 7439-92-1	7439-92-1	65	0.1
Sulfuric acid - 7664-93-9	7664-93-9	24.6	1.0
Copper - 7440-50-8	7440-50-8	0.1	1.0

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No



Reactive Hazard

No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead 7439-92-1		X	Х	
Sulfuric acid 7664-93-9	1000 lb			X
Copper 7440-50-8		Х	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Lead	10 lb		RQ 10 lb final RQ
7439-92-1			RQ 4.54 kg final RQ
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ
Copper	5000 lb		RQ 5000 lb final RQ
7440-50-8			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Lead - 7439-92-1	Carcinogen		
	Developmental		
	Female Reproductive		
	Male Reproductive		
Sulfuric acid - 7664-93-9	Carcinogen		

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Lead 7439-92-1	Х	Х	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х	Х	Х
Copper 7440-50-8	Х	Х	Х	Х	Х

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical Properties
HMIS Health hazards 3* Flammability 0 Physical hazards 0 Personal Protection X



Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 26-Oct-2017

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

