

3 GROUT



ELIGIBLE FOR LIFETIME SYSTEMS WARRANTY



Boquilla Con Arena para Uniones de Boquilla 3 - 13 mm for grout joints from 1/8"-1/2"

Sanded Grout



**1** WEAR IMPERVIOUS GLOVES, SUCH AS NITRILE, AND EYE PROTECTION  
USE GUANTES IMPERMEABLES, COMO GUANTES DE NITRILLO, Y PROTECCIÓN OCULAR

**1** Clean grout joints  
Limpie las uniones de boquilla

**2** Add cool water  
Agregue agua fría  
1 pint/473 ml

**3** Add grout  
Agregue la boquilla  
7lb. 3.17kg

**4** Mix grout into water  
Mezcle la boquilla con el agua  
5 min.

**5** Wait 10 minutes  
Espere 10 minutos

**6** Re-mix grout  
Vuelva a mezclar la boquilla

**7** Apply grout with float  
Aplique la boquilla con la talocha  
45°

**8** Remove excess grout from surface  
Quite el exceso de boquilla de la superficie  
90°

**9** Wait for firm joints  
Espere a que las uniones estén firmes  
10-20 min.

**10** Lightly clean off excess grout with damp sponge  
Limpie suavemente el exceso de boquilla con una esponja húmeda  
CAUTION: Do Not Over Water  
No Use Agua en Exceso

**11** Wait 2 hours  
Espere 2 horas

**12** Remove haze with cheesecloth  
Quite las opacidades con una gasa

**13** Wait 16 hours before using surface  
Espere 16 horas antes de usar la superficie

**14** Wait 3 days - Seal with SurfaceGuard®  
Espere 3 días - Selle con el Sellador para Piedras, Boquillas y Baldosas SurfaceGuard®

**NOTICE:** Obtain the applicable LIMITED WARRANTY at [www.CustomBuildingProducts.com/product-warranty](http://www.CustomBuildingProducts.com/product-warranty) or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc. CUSTOM BUILDING PRODUCTS MADE IN U.S.A. // 47625 // 2/18

3 GROUT

**POLYBLEND** AMERICA'S #1 GROUT

**Sanded Grout** for grout joints from 1/8"-1/2"

Boquilla Con Arena para Uniones de Boquilla 3 - 13 mm

**Polyblend® Sanded Grout**

- Easy to use — Professional results
- Just mix with water
- Interior and exterior use
- Meets ANSI A118.6

**Polyblend® Boquilla Con Arena**

- Fácil de usar — Resultados profesionales
- Simplemente mezcle con agua
- Use interior y exterior
- Cumple con la norma de ANSI A118.6

Pre-sealing porous tile or stone with an appropriate TileLab® or Aqua Mix® brand sealer may be necessary to prevent grout staining. Textured and rough tile surfaces may require Aqua Mix® Grout Release. Sanded grout may scratch soft or polished tile or stone. Perform tests on an inconspicuous area prior to use.

Please note that color variation and efflorescence (whitish mineral powder) can occur in any Portland cement product due to on-site conditions. Follow instructions to minimize occurrence. When using more than 1 box, blend dry powders together first. Call CUSTOM® Technical Services for additional information. Refer to technical data sheet for complete application, use, and limitation information ([www.CustomBuildingProducts.com](http://www.CustomBuildingProducts.com) or (800) 272-8786).

**WARNING: INJURIOUS TO EYES. CAUSES SKIN IRRITATION.** May cause an allergic skin reaction. May be harmful if swallowed. Do not mix with other chemical products. Avoid contact with eyes and prolonged contact with skin. Do not breathe dust. Do not take internally. Wash thoroughly after handling. **KEEP OUT OF REACH OF CHILDREN.** Use in well-ventilated areas. Wear impervious gloves, such as nitrile, and eye protection. A NIOSH approved respirator, such as N95, is recommended, especially in poorly ventilated areas.

**FIRST AID TREATMENT:** Contains: Silica sand and Portland cement. Forms calcium hydroxide when wet. If eye or skin contact occurs: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately seek medical advice or attention if symptoms are significant or persist. Read Safety Data Sheet before handling, available online at [www.custombuildingproducts.com](http://www.custombuildingproducts.com). In emergency, call (800) 535-5053.

**WARNING: Cancer and Reproductive Harm —** [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**ADVERTENCIA: PERJUDICIAL PARA LOS OJOS. PROVOCA IRRITACIÓN CUTÁNEA.** Puede causar una reacción alérgica en la piel. Puede ser nocivo si se ingiere. No lo mezcle con otros productos químicos. Evite el contacto con los ojos y el contacto prolongado con la piel. No respire el polvo. No lo ingiera. Lávese bien después de manipular el producto. **MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS.** Use el producto en un área bien ventilada. Use guantes impermeables, como los guantes de nitrilo, y protección ocular. Se recomienda un respirador aprobado por NIOSH, como el N95, especialmente en áreas poco ventiladas. **TRATAMIENTO DE PRIMEROS AUXILIOS:** Contiene: Arena de sílice y cemento Portland. Al humedecerse forma hidróxido de calcio. En caso de contacto con la piel o con los ojos: Enjuague cuidadosamente con agua durante varios minutos. Retírese los lentes de contacto, si los usa y le resulta fácil hacerlo. Continúe enjuagando. En caso de inhalación: Lleve a la persona al aire fresco y manténgala en una posición en que le resulte cómodo respirar. En caso de ingestión: Enjuague la boca. NO induzca el vómito. Si los síntomas son agudos o persistentes, obtenga atención o asesoramiento médico de inmediato. Antes de manipular el producto, lea la ficha de datos de seguridad, disponible en línea en [www.custombuildingproducts.com](http://www.custombuildingproducts.com). En caso de emergencia, llame al (800) 535-5053.

**ADVERTENCIA:** Cáncer y daños reproductivos — [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Customer: X-PEDX  
Design #: 63011  
Desc: TT FULL AUTO BTM E-LAM DO-63007  
PRINT SIDE DESIGN SIZE 18 5/8" X 20 13/16"

1/15/2009  
4 15/16" x 4 15/16" x 7 11/16"

1/4" BLEED OFF CARTON

3 GROUT

**POLYBLEND** AMERICA'S #1 GROUT

**Sanded Grout** for grout joints from 1/8"-1/2"

Boquilla Con Arena para Uniones de Boquilla 3 - 13 mm

- Easy to Use — Just Mix with Water
- Polymer Fortified for Hard, Durable, Professional Results

**ELIGIBLE FOR LIFETIME WARRANTY**

**ELIGIBLE FOR LIFETIME SYSTEMS WARRANTY**

**WARNING: IRRITANT**  
Read cautions on back panel  
**KEEP OUT OF REACH OF CHILDREN**

NET WT. 7 LBS | (3.17 kg)

3 GROUT

**POLYBLEND** AMERICA'S #1 GROUT

**Sanded Grout** for grout joints from 1/8"-1/2"

Boquilla Con Arena para Uniones de Boquilla 3 - 13 mm

TILE SIZE	AVERAGE COVERAGE SUPERFICIE MOYENNE COUVERTE				
	COVERAGE PER 7 LBS.				
JOINT SIZE					
	1/8"	3/16"	1/4"	3/8"	1/2"
1" x 1" x 1/4"	15 ft²	11 ft²	9 ft²	8 ft²	7 ft²
2" x 2" x 1/4"	27 ft²	19 ft²	15 ft²	11 ft²	9 ft²
4 1/4" x 4 1/4" x 1/4"	54 ft²	37 ft²	28 ft²	20 ft²	16 ft²
6" x 6" x 1/4"	74 ft²	51 ft²	39 ft²	27 ft²	21 ft²
12" x 12" x 3/8"	97 ft²	66 ft²	50 ft²	34 ft²	26 ft²
18" x 18" x 3/8"	145 ft²	97 ft²	73 ft²	50 ft²	38 ft²
6" x 24" x 3/8"	78 ft²	53 ft²	40 ft²	27 ft²	21 ft²
12" x 24" x 3/8"	129 ft²	87 ft²	66 ft²	44 ft²	34 ft²
TAILLE DES CARREAUX COUVERTE POUR 3,2 KG					
	3,2 mm	4,8 mm	6,3 mm	9,5 mm	12,7 mm
25 x 25 x 6 mm	1,4 m²	1,0 m²	0,9 m²	0,7 m²	0,6 m²
50 x 50 x 6 mm	2,5 m²	1,8 m²	1,4 m²	1,0 m²	0,9 m²
106 x 106 x 6 mm	5,0 m²	3,4 m²	2,6 m²	1,9 m²	1,5 m²
150 x 150 x 6 mm	6,9 m²	4,7 m²	3,6 m²	2,5 m²	1,9 m²
300 x 300 x 9,5 mm	9,0 m²	6,1 m²	4,6 m²	3,1 m²	2,4 m²
457 x 457 x 9,5 mm	13,5 m²	9,0 m²	6,8 m²	4,6 m²	3,5 m²
150 x 600 x 9,5 mm	7,3 m²	4,9 m²	3,7 m²	2,5 m²	2,0 m²
300 x 600 x 9,5 mm	12,0 m²	8,1 m²	6,1 m²	4,1 m²	3,1 m²

Chart for estimating purposes. Coverage may vary based on installation practices and jobsite conditions. For more tile and joint sizes, use the material calculator at [CustomBuildingProducts.com](http://CustomBuildingProducts.com) or contact CUSTOM Technical Services at 800-282-8786.

Tabla para fines de cálculo. La cobertura podría variar dependiendo de las prácticas de instalación y de las condiciones en el lugar de trabajo. Para más tamaños de azulejos, baldosas y juntas, use el calculador de materiales en [CustomBuildingProducts.com](http://CustomBuildingProducts.com) o comuníquese con el Servicio de Asistencia Técnica de CUSTOM llamando al 800-282-8786.

GLUE AREA

GLUE AREA

GLUE AREA

<b>CUSTOM BUILDING PRODUCTS</b>	
VENDOR: XPEDEX	DIELINE SIZE:
PACKAGE CODE:	ART REV: 1/18
SIZE: SEE PACKAGE	NOTES: ALL PLATES CHANGE
COLORS: 5	BLACK PMS 242 PMS 1585 PMS 2587 PMS 421

*Tim Kennedy*  
Tim Kennedy (Feb 22, 2026)

*L.J. Odum*  
L.J. Odum (Feb 22, 2018)

*Mike Micalizzi*  
Mike Micalizzi (Feb 27, 2018)

*Diane Stewart*  
Diane Stewart (Mar 6, 2018)
















# PBGxxx7 47625 XPEDEX\_2-18

Adobe Sign Document History

03/06/2018


Created:	02/21/2018
By:	Isabel Do (ido@cbpmail.net)
Status:	Signed
Transaction ID:	CBJCHBCAABAArOkdcmgho95MiuiaWMKOpGQff_fkbYbJ

## "PBGxxx7 47625 XPEDEX\_2-18" History

-  Document uploaded by Isabel Do (ido@cbpmail.net) from Acrobat  
02/21/2018 - 4:12:08 PM PST- IP address: 206.16.126.144
  
-  Document emailed to Tim Kennedy (Timk@cbpmail.net) for signature  
02/21/2018 - 4:13:06 PM PST
  
-  Document viewed by Tim Kennedy (Timk@cbpmail.net)  
02/22/2018 - 7:17:04 AM PST- IP address: 108.185.94.72
  
-  Document e-signed by Tim Kennedy (Timk@cbpmail.net)  
Signature Date: 02/22/2018 - 7:17:39 AM PST - Time Source: server- IP address: 108.185.94.72
  
-  Document emailed to L J Odum (lodum@cbpmail.net) for signature  
02/22/2018 - 7:17:40 AM PST
  
-  Document viewed by L J Odum (lodum@cbpmail.net)  
02/22/2018 - 7:32:25 AM PST- IP address: 108.185.94.72
  
-  Document e-signed by L J Odum (lodum@cbpmail.net)  
Signature Date: 02/22/2018 - 7:33:44 AM PST - Time Source: server- IP address: 108.185.94.72
  
-  Document emailed to Mike Micalizzi (mmicalizzi@cbpmail.net) for signature  
02/22/2018 - 7:33:45 AM PST
  
-  Document viewed by Mike Micalizzi (mmicalizzi@cbpmail.net)  
02/27/2018 - 2:02:50 PM PST- IP address: 108.185.94.72
  
-  Document e-signed by Mike Micalizzi (mmicalizzi@cbpmail.net)  
Signature Date: 02/27/2018 - 2:03:10 PM PST - Time Source: server- IP address: 108.185.94.72
  
-  Document emailed to Diane Stewart (dianes@cbpmail.net) for signature  
02/27/2018 - 2:03:11 PM PST

 Document viewed by Diane Stewart (dianes@cbpmail.net)

03/06/2018 - 10:04:56 AM PST- IP address: 64.62.197.55

 Document e-signed by Diane Stewart (dianes@cbpmail.net)

Signature Date: 03/06/2018 - 10:05:38 AM PST - Time Source: server- IP address: 64.62.197.55