

Page:1/11

SAFETY DATA SHEET

FOR INDUSTRIAL USE ONLY

Supreme Paintable K/B Silicone - White

Section 1. Product and company identification

Product name		: Supreme Paintable K/B Silicone - White
Manufacturer/Importer/Distr ibutor Information	:	Momentive Amer Ind. 260 Hudson River Road Waterford NY 12188
Contact person	:	commercial.services@momentive.com
Telephone	:	General information +1-800-295-2392
Emergency telephone number		
Supplier	:	CHEMTREC 1-800-424-9300

Section 2. Hazards identification

Classification of the substance or mixture	:	SKIN SENSITIZATION - Category 1
Ingredients of unknown toxicity	:	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 16.2 %
GHS label elements		
Hazard pictograms	:	
Signal word Hazard statements	:	Warning H317 May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing dust. Contaminated work clothing should not be allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs:

Get medical attention.

Storage	: Not applicable.

 Disposal
 :
 P501Dispose of contents and container in accordance with all local, regional, national and international regulations.

 Other hazards which do not result in classification
 :
 None known.

Section 3. Composition/information on ingredients

ŝ

ŝ

Substance/mixture Chemical name Mixture Not available

Hazardous ingredients	% by weight	CAS
		number
Distillates (petroleum), hydrotreated middle	10 - 30	64742-46-7
Octadecanoic acid	1 - 5	57-11-4
N-(3-(trimethoxysilyl)propyl)ethylenediamine	0.1 - 1	1760-24-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	1	No specific treatment.
Protection of first aid personnel	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical, CO2, alcohol-resistant foam or water spray (fog). water jet
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides Measurements at temperatures above 150°C in presenc e of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for contain	nment ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Use only with adequate ventilation. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash
Conditions for safe storage,	:	hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Store in accordance with local regulations. Store in original container
including any incompatibilities		protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None. Appropriate engineering controls No special ventilation requirements. Good general ventilation should 2 be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state Color	:	solid White
Odor Odor threshold pH	:	Faint odor. Not available Not applicable.
Melting point	:	Not applicable.
Boiling point	:	Not applicable.
Flash point	:	> 94 $\ \mathbb{C}$ (> 201 $\ \mathbb{F}$) Product does not flash below 93. 3C (200F) during test; no actual flash point >93.3 C was determined.

Burning time Burning rate Evaporation rate	:	Not available Not available Not applicable.
Flammability (solid, gas) Lower and upper explosive (flammable) limits	:	Not available Lower: Not applicable. Upper: Not applicable.
Vapor pressure	:	Not applicable.
Vapor density Relative density Density	:	Not available Not available 1.49 g/cm3
Solubility	:	Toluene
Solubility in water	:	Insoluble
Partition coefficient: n- octanol/water	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	1	Not available
SADT	:	Not available
Viscosity	:	Dynamic: Not available
Volatile organic content		Kinematic: Not available 2.5 % (w/w)
i claine organie contoin	÷.,	40 g/l

Other information

No additional information.

Section 10. Stability and reactivity

Reactivity	:	Stable under normal conditions.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	No specific data.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Ex	posure
N-(3-(trimethoxysilyl)propyl)e	ethylenediamine				
	LC50	Rat	1.49 - 2.44 mg/l	-	
	Inhalation				

	LD50 Dermal	Rabbit	2,000 mg/kg	-
Conclusion/Summary	:	Not determined		
Irritation/Corrosion				
Conclusion/Summary				
Skin		Not determined		
eyes Boopirotony		Not determined Not determined		
Respiratory	•	Not determined		
Sensitization				
Conclusion/Summary Skin Respiratory	:	Not determined Not determined		
<u>Mutagenicity</u>				
Conclusion/Summary	:	Not determined		
Carcinogenicity				
Conclusion/Summary	÷	Not determined		
Reproductive toxicity				
Conclusion/Summary	:	Not determined		
Teratogenicity				
Conclusion/Summary	:	Not determined		

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Octadecanoic acid	Category 3 Not applicable Category 3		Respiratory tract irritation Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Octadecanoic acid	Category 2		respiratory tract
	Not applicable		
	Category 2		respiratory tract
	Category 2		

Aspiration hazard

Product/ingredient name		Result		
Distillates (petroleum), hydrotreated middle		ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1		
Information on the likely routes of exposure	: Not available	e		
Potential acute health effects				
Eye contact Inhalation	: Exposure to	gnificant effects or critical hazards. decomposition products may cause a health hazard. cts may be delayed following exposure.		

Skin contact Ingestion	:	May cause an allergic skin reaction. No known significant effects or critical hazards.
Symptoms related to the physical,	chem	ical and toxicological characteristics
Eye contact Inhalation Skin contact	: :	No specific data. No specific data. Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Delayed and immediate effects and	l also	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available
Potential chronic health effects		
Conclusion/Summary	:	Not determined
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Teratogenicity	1	No known significant effects or critical hazards.
Developmental effects	1	No known significant effects or critical hazards.
Fertility effects		No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available

Section 12. Ecological information

Ecotoxicity

Product/ingredient name	Result	Species	Exposure
N-(3-(trimethoxysilyl)propyl)ethy	lenediamine		
	Acute EC50 87.4 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute IC50 30.7 mg/l Fresh water	Aquatic plants - Algae	-

Conclusion/Summary

: Not available

Persistence/degradability

Conclusion/Summary : Not available

Bioaccumulative potential

Product/ingredient name	Species	Exposur e	LogPow	BCF	Potential
Octadecanoic acid				-	low

Mobility in soil

Soil/water partition coefficient	10	Not available
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil,
		waterways, drains and sewers.

Section 14. Transport information

Special precautions for user	:	This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous
		goods.

15.Regulatory information

United States

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None required.
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

United States - TSCA 5(e) - Substances consent order: Not listed

<u>SARA 311/312</u>		
Classification	: Immediate (acute) health hazard	
<u>California Prop. 65:</u>	: WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.	
<u>Canada</u> WHMIS (Canada)	: Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic).	
International regulations		
International lists :	 Australia inventory (AICS): T (temporary special case) Canada inventory: On or in compliance with the inventory Japan inventory: Not determined. China inventory (IECSC): (Quantity restricted) Korea inventory: Not determined. New Zealand Inventory (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. United States inventory (TSCA 8b): All components are listed or exempted. Taiwan inventory (CSNN): Not determined. 	

Section 16. Other information

Label requirements : MAY CAUSE ALLERGIC SKIN REACTION. Hazardous Material Information System III (U.S.A.) :			
Health	() 	1	
Flammability		1	
Physical hazards		0	

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H statements	:	Not applicable.
<u>History</u>		
Date of printing Date of issue/Date of revision Date of previous issue Version Prepared by Key to abbreviations		10/21/2016 10/21/2016 04/10/2015 1.1 Product Safety Stewardship ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association

IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,
1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
RID = The Regulations concerning the International Carriage of Dangerous Goods by
Rail
UN = United Nations
Not available

References

ŝ

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for longlasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

[®],*, and TM indicate trademarks owned by or licensed to Momentive.