

# Safety Data Sheet

Version number 1

Revision date 30.1.2015

Product name: WA3520 Lithium Replacement Battery

## 1 SECTION1: Product and Company Identification

Product identifier

- Product name: WA3520 Lithium Replacement Battery
- Registration number: Not applicable. No registration number.

Relevant identified uses of the substance or mixture and uses advise against

Identified uses: Used for electric tools

Uses advised against: No information available.

Details of the supplier of the safety data sheet

Supplier: Positec Machinery (China) Co., Ltd.

Address: No. 18 Dongwang Road, Suzhou Industrial Park

Postcode: 215123

E-mail: Positec.sz@positec.biz

Tel: +86-512-67631888

Fax: +86-512-67631999

Emergency telephone number +86-512-67631888

## 2 SECTION 2: Hazards identification

**Emergency situation:** warning, do not open and disassemble it, and do not exposed to fire or open flame; Don't mix put batteries with different models and different types. It will expose and burn when in fire; Do not short circuit, extrusion, burning or remove the battery.

## 3 SECTION 3: Composition/information on ingredients

dangerous components.

Chemical Name	CAS Number	Material Composition
4-Fluoro-1,3-dioxolan-2-one	114435-02-8	0.17%
Tin	7440-31-5	0.28%
Silver	7440-22-4	0.14%
2,4,6(1H,3H,5H)-Pyrimidinetrione, 5,5`-(1H-isoindole-1,3(2H)-diylidene)bis-	36888-99-0	0.01%
ABS resin	9003-56-9	0.01%
Borate(1-), tetrafluoro-, lithium	14283-07-9	0.01%
Poly(oxy-1,4-butanediylloxycarbonyl-1,4-phenylenecarbonyl)	24968-12-5	0.03%
Fatty acids, coco, polymers with benzoic acid, pentaerythritol and phthalic anhydride	68604-67-1	0.04%
2-Propenoic acid, 2-methyl-, polymer with 1,3-butadiene and ethenylbenzene	9010-93-9	0.05%
RM166660 2-Propenoic acid, 2-methyl-, methyl ester, polymer with 1,3-butadiene, ethenylbenzene and 2-propenenitrile	9010-94-0	0.05%
Talc	14807-96-6	0.05%
Titanium dioxide	13463-67-7	0.06%

# Safety Data Sheet

Version number 1

Revision date 30.1.2015

Product name: WA3520 Lithium Replacement Battery

Styrene/butadiene copolymer	9003-55-8	0.06%
Carbamic acid, octadecyl-, ethenyl ester, homopolymer	36671-85-9	0.06%
Succinonitrile	110-61-2	0.09%
Sodium carboxymethyl cellulose	9004-32-4	0.10%
2-Propenoic acid, polymer with butyl 2-propenoate, ethenyl acetate and 2-ethylhexyl 2-propenoate	35239-19-1	0.26%
Lithium carbonate	554-13-2	0.29%
1,1-Difluoroethylene polymer	24937-79-9	0.35%
Carbon black	1333-86-4	0.35%
Polyethylene terephthalate	25038-59-9	0.47%
Polypropylene	9003-07-0	0.56%
Carbonate, methyl ethyl	623-53-0	0.85%
Phosphate(1-), hexafluoro-, lithium	21324-40-3	1.06%
Ethylene carbonate	96-49-1	1.11%
Oxygen	7782-44-7	1.42%
Polyethylene	9002-88-4	1.74%
Lithium Cobalt Oxide (CoLiO <sub>2</sub> )	12190-79-3	1.87%
Manganese	7439-96-5	2.43%
Dimethyl carbonate	616-38-6	2.72%
Lithium manganese oxide (LiMn <sub>2</sub> O <sub>4</sub> )	12057-17-9	2.80%
Aluminum	7429-90-5	4.13%
Lithium nickel oxide (LiNiO <sub>2</sub> )	12031-65-1	4.67%
Copper	7440-50-8	9.77%
Carbon	7440-44-0	9.78%
Iron	7439-89-6	12.61%
Epoxy resin	38891-59-7	0.55%
PVC (Chloroethylene, polymer)	9002-86-2	1.27%
Nylon-6	25038-54-4	33.41%
Nickel	7440-02-0	4.32%

## 4 SECTION 4: First aid measures

For the material leaked from battery interior

**Eye contact:** if contact, rinse with clean water for at least 15mins, turns upper and lower eyelid until the chemical residue gone, then go to see doctor immediately.

**Skin contact:** if contact, rinse with suds. Meanwhile take off the polluted clothes and shoes. If chemical burns or continual stimulates, please go to see a doctor immediately.

**Eat:** go to see a doctor immediately

**Inhalation:** remove him to the area that with the clean air immediately , provide him artificial respiration if can not breathe, don't use mouth-to-mouth breath method.

If has difficulty to breathe , given oxygen to overcome breathing problem. Go to see a doctor immediately.

## 5 SECTION 5: Fire fighting measures

## Safety Data Sheet

Version number 1

Revision date 30.1.2015

Product name: WA3520 Lithium Replacement Battery

- Extinguishing media
- Suitable extinguishing agents: CO<sub>2</sub>, dry chemical powder, water spray.
- Unsuitable extinguishing agents: No information available.
  
- Special hazards arising from the substance or mixture Not flammable.
- Advice for firefighters Fire-fighters should wear appropriate breathing apparatus and protective equipment

### 6 SECTION 6: Accidental release measures

#### Personal precautions

Use personal protective clothing. Avoid contact with skin, eyes and clothing. Avoid breathing fume and gas.

#### Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Take up mechanically and send for disposal.

### 7 SECTION 7: Handling and storage

#### Handling

##### Advice on safe handling

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### Storage

##### Requirements for storage rooms and vessels

Storage at room temperature (approx. 20°C) at approx. 20-60% of the nominal capacity

Keep in closed original container..

### 8 SECTION 8: Exposure controls/personal protection

**Engineering Control:** Select the appropriate ventilation and temperature control equipment, which should be equipped with eye cleaning and shower equipment. Use local equipment to ensure its concentration under the limitation.

**Eye protection:** Not necessary under normal use. Wear safety goggles or glasses with side shields if handling a leaking or ruptured battery.

**Hand protection:** Not necessary under normal use. Wear rubber gloves if handling a leaking or ruptured battery.

**Skin protection:** Not necessary under normal use. Wear protection suit in case of handling a leaking or ruptured battery

**Respiratory protection:** Not necessary under normal use. Keep the air circulation in case of handling a leaking or ruptured battery. Do not use it in a narrow place in this case.

### 9 SECTION 9: Physical and chemical properties

**Physical state:** Solid

**Color:** black

**Smell:** N/A

**Voltage:** 18V

## Safety Data Sheet

Version number 1

Revision date 30.1.2015

Product name: WA3520 Lithium Replacement Battery

**Weight:** 380g**Capacity:** 1.5Ah**Watt-hours of Battery:** 27Wh**Solubility in water:** Does not dissolve in water

### 10 SECTION 10: Stability and reactivity

**Stability:** It should be stable under the condition of normal storage and operation.**Conditions to avoid:** Overheat; Exposure to humid conditions; Mechanical vibration**Taboo materials:** strong oxidant**Hazardous decomposition products:** Under the condition of burning may produce harmful decomposition products**Hazardous polymerization reaction:** NA

### 11 SECTION 11: Toxicological information

- **Acute toxicity:** No data available.
- **Skin corrosion/irritation:** No irritant effect.
- **Serious eye damage/irritation:** No irritating effect.
- **Respiratory or skin sensitization:** No sensitizing effects known.
- **Specific target organ system toxicity:** No information available.
- **Toxicokinetics, metabolism and distribution:** No information available.
- **Aspiration hazard:** No information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** No information available.

### 12 SECTION 12: Ecological information

There are no ecological injuries under normal usage. Do not flush into water or sanitary sewer system

### 13 SECTION 13: Disposal considerations

Advice on disposal

For recycling consult manufacturer.

Disposal in accordance with local regulations

### 14 SECTION 14: Transport information

Carefully without dropping, falling, breakage, or wetting by the rain.

This product meets the requirement of UN38.3 Criteria.

Transport under following regulations.

Air

-IATA (International Air Transport Association): DGR (Dangerous Goods Regulations)

-ICAO (International Civil Aviation Organization): TI (Technical Instructions for Safety

Transport of Dangerous Goods by Air)

Marine

-IMO (International Maritime Organization): IMDG (International Maritime Dangerous Goods) Code

The UN Number is 3480 and Class is 9.

## *Safety Data Sheet*

Version number 1

Revision date 30.1.2015

Product name: WA3520 Lithium Replacement Battery

---

### 15 SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance

USA or EU Regulation:

Authorizations : No information available.

Restrictions on use: No information available.

---

### 16 SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.