Version 4.1 Revision Date 06/12/2020 Print Date 08/04/2020

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP GROUT CLEANER & BRIGHTENER
Material number	:	ZU104632
Manufacturer or supplier's o	leta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers			
For SDS Information	:	Compliance Services 1-877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

### Recommended use of the chemical and restrictions on use

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid
Colour	colourless, light yellow
Odour	characteristic

GHS Classification	
Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	: <b>Prevention:</b> P264 Wash skin thoroughly after handling.

Version 4.1	Revision Date 06/12/2020	Print Date 08/04/2020
	P280 Wear protective gloves/ proprotection/ face protection.	otective clothing/ eye
	Response:	
	P301 + P330 + P331 IF SWALLO induce vomiting.	OWED: Rinse mouth. Do NOT
	P303 + P361 + P353 IF ON SKII	N (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

CAS-No.	Concentration [%]
506-89-8	>= 10 - < 20
7647-01-0	>= 1 - < 3
68439-46-3	>= 1 - < 3
	506-89-8 7647-01-0

The exact percentages of disclosed substances are withheld as trade secrets.

## **SECTION 4. FIRST AID MEASURES**

General advice	Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance Do not leave the victim unattended.	۱.
If inhaled	If unconscious, place in recovery position and seek me advice. If symptoms persist, call a physician.	dical
In case of skin contact	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 1 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.	

Version 4.1	Revision Date 06/12/2020	Print Date 08/04/2020
In case of eye contact	<ul> <li>Small amounts splashed into eyes tissue damage and blindness.</li> <li>Rinse immediately with plenty of w for at least 15 minutes.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a second second</li></ul>	rater, also under the eyelids,
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless d physician or poison control center. Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita	ages. n unconscious person. an.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are dependent on exposure contact time).</li> <li>Effects are immediate and delayed Symptoms may include blistering, Causes severe skin burns and eye Review section 2 of SDS to see all</li> </ul>	l. irritation, burns, and pain. a damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 4.1

Revision Date 06/12/2020

Print Date 08/04/2020

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid dust formation.	
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.	n
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from bleach. Oxidizing agents Store and keep away from bases and alkalies.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrochloric acid	7647-01-0	С	2 ppm	ACGIH
		С	5 ppm 7 mg/m3	NIOSH REL
		С	5 ppm 7 mg/m3	OSHA Z-1

rsion 4.1	Revision Date 06/12/2020	Print Date 08/04/2020
		5 ppm OSHA P0 7 mg/m3 CAL PEL
		0.45 mg/m3 2 ppm CAL PEL
Engineering measures	: effective ventilation in all proc	essing areas
Personal protective equipr	nent	
Respiratory protection		less adequate local exhaust osure assessment demonstrates ommended exposure guidelines.
Hand protection Material Remarks	<ul> <li>Protective gloves</li> <li>The suitability for a specific workplace should be discussed with the producers of the protective gloves.</li> </ul>	
Eye protection	<ul> <li>Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.</li> <li>Tightly fitting safety goggles</li> <li>Wear face-shield and protective suit for abnormal processing problems.</li> </ul>	
Skin and body protection	: Impervious clothing Choose body protection acco concentration of the dangerou	rding to the amount and us substance at the work place.
Hygiene measures	: When using do not eat or drin When using do not smoke. Wash hands before breaks a	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless, light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: <1
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	: does not flash
Evaporation rate	: No data available
Upper explosion limit	: No data available

Version 4.1	Revision Date 06/12/2020	Print Date 08/04/2020
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 1.06 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Bases
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx) Chlorine

## SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Causes severe skin burns and eye damage.

	Revision Date 06/12/2020	Print Date 08/04/2020
	Review section 2 of SDS to see all Treat symptomatically. Symptoms	•
Carcinogenicity:		
IARC	No component of this product present	
ACGIH	equal to 0.1% is identified as probable human carcinogen by IARC. Confirmed animal carcinogen with unl humans 2-butoxyethanol	known relevance to 111-76-2
	Confirmed animal carcinogen with unl humans	known relevance to
OSHA	No component of this product present	
NTP	equal to 0.1% is on OSHA's list of reg No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 3,496 mg/ Method: Calculation method	kg
<u>Components:</u> Alcohols, C9-11, ethoxyl Acute oral toxicity	ated: : LD50 Oral Rat: 1,400 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corro	sive and destructive to tissue.	
Serious eye damage/eye irrit	ation	
Serious eye damage/eye irrita <u>Product:</u>	ation	
Product: Remarks: May cause irrev	versible eye damage.	
Product: Remarks: May cause irrev Respiratory or skin sensitisa	versible eye damage.	
<u>Product:</u> Remarks: May cause irrev Respiratory or skin sensitisa No data available	versible eye damage.	
<u>Product:</u> Remarks: May cause irrev Respiratory or skin sensitisa No data available Germ cell mutagenicity	versible eye damage.	
Product: Remarks: May cause irrev Respiratory or skin sensitisa No data available Germ cell mutagenicity No data available	versible eye damage.	
Product: Remarks: May cause irrev Respiratory or skin sensitisa No data available Germ cell mutagenicity No data available Carcinogenicity	versible eye damage.	
	versible eye damage.	
Product: Remarks: May cause irrev Respiratory or skin sensitisa No data available Germ cell mutagenicity No data available Carcinogenicity No data available	versible eye damage.	

Version 4.1

Revision Date 06/12/2020

Print Date 08/04/2020

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

### Further information

Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available	
Persistence and degradability	
No data available <b>Bioaccumulative potential</b>	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Version 4.1	Revision Date 06/12/2020	Print Date 08/04/2020
Waste from residues	: Do not dispose of waste into sewe Do not contaminate ponds, watery chemical or used container. Dispose of in accordance with loc	ways or ditches with
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation: IMDG (Vessel): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

Transportation Regulation: IATA (Cargo Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: IATA (Passenger Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: TDG (Canada): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydrochloric acid	7647-01-0	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Version 4.1	Revision Date 06/12/2020	Print Date 08/04/2020
This material does not contain	any components with a section 304 EH	S RQ.
SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation	
SARA 302	: No chemicals in this material are sub requirements of SARA Title III, Section	, , ,
SARA 313	: This material does not contain any ch known CAS numbers that exceed the reporting levels established by SARA	e threshold (De Minimis)
California Prop. 65		
	This product does not contain any California to cause cancer, birth de reproductive harm.	

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 4.1

Revision Date 06/12/2020

Print Date 08/04/2020

### **Further information**

#### NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 4.1

Revision Date 06/12/2020

Print Date 08/04/2020

Version:	4.1
Revision Date:	06/12/2020
Print Date:	08/04/2020

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.