
GHS

Printing date 7/24/2013

Revision: 7/24/2013



GHS

Printing date 7/24/2013


Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A (Contd. of page 1) · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Warning! Pressurized container. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: diphenylmethanediisocyanate, isomeres and homologues 4,4'-methylenediphenyl diisocyanate · Hazard statements H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eve irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. Do not breathe dust/fume/gas/mist/vapours/sprav. P260 In case of inadequate ventilation wear respiratory protection. P285 P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. P342+P311 IF ON SKIN: Wash with plenty of soap and water. P302+P352 · Additional information: Contains isocyanates. May produce an allergic reaction. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. (Contd. on page 3)

GHS

Printing date 7/24/2013

Revision: 7/24/2013



· vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous addition	ons.
--	------

Dangerous components:

CAS: 9016-87-9	diphenylmethanediisocyanate,isomeres and homologues Xn R20; Xn R42/43; Xi R36/37/38 Carc. Cat. 3	> 50%
	 Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 	
CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-005-00-9	4,4'-methylenediphenyl diisocyanate Xn R20; Xn R42/43; Xi R36/37/38 Carc. Cat. 3	25-509
	 Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 	
CAS: 811-97-2	Norflurane	10-25%
EINECS: 212-377-0	Press. Gas, H280	1

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

• Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. of page 3)

4 First aid measures 4.1 Description of first aid measures · General information: Take affected persons out into the fresh air. Do not leave affected persons unattended. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately wash with water and soap and rinse thoroughly. Do not pull solidified product off the skin. If skin irritation continues, consult a doctor. · After eye contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Call a doctor immediately. Do not remove contact lenses if worn. · After swallowing: Unlikely route of exposure. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Asthma attacks Allergic reactions Coughing **Breathing difficulty** Dizziness Headache · Hazards Danger of impaired breathing. Danger of pulmonary oedema. Danger of convulsion. Danger of disturbed cardiac rhythm. Condition may deteriorate with alcohol consumption. 4.3 Indication of any immediate medical attention and special treatment needed Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary oedema. Monitor circulation, possible shock treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations.

(Contd. on page 5)

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

(Contd. of page 4)

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapour pressure when heated. In case of fire, the following can be released: Nitrogen oxides (NOx) Hydrogen cyanide (HCN) Carbon monoxide (CO) Under certain fire conditions, traces of other toxic gases cannot be excluded. · 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Remove persons from danger area. Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. Protect from heat. • 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water. · 6.3 Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically. Clean the affected area carefully, suitable cleaners are: Warm water and cleansing agent Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

Use only in well ventilated areas.

Take note of emission threshold.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 6)

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Pressurized co electric lights.	
Pressurized co electric lights.	(Contd. of pag bout fire - and explosion protection:
	ontainer: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.
Do not enravo	Do not pierce or burn, even after use.
Dunitsprayu	nto a naked flame or any incandescent material.
7.2 Condition	s for safe storage, including any incompatibilities
Storage:	
Requirements	to be met by storerooms and receptacles:
	al regulations on storing packagings with pressurized containers.
Store in a cool	
	tion for receptacles.
	bout storage in one common storage facility:
Store away fro	
	gether with acids. m oxidizing agents.
	nation about storage conditions:
	ry conditions in well sealed receptacles.
	place. Heat will increase pressure and may lead to the receptacle bursting.
	eat and direct sunlight.
Store receptac	le in a well ventilated area.
7.3 Specific e	nd use(s) No further relevant information available.
3 Exposure c	ontrols/personal protection
Additional inf	armation about decign of technical facilities. No further data: and item 7
	ormation about design of technical facilities: No further data; see item 7.
· 8.1 Control pa	
	ith limit values that require monitoring at the workplace:
	nethylenediphenyl diisocyanate
· ,	Short-term value: C 0,2 mg/m ³ , C 0,02 ppm
REL (USA)	Short-term value: C 0,2* mg/m³, C 0,02* ppm
	Long-term value: 0,05 mg/m³, 0,005 ppm
. ,	*10 min
	*10-min
	0,051 mg/m³, 0,005 ppm
TLV (USA) EL (Canada)	0,051 mg/m³, 0,005 ppm Short-term value: C 0,01 ppm
TLV (USA) EL (Canada)	0,051 mg/m³, 0,005 ppm Short-term value: C 0,01 ppm Long-term value: 0,005 ppm
TLV (USA) EL (Canada)	0,051 mg/m³, 0,005 ppm Short-term value: C 0,01 ppm
TLV (USA) EL (Canada)	0,051 mg/m³, 0,005 ppm Short-term value: C 0,01 ppm Long-term value: 0,005 ppm Skin; S
TLV (USA) EL (Canada)	0,051 mg/m³, 0,005 ppm Short-term value: C 0,01 ppm Long-term value: 0,005 ppm Skin; S 0,005 ppm
TLV (USA) EL (Canada) EV (Canada)	0,051 mg/m ³ , 0,005 ppm Short-term value: C 0,01 ppm Long-term value: 0,005 ppm Skin; S 0,005 ppm urane
TLV (USA) EL (Canada) EV (Canada) 811-97-2 Norf WEEL (USA)	0,051 mg/m ³ , 0,005 ppm Short-term value: C 0,01 ppm Long-term value: 0,005 ppm Skin; S 0,005 ppm urane
TLV (USA) EL (Canada) EV (Canada) 811-97-2 Norf WEEL (USA) • DNELs No furf	0,051 mg/m ³ , 0,005 ppm Short-term value: C 0,01 ppm Long-term value: 0,005 ppm Skin; S 0,005 ppm urane 1000 ppm

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A (Contd. of page 6) · 8.2 Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. · Material of gloves Nitrile rubber, NBR **PVC** gloves Fluorocarbon rubber (Viton) The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Natural rubber, NR · Eve protection: Contact lenses should not be worn. Safety glasses Goggles recommended during refilling · Body protection: Impervious protective clothing · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available. (Contd. on page 8)

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

(Contd. of page 7)

General Information Appearance: Aerosolized liquid with compressed gas in cylinders Colour: Form: Cream coloured Odour threshold: Odour threshold: Not determined. pH-value: Not determined. pH-value: Not determined. Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Boiling point/Boiling range: Not applicable, as aerosol. Flash point: Not applicable, as aerosol. Flasmability (solid, gaseous): Not applicable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapour pressure at 20 °C: 5716 hPa Density at 20 °C: 5716 hPa Density at 20 °C: 1,03 g/cm³ Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water):	9.1 Information on basic physical	and chemical properties	
Form:Aerosolized liquid with compressed gas in cylindersColour:Cream colouredOdour:CharacteristicOdour threshold:Not determined.pH-value:Not determined.Change in conditionUndetermined.Meting point/Boiling range:Undetermined.Boiling point/Boiling range:Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility withNot miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic:Dynamic:Not determined.Solvent content:Not determined.	General Information		
Colour:Cream coloured CharacteristicOdour threshold:Not determined.PH-value:Not determined.Charage in condition Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.Boiling point/Boiling range:Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flammability (solid, gaseous):Not determined.Ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Evaporation rateNot miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Mot determined.Solvent content:	Appearance:		
Odour:CharacteristicOdour threshold:Not determined.PH-value:Not determined.Change in condition Metting point/Melting range:Undetermined.Boiling point/Boiling range:Vot applicable, as aerosol.Flash point:Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³ Relative densityNot determined.Not determined.Vapour densityNot miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	Form:	Aerosolized liquid with compressed gas in cylinders	
Odour threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range: Boiling point/Melting range:Undetermined. Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Upper:Not determined.Vaour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³ Not determined.Vapour densityNot miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.			
pH-value: Not determined. Change in condition Melting point/Melting range: Undetermined. Not applicable, as aerosol. Flash point: Not applicable, as aerosol. Flash point: Not applicable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapour pressure at 20 °C: 5716 hPa Density at 20 °C: 1,03 g/cm ³ Relative density Not determined. Vapour density Not determined. Vocosity: Dynamic: Dynamic: Not determined.			
Change in condition Melting point/Melting range: Undetermined. Not applicable, as aerosol. Flash point: Not applicable, as aerosol. Flash point: Not applicable, as aerosol. Flammability (solid, gaseous): Not applicable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 5716 hPa Density at 20 °C: 5716 hPa Density at 20 °C: 1,03 g/cm ³ Relative density Not determined. Vapour density Not determined. Vapour density Not applicable. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Dynamic: Not determined. Viscosity: Not determined. <	Odour threshold:	Not determined.	
Melting point/Melting range:Undetermined. Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Lower:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	pH-value:	Not determined.	
Boiling point/Boiling range:Not applicable, as aerosol.Flash point:Not applicable, as aerosol.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Composition temperature:Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.			
Flash point: Not applicable, as aerosol. Flammability (solid, gaseous): Not applicable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 5716 hPa Density at 20 °C: 1,03 g/cm³ Relative density Not determined. Vapour density Not determined. Viscosity: Dynamic: Dynamic: Not determined. Viscosity: Not determined. Solvent content: Not determined.			
Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	Boiling point/Boiling range:	Not applicable, as aerosol.	
Ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vacure is not determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot applicable.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Solvent content:	Flash point:	Not applicable, as aerosol.	
Decomposition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Product does not present an explosion hazard.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Soluent content:Not determined.	Flammability (solid, gaseous):	Not applicable.	
Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vapour present an explosion hazard.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	Ignition temperature:	Not determined.	
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 5716 hPa Density at 20 °C: 1,03 g/cm ³ Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Not determined. Solvent content: Vot determined.	Decomposition temperature:	Not determined.	
Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 5716 hPa Density at 20 °C: 1,03 g/cm³ Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Vaporation rate Not applicable. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Not determined. Solvent content: Vot determined.	Self-igniting:	Product is not self-igniting.	
Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not applicable.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapour pressure at 20 °C:5716 hPaDensity at 20 °C:1,03 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	•		
Vapour pressure at 20 °C: 5716 hPa • Density at 20 °C: 1,03 g/cm ³ • Relative density Not determined. • Vapour density Not applicable. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. • Viscosity: Not determined. • Viscosity: Not determined. • Solvent content: Not determined.			
Density at 20 °C: 1,03 g/cm³ Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Evaporation rate Not applicable. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Viscosity:	Upper:	Not determined.	
Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot applicable.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	Vapour pressure at 20 °C:	5716 hPa	
Vapour density Not determined. Evaporation rate Not applicable. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Dynamic: Not determined. Solvent content: Not determined. Not determined.	Density at 20 °C:	1,03 g/cm ³	
Evaporation rate Not applicable. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Viscosity:		Not determined.	
Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content:		Not determined.	
water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Viscosity:	Evaporation rate	Not applicable.	
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content:			
Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Viscosity:	water:	Not miscible or difficult to mix.	
Dynamic: Not determined. Kinematic: Not determined. Solvent content: Vertical determined.	· Partition coefficient (n-octanol/water): Not determined.		
Kinematic: Not determined. Solvent content: Image: Content cont			
Solvent content:	•		
	Kinematic:	Not determined.	
VOC (US EPA Method 24) 0 a/l			
• 9.2 Other information No further relevant information available.		0 g/l	

(Contd. on page 9)

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

(Contd. of page 8)

10 Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions
 Reacts with alcohols, amines, aqueous acids and alkalis.
 Contact with acids releases toxic gases.
 Danger of receptacles bursting because of high vapour pressure when heated.
 Reacts with oxidizing agents.
 Exothermic polymerization.
 10.4 Conditions to avoid Store away from oxidizing agents.
 10.5 Incompatible materials: Contact with acids liberates toxic gases.
 10.6 Hazardous decomposition products:
 Ammonia
 Ammonia
 Contact with acids liberates toxic gases.
 Contact with acids liberates toxic gases.
 Example a statements of the statement of the
- Ammonia Isocyanate Carbon monoxide and carbon dioxide Nitrogen oxides

11 Toxicological information	
· 11.1 Information on toxicological effects	
· Acute toxicity:	
· LD/LC50 values relevant for classification:	
101-68-8 4,4'-methylenediphenyl diisocyanate	
Oral LD50 2200 mg/kg (mouse)	
Primary irritant effect:	
 on the skin: Irritant to skin and mucous membranes. 	
 on the eye: Irritating effect. 	
Sensitization:	
Sensitization possible through inhalation.	
Sensitization possible through skin contact.	
Additional toxicological information:	
The product shows the following dangers according	to the calculation method of the General EU
Classification Guidelines for Preparations as issued in th	e latest version:
Harmful	
Irritant	
Toxic and/or corrosive effects may be delayed up to 24 h	ours.
Sensitization , Sensitization possible by inhelation and/o	r darmal aantaat

- Sensitisation: Sensitization possible by inhalation and/or dermal contact.
- Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

(Contd. on page 10)

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

(Contd. of page 9)

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

This statement was deduced from products with a similar structure or composition.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Contact waste processors for recycling information.

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

· 14.1 UN-Number	
· DOT, ADR, IMDG, IATA	UN3500
· 14.2 UN proper shipping name	
· DOT	Chemical Under Pressure, n.o.s. (Fluorinated Hydrocarbon, Nitrogen)
· ADR	UN3500 Chemical Under Pressure, N.O.S.
	(Fluorinated Hydrocarbon, Nitrogen)

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

	(Contd. of	
· IMDG, IATA	Chemical Under Pressure, N.O.S. (Fluorina Hydrocarbon, Nitrogen)	ate
· 14.3 Transport hazard class(es)		
·DOT		
· Class	2.2	
· Label	2.2	
ADR		
- Class	2 5A Gases.	
Label	2.2	
IMDG, IAT A		
· Class	2.2	
Label	2.2	
· 14.4 Packing group · DOT, ADR, IMDG, IAT A	N/A	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	
· Danger code (Kemler): · EMS Number:	20 F-D,S-U	
• 14.7 Transport in bulk according to Anne» MARPOL73/78 and the IBC Code	Not applicable.	
 Transport/Additional information: 		
ADR		
Limited quantities (LQ)	120 ml	
· Transport category	3	
• Tunnel restriction code	E	

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

· UN "Model Regulation":	UN3500, Chemical Under Pressure, N.O.S.
	(Fluorinated Hydrocarbon, Nitrogen), 2.2
Regulatory information	
 15.1 Safety, health and environmenta United States (USA) SAR A 	al regulations/legislation specific for the substance or mixtur
Section 355 (extremely hazardous su	ibstances):
None of the ingredients is listed.	
Section 313 (Specific toxic chemical	listings):
9016-87-9 diphenylmethanediisocyana	te, isomeres and homologues
101-68-8 4,4'-methylenediphenyl diiso	ocyanate
TSCA (Toxic Substances Control Act	t):
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproduc	tive toxicity for females:
None of the ingredients is listed.	
Chemicals known to cause reproduc	tive toxicity for males:
None of the ingredients is listed.	
Chemicals known to cause developm	nental toxicity:
None of the ingredients is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Ager	
9016-87-9 diphenylmethanediisocyana 101-68-8 4,4'-methylenediphenyl diiso	.
IARC (International Agency for Resea	
9016-87-9 diphenylmethanediisocyana	•
101-68-8 4,4'-methylenediphenyl diiso	
TLV (Threshold Limit Value establish	•
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occ	unational Safety and Health)
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Hea	alth Administration)

GHS

Printing date 7/24/2013

· Canada

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

(Contd. of page 12)

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

101-68-8 4,4'-methylenediphenyl diisocyanate

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and skin.

R42/43 May cause sensitisation by inhalation and skin contact.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Contd. on page 14)

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - A

Website: www.chemtelinc.com

(Contd. of page 13)

Page 1

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date 7/24/2013

Revision: 7/24/2013

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: <u>Touch N Seal Foam Kit 200 ICC Part - B</u>
 Article number: EHS#2732 ICC – SDS / FR Part - B 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the preparation Polyurethane-sealant
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Convenience Products, division of Clayton Corp. 866 Horan Drive Fenton, MO 63026-2416 Phone: 636-349-5855
1.4 Emergency telephone number:
ChemTelInc. (800)255-3924, +1 (813)248-0585
2 Hazards identification
Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Repr. 1A H360 May damage fertility or the unborn child. GHS07
Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.
en en la seconda de la constance de la constanc
 Xi; Irritant R36: Irritating to eyes. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Warning! Pressurized container.
(Contd. on page 2

(Contd. of page 1)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Polyether polyol

Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydroxyethyl)amino) methyl]-4-nonylphenol (5:1)

halogenated aliphatic polyether polyol

- Hazard statements
- H302 Harmful if swallowed.
- H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

· Precautionary statements

P281 Use personal protective equipment as required.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Additional information:

Contains diglycidyl 1,2-cyclohexanedicarboxylate, Neodecanoic Acid. May produce an allergic reaction. Restricted to professional users.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

· Hazard description:

· WHMIS-symbols:

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



(Contd. on page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 7/24/2013

Revision: 7/24/2013

NFPA ratings (scal		td. of page
Health =	-	
Fire = 0	-	
Reactivity	y = 1	
HMIS-ratings (scale	e 0 - 4)	
HEALTH 2 Health =	= *2	
FIRE 0 Fire = 0		
REACTIVITY 1 Reactivi	-	
-	term health hazard from repeated or prolonged exposures.	
•	ealth Hazard Substances	
None of the ingredie • 2.3 Other hazards		
 Results of PBT and 	I vPvB assessment	
• PBT: Not applicable		
vPvB: Not applicabl	е.	
Composition/inf	formation on ingredients	
Composition/inf	ormation on ingredients	
Composition/inf	ormation on ingredients	
· 3.2 Mixtures	ormation on ingredients e of substances listed below with nonhazardous additions.	
• 3.2 Mixtures • Description: Mixtur • Dangerous compo	e of substances listed below with nonhazardous additions.	
• 3.2 Mixtures • Description: Mixtur • Dangerous compo CAS: 811-97-2	e of substances listed below with nonhazardous additions. nents: Norflurane	10-25%
• 3.2 Mixtures • Description: Mixtur • Dangerous compo	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280	
• 3.2 Mixtures • Description: Mixtur • Dangerous compo CAS: 811-97-2	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol	
• 3.2 Mixtures • Description: Mixtur • Dangerous compo CAS: 811-97-2	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38	
• 3.2 Mixtures • Description: Mixtur • Dangerous compo CAS: 811-97-2	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol	10-25%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	10-25%
• 3.2 Mixtures • Description: Mixtur • Dangerous compo CAS: 811-97-2	e of substances listed below with nonhazardous additions. nents: Norflurane Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3,	10-25%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 halogenated aliphatic polyether polyol	10-25%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 halogenated aliphatic polyether polyol Xn R22; Xi R36	10-25%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0	e of substances listed below with nonhazardous additions. nents: Norflurane Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 halogenated aliphatic polyether polyol Xn R22; Xi R36 Acute Tox. 4, H302; Eye Irrit. 2, H319	10-25%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 halogenated aliphatic polyether polyol Xn R22; Xi R36 Acute Tox. 4, H302; Eye Irrit. 2, H319 1,1,1,3,3-Pentafluoropropane, (Genetron®245fa)	10-25%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0 CAS: 68441-62-3 CAS: 460-73-1	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 halogenated aliphatic polyether polyol Xn R22; Xi R36 Acute Tox. 4, H302; Eye Irrit. 2, H319 1,1,1,3,3-Pentafluoropropane, (Genetron®245fa) Press. Gas, H280 Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydrox yethyl) amino) methyl]-4-nonylphenol (5:1)	10-25% 10-25% <10%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0 CAS: 68441-62-3 CAS: 460-73-1	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 halogenated aliphatic polyether polyol Xn R22; Xi R36 Acute Tox. 4, H302; Eye Irrit. 2, H319 1,1,1,3,3-Pentafluoropropane, (Genetron®245fa) Press. Gas, H280 Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydrox yethyl) amino) methyl]-4-nonylphenol (5:1) T R60; Xi R36/37/38	10-25% 10-25% <10%
• 3.2 Mixtures • Description: Mixtur Dangerous compor CAS: 811-97-2 EINECS: 212-377-0 CAS: 68441-62-3 CAS: 460-73-1	e of substances listed below with nonhazardous additions. nents: Norflurane Press. Gas, H280 Polyether polyol Xn R22; Xi R36/37/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 halogenated aliphatic polyether polyol Xn R22; Xi R36 Acute Tox. 4, H302; Eye Irrit. 2, H319 1,1,1,3,3-Pentafluoropropane, (Genetron®245fa) Press. Gas, H280 Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydrox yethyl) amino) methyl]-4-nonylphenol (5:1)	10-25% 10-25% <10%

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Cont	d. of page 3)
CAS: 5493-45-8 diglycidyl 1,2-cyclohexanedicarboxylate	<10%
EINECS: 226-826-3 🐹 Xi R36/37/38; 🐹 Xi R43	
Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 26896-20-8 Neodecanoic Acid	<10%
EINECS: 248-093-9 🗙 Xn R22; 🗙 Xi R38-41; 🗙 Xi R43	
Eye Dam. 1, H318	
Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
 Additional information: For the wording of the listed risk phrases refer to section 16. 	

4	.1 Description of first aid measures
	eneral information:
In	nmediately remove any clothing soiled by the product.
S	ymptoms of poisoning may even occur after several hours; therefore medical observation for at least 4
h	ours after the accident.
A	fter inhalation: Supply fresh air; consult doctor in case of complaints.
A	fter skin contact:
In	nmediately rinse with water.
lf	skin irritation continues, consult a doctor.
	fter eye contact:
R	emove contact lenses if worn.
	inse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
	fter swallowing:
R	inse out mouth and then drink plenty of water.
D	o not induce vomiting; call for medical help immediately.
	2 Most important symptoms and effects, both acute and delayed
-	astric or intestinal disorders.
_	izziness
	oughing
	llergic reactions
	azards No further relevant information available.
	3 Indication of any immediate medical attention and special treatment needed
	swallowed, gastric irrigation.
	necessary oxygen respiration treatment.
	reat skin and mucous membrane with antihistamine and corticoid preparations.
Ir	n cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: None.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Nitrogen oxides (NOx) Under certain fire conditions, traces of other toxic gases cannot be excluded. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Allow to solidify. Pick up mechanically. Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

• Information about fire - and explosion protection: Keep respiratory protective device available.

- \cdot 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurized containers. Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 6)

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 5)

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

811-97-2 Norflurane

WEEL (USA) 1000 ppm

· DNELs No further relevant information available.

· PNECs No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

(Contd. on page 7)

Revision: 7/24/2013

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 6)

• Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment No further relevant information available.

· Risk management measures See Section 7 for additional information. No further relevant information available.

Physical and chemical properties		
 9.1 Information on basic physical at General Information Appearance: 	nd chemical properties	
Form:	Aerosol	
Colour:	Amber coloured	
· Odour:	Like aromates	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	-15 °F / -26 °C	
· Flash point:	Not applicable, as aerosol.	
\cdot Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	>500 °F / >260 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: 		
Lower:	Not determined.	
Upper:	Not determined.	
 Vapour pressure at 20 °C: 	5716 hPa	
· Density at 20 °C:	1,2 g/cm³	
· Relative density	Not determined.	
 Vapour density 	Not determined.	
 Evaporation rate 	Not applicable.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity: Dynamic:	Not determined.	
		(Contd. on page 8

Printing date 7/24/2013

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

		(Contd. of page
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0,0 %	
Water:	0,7 %	
VOC (US EPA Method 24)	0 g/l	
• 9.2 Other information	No further relevant information available.	

10 Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with catalysts.

Reacts with peroxides.

Reacts with strong oxidizing agents.

Reacts with strong acids.

- Exothermic polymerization.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products:

Phosphorus compounds Chlorine compounds Nitrogen oxides (NOx) Poisonous gases/vapours Phosgene Carbon monoxide and carbon dioxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization:

Sensitizing effect by skin contact is possible by prolonged exposure.

Sensitizing effect through inhalation is possible by prolonged exposure.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

Irritant

Toxic and/or corrosive effects may be delayed up to 24 hours.

(Contd. on page 9)

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 8)

- Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure .
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- Repr. 1A

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number	
· DOT, ADR, IMDG, IAT A	UN3500
• 14.2 UN proper shipping name	
DOT	Chemical Under Pressure, n.o.s. (Fluorinated
	Hydrocarbon, Nitrogen)
· ADR	3500 Chemical Under Pressure, N.O.S. (Fluorinate
	Hydrocarbon, Nitrogen)
· IMDG, IAT A	Chemical Under Pressure, N.O.S. (Fluorinated
	Hydrocarbon, Nitrogen)

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

	(Contd. of pa
14.3 Transport hazard class(es)	
DOT	
Class	2.2
Label	2.2
ADR	
Class Label	2 5A Gases. 2.2
	2.2
IMDG, IATA	
Class	2.2
Label	2.2
14.4 Packing group	N1/A
DOT, ADR, IMDG, IAT A	N/A
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler): EMS Number:	20 F-D,S-U
14.7 Transport in bulk according to A MARPOL73/78 and the IBC Code	
	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	120 ml
Transport category	3
Tunnel restriction code	E
UN "Model Regulation":	UN3500, Chemical Under Pressure, N.O.S.
	(Fluorinated Hydrocarbon, Nitrogen), 2.2

(Contd. on page 11)

10

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 10)

 15.1 Safety, health and environmental regulations/legislation specific for United States (USA) SAR A 	r the substance or mixtur
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	

GHS

Printing date 7/24/2013

Revision: 7/24/2013

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 11) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

This info	ormation is based on our present knowledge. However, this shall not constitute a guarantee for ar
	product features and shall not establish a legally valid contractual relationship.
Releva	nt phrases
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
R22	Harmful if swallowed.
R36	Irritating to eyes.
	38 Irritating to eyes, respiratory system and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43 R60	May cause sensitisation by skin contact.
	May impair fertility.
	ations and acronyms:
	cord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning ti nal Carriage of Dangerous Goods by Road)
	ernational Maritime Code for Dangerous Goods
DOT: US	Department of Transportation
	rnational Air Transport Association
	bally Harmonized System of Classification and Labelling of Chemicals merican Conference of Governmental Industrial Hygienists
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	mical Abstracts Service (division of the American Chemical Society)
	tional Fire Protection Association (USA) zardous Materials Identification System (USA)
WHMIS: W	Vorkplace Hazardous Materials Information System (Canada)
DNEL: De	rived No-Effect Level (REACH)
Source	edicted No-Effect Concentration (REACH)
	epared by:
ChemT	orth Florida Avenue
ChemTo 1305 No	orth Florida Avenue Florida USA 33602-2902
ChemTo 1305 No Tampa,	orth Florida Avenue Florida USA 33602-2902 e North America 1-888-255-3924 Intl. +01 813-248-0573