

No.: CANEC1815272101

Date: 15 Aug 2018

CHONGQING JUZHNSCIE\$TECHNOLOGY DEVELOPMENTCO.LTD ROOM15-1 BLOCKCNO.200KEYUANNO.1ROAD JIU LONGPODISTRICTCHONGQING

SGS Job No. Sample Name End Uses Composition/Ingredient of sample (as per client submission) Job Receiving Date SDS Preparation Period	: : : : :	CQ19234401EC SJ10W-30 GASOLINE ENGINE OIL Engine cooling and lubrication of seals See section 3 Composition/information on ingredients on the SDS report 26 Jul 2018 26 Jul 2018 – 01 Aug 2018
Service Requested	:	Safety Data Sheet (SDS) for the sample with submitted composition.
Summary	:	As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached. Remark: The SDS is prepared based on the information provided by client.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Luguan

Zm guan Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document tereport refer only to the sample(s) tested . Attention: To check the authenticity of testing /insection report & certificate. please contact us at telephone: (86-755) 8307 1443.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com 198 Kezhu Road, Scienlech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.sgsgroup.com.cn

邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com 中国·广州·经济技术开发区科学城科珠路198号

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: SJ10W-30 GASOLINE ENGINE OIL · 1.2 Relevant identified uses of the substance or mixture and uses advised against • Application of the substance / the mixture: Engine cooling and lubrication of seals · 1.3 Details of the supplier of the safety data sheet · Manufacturer / Supplier: CHONGQING JUZHNSCIETECHNOLOGY DEVELOPMENTCO.LTD · Full address: ROOM15-1 BLOCKCNO.200KEYUANNO.1ROAD JIU LONGPODISTRICTCHONGQING · Phone number: +86-023-68966858 · Email: CQJZKY@163.COM · Only Representative / other EU contact point: Not available · Further information obtainable from: CHONGQING JUZHNSCIETECHNOLOGY DEVELOPMENTCO.LTD · 1.4 Emergency telephone number: UNITED KINGDOM National Poisons Information Service Tel: +44 (0) 344 892 0111 (for healthcare professional) +44 (0) 845 46 47 (in England or Wales) +44 (0) 8454 24 24 24 (in Scotland) +86-13996309591 Luo Xiaoying · 1.5 Reference Number: CQ19234401EC, CANEC1815272101 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Carc. 1B H350 May cause cancer. GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of Regulation (EC) No.1272/2008. · Classification system: The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data. · 2.2 Label elements · Labelling according to Regulation (EC) No. 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 GHS08 · Signal word Danger (Contd. on page 2) EU

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

(Contd. of page 1)

Trade name: SJ10W-30 GASOLINE ENGINE OIL

· Hazard-determ	ining components of labelling:
Petroleum	
Hazard stateme	nts
H319 Causes se	rious eye irritation.
H350 May caus	e cancer.
H412 Harmful	to aquatic life with long lasting effects.
Precautionary s	statements
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information:

Restricted to professional users.

· 2.3 Other hazards:

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to section 16.

· Composition:

composition.		
CAS: 8002-05-9	Petroleum	96.699%
EINECS: 232-298-5	🕹 Carc. 1B, H350	
Index number: 649-049-00-5		
CAS: 26264-06-2	Calcium dodecylbenzenesulphonate	2.5%
EINECS: 247-557-8	상 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315	
CAS: 128-37-0	2,6-di-tert-butyl-p-cresol	0.8%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 63148-62-9	Dimethyl siloxane	0.001%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- **4.2** *Most important symptoms and effects, both acute and delayed: No further relevant information available.*

• **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

(Contd. on page 3)

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

Trade name: SJ10W-30 GASOLINE ENGINE OIL

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture: No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures: Not required.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

For the general occupational hygienic measures refer to Section 8.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

128-37-0 2,6-di-tert-butyl-p-cresol (0.8%)			
	Long-term value: 10 mg/m ³		
AGW (Germany)	Long-term value: 10 E mg/m ³ 4 (II);DFG, Y, 11		
	4 (II):DFG, Y, 11		

	4(11); DFG, 1, 11
VME (France)	Long-term value: 10 mg/m ³

- Regulatory information
 WEL (Great Britain): EH40/2011
 AGW (Germany): TRGS 900
 VME (France): ED 984, 10.2016
 DNELs: Not available
- *DNELS:* Not available

(Contd. on page 4)

U

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

Trade name: SJ10W-30 GASOLINE ENGINE OIL

(Contd. of page 3)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

· Appropriate engineering controls:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

See Section 7 for information about design of technical facilities.

· Personal protective equipment

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical ar	nd chemical properties	
Appearance		
Form:	Liquid	
Colour:	Transparent	
Odour:	Odourless	
Odour threshold:	Not available	
pH-value:	Not available	
Change in condition		
Melting point/Freezing point:	Not available	

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

Trade name: SJ10W-30 GASOLINE ENGINE OIL

	(Contd. of page
Initial boiling point and boiling range	e: Not available
Flash point:	220 °C
Flammability (solid, gas):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not available
Upper:	Not available
Oxidising properties:	Not available
Vapour pressure:	Not available
Density:	0.865 g/cm ³
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in / Miscibility with	
water:	Not available
Partition coefficient: n-octanol/water:	Not available
Viscosity	
Dynamic:	Not available
Kinematic:	Not available
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity: Data not available

· 10.2 Chemical stability: Data not available

• 10.3 Possibility of hazardous reactions: No dangerous reactions known.

· 10.4 Conditions to avoid: No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: Not available

· Skin corrosion/irritation: Based on available data, the classification criteria are not met.

 \cdot Serious eye damage/irritation:

Causes serious eye irritation.

· Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity

May cause cancer.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

[—] E

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

(Contd. of page 5)

EU

Trade name: SJ10W-30 GASOLINE ENGINE OIL

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- 12.3 Bioaccumulative potential: No further relevant information available.
- 12.4 Mobility in soil: No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging

• *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	Not applicable	
· 14.2 UN proper shipping name · ADR/RID/ADN, IMDG, IATA	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, IMDG, IATA · Class · Label	Not applicable -	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards · Marine pollutant:	No	
· 14.6 Special precautions for user: · Danger code (Kemler):	Not applicable. -	
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	x II of Not applicable.	
		(Contd. on pa

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

Trade name: SJ10W-30 GASOLINE ENGINE OIL (Contd. of page 6) · UN "Model Regulation": Void **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · MAK(German Maximum Workplace Concentration) 128-37-0 2,6-di-tert-butyl-p-cresol 4 · Directive 2012/18/EU • Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category Not applicable • **Qualifying quantity (tonnes) for the application of lower-tier requirements** Not applicable • Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable · National regulations: • Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous). · Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. • Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water. · Other regulations, limitations and prohibitive regulations · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (27/6/2018) None of the ingredients is listed · REACH Regulation Annex XVII Restriction (18/4/2018) See Section 16 for information about restriction of use. 8002-05-9 Petroleum • REACH Regulation Annex XIV Authorisation List (13/6/2017)

None of the ingredients is listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Recommended restriction of use

REACH Annex XVII Restricted-28:

28. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as carcinogen category 1A or 1B (Table 3.1) or carcinogen category 1 or 2 (Table 3.2) and listed as follows:

- Carcinogen category 1A (Table 3.1)/carcinogen category 1 (Table 3.2)listed in Appendix 1

- Carcinogen category 1B (Table 3.1)/carcinogen category 2 (Table 3.2)listed in Appendix 2

Petroleum (CAS: 8002-05-9)

Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:

1. Shall not be placed on the market, or used,

- as substances,

- as constituents of other substances, or,

- in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,

(Contd. on page 8)

EU

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

Trade name: SJ10W-30 GASOLINE ENGINE OIL

(Contd. of page 7) - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:

(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;

(b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

- motor fuels which are covered by Directive 98/70/EC,

- mineral oil products intended for use as fuel in mobile or fixed combustion plants,

- fuels sold in closed systems (e.g. liquid gas bottles);

(d) artists' paints covered by Directive 1999/45/EC;

(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.

· Relevant hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H350 May cause cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No. 1272/2008

Serious eye damage/eye irritation	The classification of the mixture is generally based on
Carcinogenicity	the calculation method using substance data
Hazardous to the aquatic environment - long-term	according to Regulation (EC) No. 1272/2008.
(chronic) aquatic hazard	

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 1B: Carcinogenicity - Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Printing date 31.07.2018

Version number 1

Revision: 31.07.2018

(Contd. of page 8)

EU

Trade name: SJ10W-30 GASOLINE ENGINE OIL

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

End of document