

KLEAN STRIP ADHESIVE REMOVER

Revision: 12/11/2018

NON-METHYLENE CHLORIDE

Supersedes Revision: 12/07/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: KLEAN STRIP ADHESIVE REMOVER NON-METHYLENE CHLORIDE

Company Name: W. M. Barr
2105 Channel Avenue
Memphis, TN 38113

Phone Number:
(901)775-0100

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346
Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Paint/Varnish Remover

Product Code: GKAR400

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2



GHS Signal Word: **Warning**

GHS Hazard Phrases: Causes serious eye irritation.

GHS Precaution Phrases: Wash hands thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: No phrases apply.

Potential Health Effects (Acute and Chronic): Listed above.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	15.0 -40.0 %
100-51-6	Benzenemethanol {Benzyl alcohol}	10.0 -30.0 %
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	0.1 -1.0 %
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	0.1 -1.0 %

Additional Chemical Information Specific percentage of composition is being withheld as a trade secret.

KLEAN STRIP ADHESIVE REMOVER

Revision: 12/11/2018

NON-METHYLENE CHLORIDE

Supersedes Revision: 12/07/2018

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

- In Case of Inhalation:** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
- In Case of Skin Contact:** Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- In Case of Eye Contact:** Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Get medical attention.
- In Case of Ingestion:** If swallowed, do NOT induce vomiting. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

Refer to Section 2.

Exposure:

5. FIRE FIGHTING MEASURES

- Flash Pt:** > 212.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)
- Explosive Limits:** LEL: N.D. UEL: N.D.
- Autoignition Pt:** N.D.
- Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or chemical foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
- Flammable Properties and Hazards:** Non-flammable.

6. ACCIDENTAL RELEASE MEASURES

- Protective Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate protective clothing to prevent skin exposure.
- Where there is potential for eye contact, wear chemical goggles, or a faceshield. Have eye flushing equipment immediately available.
- Steps To Be Taken In Case Material Is Released Or Spilled:** Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. HANDLING AND STORAGE

- Precautions To Be Taken in Handling:** Wash thoroughly after handling.
- Precautions To Be Taken in Storing:** Store container tightly closed in well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No data.	No data.	No data.
100-51-6	Benzenemethanol {Benzyl alcohol}	No data.	No data.	No data.
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No data.	No data.	No data.

SAFETY DATA SHEET

KLEAN STRIP ADHESIVE REMOVER

NON-METHYLENE CHLORIDE

Revision: 12/11/2018

Supersedes Revision: 12/07/2018

111-76-2 Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)} PEL: 50 ppm TLV: 20 ppm No data.

Respiratory Equipment (Specify Type):	When used as directed, respiratory equipment should not be needed. Wear NIOSH approved respiratory protective equipment when vapor or mists may exceed applicable concentration limits.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Protective Gloves:	Wear appropriate gloves to prevent skin exposure.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
Work/Hygienic/Maintenance Practices:	Wash hands thoroughly after use and before eating, drinking, or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Clear viscous liquid, mild odor. Odor threshold not determined.
Melting Point:	N.D.
Boiling Point:	> 99.00 F
Decomposition Temperature:	N.D.
Autoignition Pt:	N.D.
Flash Pt:	> 212.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)
Explosive Limits:	LEL: N.D. UEL: N.D.
Specific Gravity (Water = 1):	.972 - .996
Density:	8.087 - 8.297
Vapor Pressure (vs. Air or mm Hg):	N.D.
Vapor Density (vs. Air = 1):	N.D.
Evaporation Rate:	< 1 (BuAC=1)
Solubility in Water:	Appreciable
Viscosity:	153 cSt at 100.0 F
Octanol/Water Partition Coefficient:	N.D.
pH:	7 - 8
Percent Volatile:	99.43 % by weight.
VOC / Volume:	0.1000 % WT

10. STABILITY AND REACTIVITY

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	None known.
Incompatibility - Materials To Avoid:	None known.
Hazardous Decomposition or Byproducts:	Decomposition may produce carbon monoxide and carbon dioxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]

KLEAN STRIP ADHESIVE REMOVER

Revision: 12/11/2018

NON-METHYLENE CHLORIDE

Supersedes Revision: 12/07/2018

Conditions To Avoid -
Hazardous Reactions:

None known.

11. TOXICOLOGICAL INFORMATION

Toxicological Information:

This product has not been tested as a whole. Information below will be for individual ingredients. Refer to section 2 for acute and chronic health effects.

CAS# 112-34-5:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

Gastrointestinal:Hypermotility, diarrhea.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY, Vol/p/yr: 10(4),427, 1991

CAS# 111-76-2:

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H.

Result:

Behavioral: Ataxia.

Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 68,405, 1983

Acute toxicity, LD50, Skin, Species: Rabbit, 220.0 MG/KG.

Result:

Effects on Embryo or Fetus: Extra embryonic structures (e.g., placenta, umbilical cord).

Effects on Embryo or Fetus: Other effects to embryo.

Specific Developmental Abnormalities: Musculoskeletal system.

- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LD50, Oral, Rat, 250.0 mg/kg.

Result:

Lungs, Thorax, or Respiration:Changes in pulmonary vascular resistance.

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, Severe.

Result:

Effects on Newborn: Apgar score (human only).

Effects on Newborn: Other neonatal measures or effects.

Effects on Newborn: Drug dependency.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

IARC 3: Not Classifiable as to Carcinogenicity in Humans.

ACGIH A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

SAFETY DATA SHEET
KLEAN STRIP ADHESIVE REMOVER
NON-METHYLENE CHLORIDE

Revision: 12/11/2018
 Supersedes Revision: 12/07/2018

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	n.a.	n.a.	n.a.	n.a.
100-51-6	Benzenemethanol {Benzyl alcohol}	n.a.	n.a.	n.a.	n.a.
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	n.a.	3	A3	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information: This product has not been tested as a whole. Information below will be for individual ingredients.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of contents/container according to local, state and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No	No	Yes-Cat. N230
100-51-6	Benzenemethanol {Benzyl alcohol}	No	No	No
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No	No	No
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	No	No	Yes-Cat. N230

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	CAA HAP,ODC: Yes - Cat.; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
100-51-6	Benzenemethanol {Benzyl alcohol}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	CAA HAP,ODC: Yes - Cat.; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

SAFETY DATA SHEET
KLEAN STRIP ADHESIVE REMOVER
NON-METHYLENE CHLORIDE

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 12/11/2018

Additional Information About This Product: N.D.: Not determined.

Company Policy or Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.