

SAFETY DATA SHEET

Stain Extinguisher - Aerosol

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: Stain Extinguisher - Aerosol
Product Number: C190, C196, C198, C190-Custom
Synonyms: Professional Strenght Spot Remover - Aerosol, Stain Eliminator -
Aerosol
CAS Number: Blend

HRI

Company Identification

Harris Research, Inc.
1530 North 1000 West
Logan, UT 84321 USA
1-435-755-0099 (For product information)
1-800-424-9300 or 1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

WARNING: Contents under pressure.

GHS Hazard Symbols:

Compressed Gas



GHS Hazard Statements:

H280 - Contains gas under pressure; may explode if heated.
H336 - May cause drowsiness or dizziness.

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label before use.

EYE:

May cause temporary eye irritation.

SKIN:

Prolonged or repeated exposure may cause irritation.

INHALATION:

Inhalation of high vapor concentrations may result in headaches, nausea, vomiting and coma. Prolonged exposure may



cause unconsciousness or death.

INGESTION:

Swallowing the liquid may result in vomiting.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT LISTING:

Chemical Name	Amount	CAS Number
1-METHOXY-2-PROPANOL	1.0 - 5.0 %	107-98-2
DIPROPYLENE GLYCOL MONOMETHYL ETHER	1.0 - 5.0 %	34590-94-8
WATER	85.0 - 97.0 %	7732-18-5
STYRENE - MALEIC ANHYDRIDE COPOLYMER, SODIUM SALT	1.0 - 5.0 %	52500-92-2
NITROGEN	< 0.1 %	7727-37-9

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

Flush eye with water for 15 minutes. Get medical attention if irritation develops or persists.

SKIN CONTACT FIRST AID:

Wash skin with soap and water. Wash clothing before reuse.

INHALATION FIRST AID:

If inhaled, remove to fresh air.

INGESTION FIRST AID:

Induce vomiting. Call a physician or poison control center immediately.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

PMCC Flash Point: > 100 C (> 212.0 F)

Autoignition Temperature: N/A

FLAMMABLE LIMITS IN AIR

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA:

Foam, water fog, dry chemical.

FIRE & EXPLOSION HAZARDS:

Temperatures above 130F may cause cans to burst.

FIRE FIGHTING INSTRUCTIONS:

Containers can build up pressure if exposed to heat (fire). Contact emergency personnel as necessary.

MISCELLANEOUS:

Water spray may be used to cool cans in the vicinity of fire or excessive heat.

6. ACCIDENTAL RELEASE MEASURES



SAFEGUARDS (PERSONNEL):

Wear safety goggles. Ventilate spill area.

INITIAL CONTAINMENT:

Absorb spills with inert material.

LARGE SPILLS PROCEDURE:

Keep unnecessary and unprotected personnel from entering. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container.

SMALL SPILLS PROCEDURE:

Absorb spills with inert material.

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

Use with adequate ventilation. Avoid contact with eyes, skin, and clothing.

HANDLING (PHYSICAL ASPECTS):

Provide appropriate ventilation. Avoid extreme temperatures.

STORAGE PRECAUTIONS:

Store in a well ventilated place. Avoid extreme temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE / FACE PROTECTION REQUIREMENTS:

Wear safety glasses.

SKIN PROTECTION REQUIREMENTS:

Wash hands thoroughly after handling. For brief contact, normal work attire should be sufficient.

EXPOSURE GUIDELINES:

1-methoxy-2-propanol

OSHA TWA: 100 ppm, 360 mg/m³

OSHA STEL: 150 ppm

Dipropylene glycol monomethyl ether

OSHA PEL: 100 ppm, 600 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM:	Aerosol
COLOR:	Light Amber
ODOR:	Slight
BOILING POINT:	>100 F
SOLUBILITY IN WATER:	soluble
SPECIFIC GRAVITY:	1.012 (Water = 1)
PH:	7 - 8.2
% VOLATILES:	97 %

10. STABILITY AND REACTIVITY



STABILITY:

Stable at room temperature.

POLYMERIZATION:

Hazardous polymerization will not occur.

INCOMPATIBILITY WITH OTHER MATERIALS:

Oxidizers.

DECOMPOSITION:

Combustion may produce oxides of carbon and nitrogen.

CONDITIONS TO AVOID:

Temperatures above 130F.

11. TOXICOLOGICAL INFORMATION

1-methoxy-2-propanol

Test Code: Oral LD50

Species: Rat

Results: 5660 mg/Kg

Dipropylene glycol monomethyl ether

Test Code: Dermal LD50

Species: Rabbit

Results: >20 ml/kg

12. ECOLOGICAL INFORMATION

1-methoxy-2-propanol

Test Code: Acute LC50

Species: Fathead minnow

Results: 20,800 mg/L

Dipropylene glycol monomethyl ether

Test Code: Acute LC50

Species: Fathead minnow

Results: > 10000 mg/L

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

14. TRANSPORT INFORMATION

PRODUCT LABEL:	Stain Extinguisher - Aerosol
D.O.T. SHIPPING NAME:	Consumer commodity
D.O.T. HAZARD CLASS:	ORM-D
UN NUMBER:	N/A
D.O.T. LABEL:	Consumer Commodity/ ORM-D



MISCELLANEOUS:

DOT Exception: 49CFR 173.306(h).

IATA Shipping Classification.

UN1950, Aerosols (1L capacity), 2.2, Packaging Instructions Y203, Limited Quantity.

IMO/IMDG Shipping Classification.

UN1950, AEROSOLS (1L capacity), 2.2, UN1950, Limited Quantity.

EmS No.: F-D, S-U.

Note: See IMDG Code 3.4.

15. REGULATORY INFORMATION

REGULATORY LISTS SEARCHED:

01 = SARA TITLE III SECTION 302

03 = RCRA HAZARDOUS WASTE CODES

05 = CLEAN AIR ACT

02 = SARA Title III Section 313

04 = CERCLA Hazardous Substances

06 = California Prop. 65

EEC Symbols and Indications of Danger:

None

R-Phrases:


R36/38 - Irritating to eyes and skin.

S-Phrases:

S13 - Keep away from food, drink, and animal feeding stuffs.

WHMIS Hazard Symbols:

Class A - Compressed Gas



Canadian Disclosure List

1-methoxy-2-propanol (107-98-2)

Dipropylene glycol monomethyl ether (34590-94-8)

SARA Title III - Section 313

Stain Extinguisher - Aerosol (BLEND) --

MISCELLANEOUS INFORMATION:

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

16. OTHER INFORMATION

PREPARED BY: Sterling Nesbit

APPROVED BY: Sterling Nesbit



TITLE: Chemist
APPROVAL DATE: May 11, 2017
SUPERCEDES DATE: October 14, 2016
RTN NUMBER: 00000044 (Official Copy)

HMIS Rating:

Health - 1
Flammability - 1
Reactivity - 0

NFPA Rating:

Health - 1
Flammability - 1
Reactivity - 0

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Harris Research, Inc. The data on this sheet are related only to the specific material designated herein. Harris Research, Inc assumes no legal responsibility for use or reliance upon these data.

END OF SAFETY DATA SHEET



SAFETY DATA SHEET

Odor Extinguisher

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: Odor Extinguisher
Product Number: C038-12
Synonyms: Pet Odor Extinguisher

Company Identification

Harris Research, Inc
1530 North 1000 West
Logan, UT 84321 USA
1-435-755-0099 (For product information)

HRI

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

WARNING: Causes skin and eye irritation.

GHS Classification:

Serious Eye Damage/Eye Irritation - Category 2

GHS Hazard Symbols:

Irritant



GHS Hazard Statements:

H319 - Causes serious eye irritation.

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label before use.

EYE:

Causes eye irritation.

SKIN:

Can cause moderate skin irritation.

INHALATION:

Inhalation of mist may be irritating to the nose, throat, or respiratory tract.



INGESTION:

Irritating to mouth, throat, and stomach.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT LISTING:

Chemical Name	Amount	CAS Number
SODIUM NITRATE	1.0 - 5.0 %	7631-99-4
FRAGRANCE	< 1.0 %	
HEXANEDIOIC ACID, DISODIUM SALT	< 1.0 %	7486-38-6
HEXANEDIOIC ACID, MONOSODIUM SALT	< 1.0 %	

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

Flush eye with water for 15 minutes. Get medical attention.

SKIN CONTACT FIRST AID:

Flush skin with plenty of water. Get medical attention if irritation persists.

INHALATION FIRST AID:

If inhaled, remove to fresh air. Get medical attention if cough or other symptoms develop.

INGESTION FIRST AID:

If swallowed, do NOT induce vomiting. Get medical attention.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

COC Flash Point: N/A

Autoignition Temperature: N/A

FLAMMABLE LIMITS IN AIR

LEL: N/A

UEL: N/A

FLAMMABLE PROPERTIES:

Product does not burn.

EXTINGUISHING MEDIA:

Carbon dioxide, foam, or dry powder.

FIRE & EXPLOSION HAZARDS:

Can burn in fire, releasing toxic vapors.

FIRE FIGHTING INSTRUCTIONS:

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SAFEGUARDS (PERSONNEL):



Protect skin and eyes from exposure.

INITIAL CONTAINMENT:

Absorb spills with inert material. Avoid contact with combustible materials (wood, paper, oil, clothing, etc.).

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

Avoid contact with eyes, skin, and clothing.

HANDLING (PHYSICAL ASPECTS):

Store in a cool dry area.

STORAGE PRECAUTIONS:

Keep away from heat and flame.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE / FACE PROTECTION REQUIREMENTS:

Wear safety glasses.

SKIN PROTECTION REQUIREMENTS:

Wear protective gloves to minimize skin contamination.

RESPIRATORY PROTECTION REQUIREMENTS:

Under normal use conditions, with adequate ventilation, no special handling equipment is required.

EXPOSURE GUIDELINES:

No Information Available.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM:	Clear Liquid
COLOR:	Colorless
ODOR:	None
SOLUBILITY IN WATER:	Complete
PH:	6 - 8

10. STABILITY AND REACTIVITY

STABILITY:

Stable.

INCOMPATIBILITY WITH OTHER MATERIALS:

Avoid contact with acids, reducing agents, and combustible materials.

11. TOXICOLOGICAL INFORMATION

SODIUM NITRATE

Test Code: Oral LD50



Species: Rat
Results: 1267 mg/kg

12. ECOLOGICAL INFORMATION

No information available.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Small quantities may be flushed to the sewer. Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

14. TRANSPORT INFORMATION

PRODUCT LABEL: Odor Extinguisher
D.O.T. SHIPPING NAME: Not regulated

MISCELLANEOUS:

DOT Shipping Exception:

IATA Shipping Classification: Not Regulated.

IMO/IMDG Shipping Classification: Not Regulated.

15. REGULATORY INFORMATION

REGULATORY LISTS SEARCHED:

01 = SARA TITLE III SECTION 302

03 = RCRA HAZARDOUS WASTE CODES

05 = CLEAN AIR ACT


02 = SARA Title III Section 313

04 = CERCLA Hazardous Substances

06 = California Prop. 65

EEC Symbols and Indications of Danger:

Irritant (Xi)



R-Phrases:

R36/37/38 - Irritating to eyes, respiratory system, and skin.

S-Phrases:

S2 - Keep out of reach of children.

WHMIS Hazard Symbols:

None

Canadian Disclosure List



SODIUM NITRATE (7631-99-4)

MISCELLANEOUS INFORMATION:

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

16. OTHER INFORMATION

PREPARED BY: Sterling Nesbit
APPROVED BY: Sterling Nesbit
TITLE: Chemist
APPROVAL DATE: August 11, 2016
SUPERCEDES DATE: August 11, 2016
RTN NUMBER: 00000147 (Official Copy)

HMIS Rating:

Health - 2
Flammability - 0
Reactivity - 0

NFPA Rating:

Health - 2
Flammability - 0
Reactivity - 0
Special Hazard - Oxidizer

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Harris Research, Inc. The data on this sheet are related only to the specific material designated herein. Harris Research, Inc assumes no legal responsibility for use or reliance upon these data.

END OF SAFETY DATA SHEET

