# Section 1: Identification

## Product Name: Essick Bacteriastat Manufacturer's Name: PRODUCTION ASSISTANCE LINK, INC.

Address: 401 NORTH PALM STREET NORTH LITTLE ROCK, AR 72114 Phone: 501-945-7771 Fax: 501-945-7778

EMERGENCY CONTACT: Chemtrec (acct #17965) : 1-800-424-9300

Product Use: Antibacterial Additive

Section 2: Hazard(s) Identification				
Emergency Overview				
GHS Ratings:				
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation		
Eye corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days		
Mutagen	1B	Known to produce heritable mutations in human germ cellsSubcategory 1B, Positive results: In vivo heritable germ cell tests in mammals, Human germ cell tests, In vivo somatic mutagenicity tests, combined with some evidence of		
Reproductive toxin	1A	germ cell mutagenicity Based on human evidence		

# **GHS Hazards**

H315	Causes skin irritation
H319	Causes serious eye irritation
H340	May cause genetic defects
H360	May damage fertility or the
	unborn child

# **GHS Precautions**

P202	Do not handle until all safety precautions have been read and understood
P281	Use personal protective equipment as required
P362	Take off contaminated clothing and wash before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P305+P351+P33 8	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P405	Store locked up
P501	Dispose of contents/container per section 13.

#### Danger



### ACUTE HEALTH EFFECTS:

INGESTION: May be harmful if swallowed.

EYE CONTACT: Causes moderate eye irritation.

SKIN CONTACT: Product concentrate may cause moderate skin irritation. Other skin contact has no likely problems.

INHALATION: Not Likely.

#### CHRONIC HEALTH EFFECTS:

Prolonged or repeated skin contact with product concentrate may cause skin irritation in sensitive individuals.

Section 3: Compostion			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Ethyl alcohol 64-17-5	1000 ppm TWA; 1900		NIOSH: 1000 ppm
0.1 to 1.0%	mg/m3 TWA		TWA; 1900 mg/m3 TWA

#### Section 4: First-Aid Measures

INHALATION: If product is inhaled, remove patient to fresh air, apply artificial respiration and other supportive measures as required. Consult a poison center, emergency room or lung specialist for guidance. EYE CONTACT: If product is splashed into eyes, flush eyes immediately with plenty of

water for at least 15 minutes. Hold eyelids apart to insure complete flushing.

SKIN CONTACT: If excessive skin contact with this product occurs, flush with plenty of

water followed by washing with soap and water.

INGESTION: If swallowed, contact a physician immediately.

#### Section 5: Fire-Fighting Measures

UEL:

FLASHPOINT C: Not Applicable FLASHPOINT F: Not Applicable

LEL:

FLAMMABLE LIMITS:Not Applicable

SUITABLE EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide from burning. FIRE FIGHTING INSTRUCTIONS: Use extinguishing media appropriate for surrounding fire.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus (SCBA) and full protective gear.

### Section 6: Accidental Release Measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PRECAUTIONS: Use personal protection recommended in Section 8.

OTHER INFORMATION: For all transportation accidents call Chemtrec @ 800-424-9300

## METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

SMALL SPILLS: Pick up with sand, earth, or other noncombustible absorbent material. LARGE SPILLS: Shovel loose material into disposal container. Pick up remainder with absorbent.

#### Section 7: Handling and Storage

See Section 10 below for any incompatible chemicals. STORAGE TEMPERATURE: ambient

STORAGE PRESSURE: atmospheric

Section 8: Exposure Controls/Personal Protection			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Ethyl alcohol 64-17-5	1000 ppm TWA; 1900 mg/m3 TWA	1000 ppm STEL	NIOSH: 1000 ppm TWA; 1900 mg/m3 TWA

ENGINEERING CONTROLS: Provide sufficient mechanical ventilation to maintain exposure below TLV(s).

EYE PROTECTION: Wear safety glasses or face shield if material is likely to be splashed in face.

SKIN PROTECTION: Wear protective clothing and gloves constructed of materials which are appropriate to prevent contact with this material.

## **Section 9: Physical and Chemical Properties**

Specific Gravity (SG) 0.997	Melting Point Not Determined
Freezing point: Not Determined	Solubility: Soluble
Initial Boiling Point: 100°C	Flash point: Not Applicable
Evaporation rate: Not Determined	Odor threshold: 0.36
Vapor Density: 1.6	Appearance: Clear liquid
Odor: Mild	Vapor Pressure: 43.0 mmHg
Freezable No	Flamability-lower Not Applicable
Flamability-upper Not Applicable	PH Value Not Applicable
Partition coefficient Not Determined	Autoignition temperature: Not Applicable
Decomposition temperature: Not Determined	Viscosity Not Applicable
Lbs VOC/Gallon Less Water Not Determined	

#### Section 10: Stability and Reactivity

GENERAL: This product is stable and hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID: Avoid contact with strong oxidants. HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS: Carbon monoxide, Section 11: Toxicological Information

## Mixture Toxicity Component Toxicity

ROUTES OF ENTRY: <b>Not Determined</b> TARGET ORGANS:					
Blood Eyes	Liver	Central Nervous System	Reproduc	tive System	Skin
Respiratory S CARCINOGENICITY:	ystem				
CAS Number	Desc	<u>ription</u>	<u>% Weight</u>	Carcinogen R	ating
64-17-5	Ethyl	alcohol	0.1 to 1.0%	Ethyl alcohol: carcinogen OSHA: listed	IARC: Human
		Section 12: Ecologica	I Information		
Not Available.					
Component Ecotoxicit	У		1. 10.0 10		
	hyl alcohol 96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through] 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]				ales promelas:
		Section 13: Disposal C	onsiderations		

Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and non-hazardous wastes.

#### Section 14: Transport Information

The following information applies to the listed mode of transportation only. The description may change or the item may become regulated in other modes.

Agency Proper Shipping Name Not Determined UN Number Packing Group

Hazard Class

#### Section 15: Regulatory Information

Regulatory information is not meant to be all-inclusive. It is the user's responsibility to ensure compliance with federal, state, or provincial and local laws.

CAA (Clean Air Act) - Accidental Release Prevention- Flammable Substances

- None

CAA (Clean Air Act) - Accidental Release Prevention - Toxic Substances - None

CERCLA/SARA - Hazardous Substances and their Reportable Quantities - None

CWA (Clean Water Act) - Toxic Pollutants

- None

DOT (Department of Transportation) - Hazardous Substances and Reportable Quantities	;
- None	

- International Maritime Organization (IMO) IMDG Marine Pollutants None
- New Jersey Right to Know Hazardous Substance List Ethyl alcohol 64-17-5 0.1 to 1.0 %
- OSHA Specifically Regulated Chemicals - None
- CERCLA/SARA Section 313 Emission Reporting - None
- TSCA (Toxic Substances Control Act) Section 4(e) ITC Priority Testing List - None
- **Country**

Regulation

All Components Listed

#### EU Risk Phrases

### Safety Phrase

- None


#### Section 16: Other Information

### Hazardous Material Information System (HMIS)



HMIS & NFPA Hazard Rating Legend \* = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH





**Reviewer Revision** 

Date Prepared: 6/1/2015 Date revised: 2015-06-01

While PRODUCTION ASSISTANCE LINK, INC. believes the statements set forth herein are accurate as of the date hereof, PRODUCTION ASSISTANCE LINK, INC. makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation, and verification.