# SAFETY DATA SHEET

Issuing Date 30-Jul-2019

Revision Date 30-Jul-2019

**Revision Number** 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

**Product identifier** 

Product Name Acrylic paint

Other means of identification

Product Code(s) 1531769

Recommended use of the chemical and restrictions on use

Recommended Use Flat (Paint or Coating)

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Duncan Enterprises

Address 5673 E. Shields Avenue

Fresno CA 93727 US

**Telephone** Phone:800-438-6226

Fax:559-294-2409

E-mail mmurren@duncanmail.com

Emergency telephone number

**Company Emergency Phone** 

559-294-3312

Number

# 2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral Category 4



Appearance Color Physical state Liquid Odor Slight

### GHS Label elements, including precautionary statements

### Warning

#### **Hazard statements**

Harmful if swallowed



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

**Precautionary Statements - Response** 

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

Unknown acute toxicity

121 % of the mixture consists of ingredient(s) of unknown toxicity

36.7 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

121 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

114 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

114 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

114 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Substance**

Not applicable.

### <u>Mixture</u>

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Styrene acrylate copolymer	25085-34-1	25	-	-
Talc	14807-96-6	24.2	-	-
Carbon black	1333-86-4	17.8	-	-
Barium sulfate	7727-43-7	8	-	-
Titanium dioxide	13463-67-7	6.3	-	-



Phthalocyanine blue	147-14-8	3	-	-
Phthalocyanine green	1328-53-6	2.9	-	-
Propylene glycol	57-55-6	1	-	-

# 4. FIRST AID MEASURES

First aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

Methods and material for containment and cleaning up



**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

Chemical name	ACGIH T	LV	03	SHA PEL		NIOSH IDLH
Talc	TWA: 2 mg	g/m³	(vacated)	) TWA: 2 mg/m <sup>3</sup>	IDLH:	1000 mg/m³ containg no
14807-96-6					asb	pestos and <1% quartz
						TWA: 2 mg/m <sup>3</sup>
Carbon black	TWA: 3 mg/m <sup>3</sup>	inhalable		: 3.5 mg/m <sup>3</sup>		IDLH: 1750 mg/m <sup>3</sup>
1333-86-4	particulate r	natter	(vacated)	TWA: 3.5 mg/m <sup>3</sup>		TWA: 3.5 mg/m <sup>3</sup>
						0.1 mg/m³ Carbon black
						presence of Polycyclic
						natic hydrocarbons PAH
Barium sulfate	TWA: 5 mg/m <sup>3</sup>			mg/m³ total dust		A: 10 mg/m³ total dust
7727-43-7	particulate matter			ng/m³ respirable	TWA:	5 mg/m³ respirable dust
	matter containing			fraction		
	and <1% crysta	lline silica	(vacated) TV	VA: 10 mg/m <sup>3</sup> total		
				dust		
			` '	) TWA: 5 mg/m <sup>3</sup>		
				able fraction		
Titanium dioxide	TWA: 10 m	TWA: 10 mg/m <sup>3</sup>		TWA: 15 mg/m³ total dust		IDLH: 5000 mg/m <sup>3</sup>
13463-67-7			(vacated) IV	VA: 10 mg/m³ total		
But I	TIMA 4 / 20			dust	15111	100 / 20   1
Phthalocyanine blue	TWA: 1 mg/m <sup>3</sup> Cu o	dust and mist		-	IDLH:	: 100 mg/m³ Cu dust and
147-14-8					<b>T</b> 14/4	mist
					IVVA	A: 1 mg/m <sup>3</sup> Cu dust and
Distinction	TIMA: 4 :== =:/== 2 O: :	d			IDLLI	mist
Phthalocyanine green	I VVA: 1 mg/m³ Cu o	TWA: 1 mg/m³ Cu dust and mist		-	IDLH:	: 100 mg/m³ Cu dust and
1328-53-6					T\\/\	mist
					1 1 1 1 1	A: 1 mg/m³ Cu dust and mist
Chemical name	I Alberta	British C	`olumbia	Ontario TWAE	\/	Quebec
Talc	TWA: 2 mg/m <sup>3</sup>		2 mg/m <sup>3</sup>	TWA: 2 mg/m		TWA: 3 mg/m <sup>3</sup>
14807-96-6	1 VVA. 2 HIg/III	I VVA. Z	. mg/m²	T VVA. 2 mg/m		TVVA. 3 mg/m²
Carbon black	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3	3 mg/m³	TWA: 3 mg/m	3	TWA: 3.5 mg/m <sup>3</sup>





1333-86-4				
Barium sulfate 7727-43-7	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Propylene glycol 57-55-6			TWA: 10 mg/m <sup>3</sup> TWA: 50 ppm TWA: 155 mg/m <sup>3</sup>	

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required.

**Skin and body protection**No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

Physical state Liquid
Appearance Color
Odor Slight

ColorNo information availableOdor ThresholdNo data available

Property	<u>Values</u>	Remarks Method
pH	UNKNOWN	
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.38	
Water Solubility	Soluble in water	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	erNo data	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

\_\_\_\_\_



Other Information

**Explosive properties** No information available No information available **Oxidizing properties Softening Point** No information available **Molecular Weight** No information available No information available **VOC Content (%) Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

### 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components).

#### Information on toxicological effects

**Symptoms** No information available.

# Numerical measures of toxicity

### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1,129.30 mg/kg
ATEmix (dermal) 2,080,000.00 mg/kg

Unknown acute toxicity 121 % of the mixture consists of ingredient(s) of unknown toxicity

36.7 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 121 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity



114 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

114 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

114 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbon black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
Barium sulfate	= 307000 mg/kg (Rat)	-	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
Phthalocyanine blue	> 10000 mg/kg (Rat)	-	-
Phthalocyanine green	> 5000 mg/kg (Rat)	-	-
Propylene glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation
No information available.

Serious eye damage/eye irritation
Respiratory or skin sensitization
No information available.

Germ cell mutagenicity
No information available.

Carcinogenicity Classification based on data available for ingredients. This product contains titanium dioxide

in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to

this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

#### Talc

This product contains talc that is non-asbestiform, contains no asbestos fibers and is not classifiable as to its potential inhalation carcinogenicity under current GHS guidelines. However, the International Agency for Research on Cancer (IARC) found limited evidence of an association between ovarian cancer and the use of talc-based body powder for feminine hygiene including use of any talc-based body powder in the female genital area. IARC has used these data to classify talc-based powders used in the female genital area as "possibly carcinogenic to humans" (Group 2B).

Chemical name	ACGIH	IARC	NTP	OSHA
Talc	-	Group 3	-	X
14807-96-6		Group 2B		
Carbon black	A3	Group 2B	-	X
1333-86-4				
Titanium dioxide	-	Group 2B	-	X
13463-67-7				

### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.



# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Talc	-	96h LC50: > 100 g/L	-	-
		(Brachydanio rerio)		
Carbon black	-	-	-	24h EC50: > 5600 mg/L
Phthalocyanine blue	-	48h LC50: > 100 mg/L	-	-
		(Oryzias latipes)		
Phthalocyanine green	-	96h LC50: = 752.4 mg/L	EC50 > 10000 mg/L 30	24h EC50: > 500 mg/L
		(Lepomis macrochirus)	min	
Propylene glycol	96h EC50: = 19000 mg/L	96h LC50: = 51400 mg/L	EC50 = 710 mg/L 30 min	48h EC50: > 1000 mg/L
	(Pseudokirchneriella	(Pimephales promelas)		24h EC50: > 10000 mg/L
	subcapitata)	96h LC50: = 51600 mg/L		
		(Oncorhynchus mykiss)		
		96h LC50: = 710 mg/L		
		(Pimephales promelas)		
		96h LC50: 41 - 47 mL/L		
		(Oncorhynchus mykiss)		

Persistence and Degradability

No information available.

**Bioaccumulation** 

**Component Information** 

Chemical name	Log Pow
Phthalocyanine blue	6.6

Mobility

No information available.

Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D005

California Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Phthalocyanine blue 147-14-8	Toxic
Phthalocyanine green 1328-53-6	Toxic



## 14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON-REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

**International Inventories** 

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

EINECS/ELINCS Contact supplier for inventory compliance status.

ENCS Contact supplier for inventory compliance status.

KECL Contact supplier for inventory compliance status.

PICCS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**US Federal Regulations** 



#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Barium sulfate - 7727-43-7	7727-43-7	8	1.0
Phthalocyanine blue - 147-14-8	147-14-8	3	1.0
Phthalocyanine green - 1328-53-6	1328-53-6	2.9	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phthalocyanine blue 147-14-8		X		
Phthalocyanine green 1328-53-6		X		

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Carbon black - 1333-86-4	Carcinogen		
Titanium dioxide - 13463-67-7	Carcinogen		

### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Talc 14807-96-6	Х	X	Х		Х
Carbon black 1333-86-4	Х	X	Х		Х
Barium sulfate 7727-43-7	Х	X	Х	Х	
Titanium dioxide 13463-67-7	Х	Х	Х		
Phthalocyanine blue 147-14-8	Х		Х	Х	
Phthalocyanine green 1328-53-6	Х		Х	Х	
Propylene glycol	Х		Х		



57-55-6			

## **16. OTHER INFORMATION**

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties 
HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 30-Jul-2019

Revision Date 30-Jul-2019

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



**(III)**