


BIO BIDET A3

Functions and Characteristics

- Ambient temperature bidet model
- Ingenious splash guard
- Continuous Controlled Water Stream
- No electricity or battery required
- Connects directly to fresh water line
- Built-in cold water by- pass
- Adjustable pressure Control
- Quality silver brass parts
- Brass T valve
- Retractable nozzle for better hygiene
- Splash Guarded Nozzle
- P.S.P.C (Positive Stepping Pressure Control)
- Double sided body panel



BIO BIDET [®]A3

Operation

Using BIO BIDET A3

To use the posterior wash begin turning the dial clockwise from the OFF position.



Pressure can be controlled by how far the dial is turned. To increase the water pressure continue to turn the dial further, in order to reduce water pressure turn the dial back towards the center. The visual markings around the dial will help depict the amount of pressure selected.

It is recommended that women lean forward slightly for the spray to reach all areas during the feminine wash cycle.

Self-Cleaning




The self cleaning operation is accessed by turning the dial in the counterclockwise direction. This will flush out and allow water to flow over the nozzle.

Maintenance

To clean the nozzle, gently pull down on the head of the nozzle and use a toothbrush or soft cloth and mild detergent to clean the nozzle.

Do not use any harsh, abrasive products to clean A3, which may damage the surface of the product.



BIO BIDET [®]A3

Thank *y*ou

Technical support / Customer Service

Bio Bidet
204 Berg ST Algonquin, IL 60102

T : 847.458.2334
U.S Toll Free : 877.339.5214

support@biobidet.com
www.biobidet.com