

lacktriangle Material Safety Data Sheet $-{ t MSDS}$ lacktriangle

1) PRODUCT AND COMPANY IDENTIFICATION

Product name SF 10W-30 gasoline engine oil
Common characters liquid can be dissolved in oil

be used in the gasoline engine

Use airproofing etc.

Producer LUBRICANT COMPANY, SINOPEC CORP. Service tel. 800-810-9886 Supplier LUBRICANT COMPANY, SINOPEC CORP. Hot line 400-810-9886

Website www.sinolube.com

Compile Date 2011-4-1

2) COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name Ingredients Content, Wt%

additive mixture <20

Base oil mixture >80

3) HAZARDS IDENTIFICATION

The International Agency for Research on Cancer (IARC) has determined

for lubricating, cooling and

there is sufficient evidence for the carcinogenicity in experimental Potential health

effects animals of used the oil. Under normal conditions of intended use, this

product does not pose a risk to health. Excessive exposure may result

in eyes, skin or respiratory irritation.

4) FIRST AID MEASURES

Flush with water for 15 minutes. If irritation occurs, get medical Eye

attention.

Flush skin with water, and then wash with soap and water. Get medical Skin

attention.

Inhalation Remove victim to fresh air and provide oxygen. Get medical attention.

Ingestion Do not induce vomiting. Get medical attention.

Note to Physician Cure according to symptom

5) FIRE FIGHTING MEASURES

Combustion products

Extinguishing media Carbon dioxide, foam, dry chemical and water fog.

Extinguishing Method spray

Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other

decomposition products, in the case of incomplete combustion.

Forbidden media water

6) ACCIDENTAL RELEASE MEASURES

Wear appropriate personal protective equipment when cleaning up

Protective Measures

spills.

中国石油化工股份有限公司润滑油分公司

SINOPEC S 长城润滑油

FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage

FOR SMALL SPILLS: Soak up residue with an absorbent such as clay, Spill Management

sand or other suitable material. Place in non-leaking container and

seal tightly for proper disposal.

7) HANDLING AND STORAGE

Storage

Do not store in open or unlabeled containers. Store in a cool, dry

place with adequate ventilation. Keep away from open flames and high

temperatures.

Empty containers retain residue (liquid and/or vapor) and can be

Empty container

dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND waining

OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME.

8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Provide adequate ventilation to control airborne concentrations below Exposure controls

the exposure guidelines/limits.

If engineering controls do not maintain airborne concentrations to a

Respiratory Protection

level which is adequate to protect worker health, an approved

respirator must be worn.

Eve Protection Chemical Goggles, or Safety glasses with side shields

Hand Protection Use protective gloves which is chemically resistant to this material

Use protective clothing and shoes which are chemically resistant to

this material.

Note to sanitation Wash hands with water an use cosmetic to protect

9) PHYSICAL AND CHEMICAL PROPERTIES

Brown and transparent 0dor No peculiar smell Appearance

liquid

Flash point (COC) ℃

Personal protection

>215 (GB/T 3536)

10) REACTIVITY AND STABILITY

Stability Stable (at room temperature)

Conditions and

Extreme heat and high energy sources of ignition and strong oxidizers materials to avoid

Hazardous

decomposition Product does not decompose at ambient temperatures.

product

Hazardous Will not occur.

polymerization

11) TOXICOLOGICAL INFORMATION

ORAL TOXICITY (RATS): Practically low toxic (LD50: greater than

Acute Toxicity — -Based on testing of similar products and/or the 5000 mg/kgBW).

components.



INHALATION TOXICITY (RATS): Practically low toxic (LC50: greater than 10000mg/m3). — -Based on testing of similar products and/or the components.

12) ECOLOGICAL INFORMATION

Ecological toxicity Though long time infiltration, it may produce ecological toxicity

When released into the environment, adsorption to sediment and soil will

Be the predominant behavior.

Persistence and

degradability

Mobility

Bio-accumulative

potential:

This product is expected to be inherently biodegradable

Bioaccumulation is unlikely due to the very low water solubility of this product; therefore bioavailability to aquatic organisms is

minimal.

13) DISPOSAL CONSIDERATIONS

Product is suitable for burning in an enclosed, controlled burner for

fuel value. In addition, the product is suitable for processing by an Waste disposal

approved recycling facility or can be disposed of at an appropriate

government waste disposal facility.

Use protection things ,including protection gloves ,glasses and Note to release

respirator, because explosion may happen heating in the container

14) TRANSPORT INFORMATION

The transport department work abiding by all the law ,rule and Transport

regulations

15) REGULATORY INFORMATION

Solid waste pollution prevention and cure law of The People's

Republic of China

State Regulation Water pollution standard of local government

16) OTHER INFORMATION

Get information and manual from the market department or technology Other data

department