

Page 1 of 5 GG-015

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 1/28/2018 SDS Revision: 3.5 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **GRANITE GOLD SHOWER CLEANER** 1.2 Chemical Name: Aqueous Solution 1.3 Synonyms GG0039 1.4 Trade Names Granite Gold Shower Cleaner (207-006004-1) 1.5 Product Use: Cleaner 1.6 Distributor's Name: Granite Gold, Inc. 1.7 Distributor's Address 9170 Chesapeake Drive, San Diego CA 92123 USA 1.8 Emergency Phone: CHEMTREC +1 (703) 527-3887 / +1 (800) 424-9300 1.9 Business Phone / Fax: Tel: +1 (858) 499-8933 2. HAZARDS IDENTIFICATION Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the 2.1 classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! HARMFUL IF SWALLOWED. HARMFUL IN CONTACT WITH SKIN. CAUSE SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. HARMFUL IF INHALED. Classification: Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A 2.2 Label Elements: Hazard Statements (H): H302 - Harmful if swallowed. H312 - Harmful in contact with skin. 315 -Causes skin irritation. H319 - Causes serious eye irritation. H332 -Precautionary Statements (P): P264 – Wash with soap and water thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/ eye protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 - Rinse mouth. P302+P352 - IF ON SKIN: Wash with plenty of water. P312 - Call a POISON CENTER/doctor if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P321 - Specific treatments see this container label and section 4 First Aid of this SDS. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and was it before reuse. P501 - Dispose of contents/ container to an approved waste disposal plant. 2.3 Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Aqueous solution. Keep out of reach of children. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-FS-FS-TLV STEL PEL STEL IDLH CHEMICAL NAME(S) RTECS No. EINECS No OTHER CAS No. % TWA STEL PEAK 7732-18-5 ZC0110000 231-191-2 60-100 NE NE NF NF NF NE NE NE WATER 112-34-5 KJ910000 203-961-6 NF NA 1.0-5.0 NA NA NF NF NA NA GLYCOL ETHER DB Eye Irrit. 2; H319 6834-92-0 VV9275000 229-912-9 0.1-1.0 NA NA NE NE NF NA NA NA SODIUM METASILICATE Acute Tox. 4; Skin Corr. 1B; Serious Eye Dam. 1; STOT SE 3; H302, H314, H335 KJ5775000 NF NF 3 NA 30 3 NIOSH 205-483-3 0.1-1.0 3 NA 141-43-5 3 MONOETHANOLAMINE Acute Toxicity-Oral 4; Acute Toxicity-Dermal 4; Skin Corrosion 1B; Acute Toxicity-Inhalation 4; H302, H312, H314, H332 0.1-1.0 NA NA NA NA NA NF NF NF NA NA NA TOMADOL® 901 NA NA NA 0.0-0.1 NA NA NF NF NF NA NA NA FRAGRANCE 4. FIRST AID MEASURES 41 First Aid: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to Eyes: ensure complete flushing. If irritation persists, seek immediate medical attention. Skin: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek Inhalation: immediate medical attention. If breathing stops, perform artificial respiration.



Page 2 of 5 **GG-015**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.5

SDS Revision Date: 1/28/2018

	4. FIRST AID MEASURES – cont'd											
4.2	Effects of Exposure:	Ingestion: If product is swallow Eyes: Moderately irritating Skin: This product can ca allergic skin reaction	to the ey ause mild is (e.g., ra	es. d, transie ashes, w	ent skin irr elts, derma	itation w atitis) upo	ith short-to on prolong	erm expo ed or rep	eated ex	, posure.		
4.3	Symptoms of Overexposure:	Inhalation: Vapors of this produc										stem.
4.5	Symptoms of Overexposure.	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.										
4.4	Acute Health Effects:	Moderate irritation to eyes and					nally, high	n concen	trations	of vap	ors can	cause
		drowsiness, dizziness, headaches										
4.5	Chronic Health Effects:	The material may accentuate any p	ore-existi	ng derma	atitis condi	tion.						
4.6 4.7	Target Organs: Medical Conditions	Eyes, skin & respiratory system. Persons with pre-existing skin dis	ordoro	wo probl	omo or in	anairad						•
	Aggravated by Exposure:	kidney function may be more s					HEALT FLAMM		Y			2 0
		substance.					PHYSIC	AL HA	ZARDS			0
							PROTE		-	IENT		B
						-	EYES					<u> </u>
								0.111	-		1	
		5. FIREF	IGHT	ING N	IEASU	RES						
5.1	Fire & Explosion Hazards:	This product is a non-flammable decompose to form toxic gases (e.				a fire, t	his produ	ct may i	gnite and	k		
5.2	Extinguishing Methods:	CO ₂ , Halon (if permitted), Dry Cher										
5.3	Firefighting Procedures:	When involved in a fire, this product First responders should wear eye protective equipment. Use a wate effective in actually extinguishing a	e protect er spray	ion. Str or fog to	uctural fire	efighters	must wea	ar SCBAs				0
		6. ACCIDENT			SF MF	ASUF	RES					
6.1	Spills:	Before cleaning any spill or leak						wear a	onronriat	- Persi	onal Pro	otective
	 Equipment. CAUTION – may be slippery if spilled. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves) Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with iner material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 					ial with ce with ter and th inert ners for clothing						
7.1	7. HANDLING & STORAGE INFORMATION ************************************											
7.2	Storage & Handling:	Keep away from sources of heat.										
7.3	Special Precautions:	Follow all instructions on product la of children.	abel. Ke	ep contai	ner closed	when no	ot in use.	Keep this	s and all	chemica	als out o	f reach
		8. EXPOSURE CONT		2 DE	DOUN							
8.1	Exposure Limits:	8. EXPOSORE CONT	AC			NOHSC	VILC		OSHA		OTHER	
0.1	ppm (mg/m ³)					ES-	ES-				UTILK	
		CHEMICAL NAME(S) MONOETHANOLAMINE	TLV 3	STEL NA	ES-TWA 3	STEL NF	PEAK NF	PEL 3	STEL NA	IDLH 30	3 NIOS	<u>сн</u>
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fans) of exhaust ventilation to effectively product. Ensure that an eyewash s	or natura remove	l ventilat and prev	ion is suff ent buildu	icient wh p of vap	nen this proors or mi	roduct is st gener	in use. ated fror	Use lo n the h	ocal or g	general
8.3	Respiratory Protection:	Not required under normal conditions of use. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.										
8.4	Eye Protection:	Avoid eye contact. Protective appropriate standards) should be u	eyewear	that co	onforms to			other a	pplicable	e and	8	



Page 3 of 5 GG-015

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.5 SDS Revision Date: 1/28/2018

	8. I	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd
8.5	Hand Protection:	Use gloves constructed of chemical resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected.
3.6	Body Protection:	Not required under normal conditions of use. Use appropriate protective equipment (e.g., apron) as necessary to prevent or reduce exposure if frequent or prolonged contact is expected.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Clear to slightly hazy liquid
9.2	Odor:	Citrus scent
9.3	Odor Threshold:	NA
9.4	pH:	10
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	110 °C (230 °F)
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	ND
9.9	Vapor Pressure:	ND
9.10	Vapor Density:	NA
.11	Relative Density:	1.01
9.12	Solubility:	1.000 @ 25°C (77 °F)
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
.15	Decomposition Temperature:	NA
.16	Viscosity:	NA
.17	Other Information:	0% VOC
		10. STABILITY & REACTIVITY
0.1	Stability:	Stable under normal conditions of use.
0.2	Hazardous Decomposition Products:	None known.
0.3	Hazardous Polymerization:	Will not occur.
0.4	Conditions to Avoid:	Strong oxidizers and reducing agents.
0.5	Incompatible Substances:	Strong oxidizing agents, strong acids and bases.
1.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: NO
1.2	Toxicity Data:	Inhalation: YES Absorption: YES Ingestion: NO This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, Infection: YES Infection: NO
		available for some of the components of the product and is presented below: <u>Butoxyethanol</u> : LD ₅₀ (oral, rat) = 470 mg/kg; LC ₅₀ (inh-4h, rat) = 450 ppm; ACGIH – Biological Exposure Indices (BEI) 20 mg/g
1.3	Acute Toxicity:	See Section 4.4
1.4	Chronic Toxicity:	See Section 4.5
1.5	Suspected Carcinogen:	No.
1.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
1.7	Irritancy of Product:	See Section 4.2
1.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
2.1	Environmental Stability:	There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
		There are no specific data available for this product; however, very large releases of this product may be harmful or fail



Page 4 of 5 GG-015

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.5

SDS Revision Date: 1/28/2018

	13. DISPOSAL CONSIDERATIONS						
13.1	Waste Disposal:		, codes, statutes and regulations to determine of listed in Section 2. Any disposal practice must be				
13.2	Special Considerations:	NA					
		14. TRANSPORTATIO	N INFORMATION				
		er, proper shipping name, hazard class & division required by 49 CFR, IATA/ICAO, IMDG and the C	, packing group) is shown for each mode of transport TDGR.	tation. Additional			
14.1	49 CFR (GND):	NOT REGULATED					
14.2	IATA (AIR):	NOT REGULATED					
14.3	IMDG (OCN):	NOT REGULATED					
14.4	TDGR (Canadian GND):	NOT REGULATED					
14.5	ADR/RID (EU):	NOT REGULATED					
14.6	SCT (MEXICO):	NOT REGULATED					
14.7	ADGR (AUS):	NOT REGULATED					
			·				
		15. REGULATORY I					
15.1	SARA Reporting Requirements:		ubject to SARA Title III, section 313 reporting require	ments.			
15.2	SARA TPQ:	There are no specific Threshold Planning Quanti	•				
15.3	TSCA Inventory Status:	The components of this product are listed on the	TSCA Inventory.				
15.4	CERCLA Reportable Quantity:	NA					
15.5	Other Federal Requirements:		air pollutants. None of the components in this pro e components in this product are listed as toxic po				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.					
15.7	State Regulatory Information:	No ingredients in this product present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other					
15.8	Other Requirements:	reproductive harm. For more information go to w	ww.P65Warnings.ca.gov.				
10.0	other requirements.	NA					
		16. OTHER INFO					
16.1	Other Information:	CAUSES SERIOUS EYE IRRITATION. HARI Wash exposed skin areas thoroughly with so gloves/eye protection/face protection. IF ON Si water for several minutes. Remove contact len	HARMFUL IN CONTACT WITH SKIN. CAUSE S MFUL IF INHALED. CAUTION – MAY BE SLIPP hap and water after handling. Avoid eye contact. KIN: Wash with soap and water. IF IN EYES: Rinse ses if present and easy to do – continue rinsing. If pore in a well-ventilated place. Keep cool. Use only a FREACH OF CHILDREN.	ERY IF SPILLED. Wear protective continuously with skin irritation or a			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	government regulations must be reviewed for a knowledge, the information contained herein is completeness is not guaranteed and no warr information contained herein relates only to the	DSHA's Hazard Communication Standard, 29 CFR § pplicability to this product. To the best of ShipMate reliable and accurate as of this date; however, acc anties of any type, either expressed or implied, a specific product(s). If this product(s) is combined w Data may be changed from time to time. Be sure to	s & Granite Gold's uracy, suitability or are provided. The rith other materials,			
16.4	Prepared for:	Granite Gold, Inc.	ATTA				
		9170 Chesapeake Drive San Diego, CA 92123 USA Tel: +1 (858) 499-8933 http://www.granitegold.com/					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting				



Page 5 of 5 GG-015

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.5

SDS Revision Date: 1/28/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

	er
RTECS No. Registry of Toxic Effects of Chem	nical Substances Number
EINECS No. European Inventory of Existing C	ommercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	IDLH Immediately Dangerous to Life and Health	
NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

FIRST AID MEASURES:


CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Minimum temperature required to initiate combustion in air with r Temperature of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	
W	Use No Water	ŀ
ох	Oxidizer	
TREEOII	Radioactive	



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	WHMIS Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC Transport Canada		
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٢		Ð	(R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment