

1200 WearMax Scratch Concealer

Date: August 6, 2015 Version: 1 Page 1 of 5

1. Identification of the substance or mixture and of the supplier

Product Number(s) 1200

Product Name(s) WearMax Scratch Concealer
Chemical Family Mixture of acrylic oligomer

Recommended use Scratch repair for prefinished flooring.

Restrictions on use
Use only as directed.

Supplier
Trustor Coatings, LLP

Address
840 S 62nd Avenue
Wausau WI 54401

USA

Contact Number 715 849-2989

24 Hour Emergency Phone Infotrac (800) 535-5053

International (352) 323-3500 (collect)

2. Hazards identification

GHS Classification Skin irritation - 2

Eye irritation - 2 Skin sensitization - 1 Exclamation mark.

Signal Words Warning

Hazard Statements H315 - Causes skin irritation.

H320 - Causes eye irritation.

H317 - May cause an allergic skin reaction.

Precautionary Statements

Prevention P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves and eye protection.

P272 - Contaminated clothing must not be allowed out of the workplace.

P261 - Avoid breathing mist or spray.

Response P303+P352 - If on skin (or hair): Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P363 - Take off contaminated clothing and wash before reuse.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Storage

Symbols

Disposal P510 - Dispose of contents/container in accordance with local, state and federal

regulations.

Supplemental Information 90% of the ingredients in this product are of unknown acute toxicity. Based on known

data for similar materials, it is expected to be of low toxicity.

3. Composition/information on ingredients

Hazardous Components	CAS#	Weight %
acrylic oligomer	proprietary*	90
photoinitiator	proprietary*	2
coalescing aid (non hazardous)	proprietary*	8



1200 WearMax Scratch Concealer

Date: August 6, 2015 Version: 1 Page 2 of 5

* Specific chemical identity has been with held as a trade secret. Any weights given as ranges are due to batch to batch variability.

4. First aid measures		
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.	
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.	
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Avoid concurrent exposure to the sun or other sources of UV light, which may increase the sensitivity of the eyes.	
Skin Contact	Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do not use solvents or thinners. Avoid concurrent exposure to the sun or other sources of UV light, which may increase the sensitivity of skin.	
Ingestion	Obtain immediate medical attention. Keep at rest. Give nothing by mouth. Only induce vomiting at the instruction of a physician.	
5. Fire-fighting measu	ires	
Extinguishing Media	SUITABLE: Alcohol resistant foam, CO ₂ , powders, water spray. UNSUITABLE: None known.	

Special Protective Equipment for Firefighters

Exposure to decomposition products may cause a health hazard. Use appropriate breathing apparatus. Cool closed containers exposed to fire with water. Do not allow run off from fire fighting to enter drains or watercourses.

products

Specific hazards and combustion Fire/thermal decomposition products may include oxides of carbon, fumes containing organic acids and dense black smoke.

6. Accidental release measures

Steps to be taken if material is released or spilled

Exclude sources of ignition and ventilate the area. Avoid breathing vapors. Refer to protective measures listed in sections 7 and 8. Contain and collect spillage with noncombustible absorbent materials like sand, diatomaceous earth, vermiculite, or earth. Place in container for disposal according to local regulations. Clean up with detergent but do not use solvents. Do not allow into drains or watercourses. If material enters drains or sewers, call local sewer or state authority.

7. Handling and storage

Handling Use appropriate protective equipment. Do not get in eyes, on skin or on clothing.

> Remove contaminated clothing and clean before reuse. Destroy any clothing items that cannot be decontaminated. Handle in well ventilated areas. Avoid formation of vapor and mist. Always keep in original, tightly closed containers. Isolate from sources of heat, sparks and open flame. Do not eat, drink, or smoke in the workplace. Wash hands before

eating, drinking or smoking.

Store at 15~30°C. Store in tightly closed containers in a properly vented storage area Storage

away from direct sunlight. Keep in original containers.

8. Exposure controls/personal protection



1200 WearMax Scratch Concealer

Date: August 6, 2015 Version: 1 Page 3 of 5

Exposure limits There are no exposure limits established for the preparation or available for hazardous

components at the time of revision.

Engineering measures Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations below applicable exposure limits, suitable respiration protection must be worn. Exposure limits should be monitored using suitable analytical equipment.

Respiratory protection In situations where misting or flying may occur or exposure limits are otherwise

exceeded, NIOSH approved respiratory protection should be worn.

Hand protection Avoid skin contact. Impervious gloves should be worn for direct contact. Additional

protection may be necessary to avoid skin contact including use of long sleeves, apron,

face shield, boots, or full body protection.

Eye protection Safety eye wear designed to protect against splash of liquids. Eye wash stations should be

available where eye contact may occur.

Skin protection Work clothes and closed footwear. Affected parts of the body should be washed with

soap and water and rinsed thoroughly after contact.

Other protection Facilities storing or using this material should be equipped with an eyewash facility and a

safety shower.

9. Physical and chemical properties

Appearance Amber-yellow liquid.

Odor Slight ether-like.

Odor threshold Not determined.

PH 5.0 - 6.0

Melting/Freezing point $\leq 32 \text{ F } (0 \text{ C})$

Initial boiling point and range Not determined.

Flash point >200 F (93 C)

Evaporation Rate Not determined.

Flammability (solid, gas) Not applicable (liquid.)

Lower explosive limit Not determined.

Upper explosive limit Not determined.

Vapor pressure Not determined.

Vapor density Not determined.

Relative density 1.157 @ 68 F (20 C)

Soluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

Decomposition temperature Not determined.

Viscosity $\sim 4800 \text{ cps } @ 68 \text{ F } (20 \text{ C})$

10. Stability and reactivity



1200 WearMax Scratch Concealer

Date: August 6, 2015 Version: 1 Page 4 of 5

Reactivity Polymerization may occur.

Stability Stable under normal conditions.

Possible hazardous reactions Hazardous polymerization may occur at elevated temperatures and pressures or from

incompatible materials

Conditions to avoid Exposure to temperatures above 100 F and strong UV light sources.

Incompatible materials Keep away from strong oxidizing agents, strong acids, strong alkalies and reactive metals.

Hazardous decomposition Decomposition products may include oxides of carbon, fumes containing organic acids

products and dense black smoke.

11. Toxicological information

The preparation has not been tested for toxicological effects. 90% of the ingredients in this product are of unknown acute toxicity. Based on known data for similar materials, it is expected to be of low toxicity. Based on known effects of the component materials, the product is classified for human health effects as indicated below.

Likely routes of exposure Skin, eye, inhalation, ingestion.

Eye contact May cause eye irritation.

Skin contact Prolonged or repeated contact with skin or mucous membrane may result in irritation.

May cause allergic skin reaction.

Inhalation May cause respiratory irritation.

Ingestion No known significant effects or critical hazards. May cause irritation to the digestive

tract.

Target organ effects
None known.

Chronic effects
None known.

Medical conditions aggravated
None known.

by exposure

Acute toxicity values Not determined. Not classified as toxic based on ingredients.

Carcinogenicity status None of the components of this product present at or above 0.1% concentration are listed

as carcinogens, potential or suspected by the NTP, IARC or OSHA.

12. Ecological information

Eco-toxicity The product has not been tested. Not classified for aquatic toxicity based on known

component data. 90% of the ingredients in this product are of unknown hazards to the

aquatic environment.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Other adverse effects
Not determined.
Not determined.
None known.

13. Disposal considerations

Dispose of material in accordance with federal, state and local regulations. Do not allow into drains or watercourses.

14. Transport information



1200 WearMax Scratch Concealer Version: 1

Date: August 6, 2015 Version: 1 Page 5 of 5

DOT description Not regulated.

15. Regulatory information

Toxic Substances Control Act All components of this product are included on or exempt from the TSCA inventory.

(TSCA)

SARA Title III Section 302 The components in this product are either not SARA Section 302 regulated or regulated

but present in negligible concentrations.

SARA Title III Section 313 This product does not contain any chemical components with known CAS numbers that

exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

California Proposition 65 This product does not contain any California Proposition 65 components.

VOC Content This product is free of VOCs and HAPs.

16. Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of the suitability of this information to ensure proper use and to protect the health and safety of employees. The information in this SDS is meant as a description of the safety requirements of our product; it is not to be considered as a guarantee of the properties of the product. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Trustor Coatings, LLP believes the statements, technical information and recommendations contained herein are reliable. They are given without warranty or guarantee of any kind, expressed or implied.

DATE REVISED: August 6, 2015 PREPARED BY: Eric Anderson