

#### Section 1: IDENTIFICATION

#### 1.1 PRODUCT IDENTIFIER

Product Name: Silicone Caulk

Product Code: Not available.

#### **1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE**

Use:

Adhesive.

#### **1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

Name/Address:	Custom Building Products 13001 Seal Beach Blvd Seal Beach, CA 90740
	90740

**Telephone Number:** 

(562) 598-8808

#### **1.4 EMERGENCY TELEPHONE NUMBER**

Emergency	Telephone
Number:	

INFOTRAC 1-800-535-5053 (US and Canada) INTERNATIONAL + 1-352-323-3500

#### Section 2: HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Serious eye damage 1 Skin irritation 2 Skin sensitization 1

#### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

### Hazard Pictogram:



Signal Word: Danger Hazard Statement: Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction. Prevention: Wear protective gloves/eye protection/face protection. Wash hands thoroughly after handling. Avoid breathing fumes. Contaminated work clothing must not be allowed out of the workplace. **Response:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/ attention. Storage: Not applicable.

Trade Name: Silicone Caulk



**Disposal:** 

Dispose of contents and container in accordance with all local, regional, national and international regulations.

#### **2.3 ADDITIONAL INFORMATION**

Hazards not otherwise classified: Not applicable.

8 % of the mixture consists of ingredient(s) of unknown acute toxicity.

WHMIS Classification(s):

Class D2B - Skin Sensitization Class D2B - Skin/Eye Irritant

#### WHMIS Hazard Symbols:



WHMIS Signal Word:

WARNING

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **3.1 MIXTURES**

Ingredient	CAS No	Wt. %
Calcium carbonate	1317-65-3	30 - 60
Siloxanes and Silicones, di-Me, hydroxy-terminated	70131-67-8	30 - 60
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	2224-33-1	5 - 10
Silane, dichlorodimethyl-, reaction products with silica	68611-44-9	5 - 10

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

#### Section 4: FIRST- AID MEASURES

#### 4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.	
Skin:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.	
Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.	
4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		

Eye:	Causes serious eye damage. Symptoms may include discomfort or
	pain, excess blinking and tear production, with marked redness and
	swelling of the conjunctiva.



Skin:	Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause sensitization by skin contact.
Inhalation:	May cause respiratory irritation.
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to Physicians:	Symptoms may not appear immediately.
Specific Treatments:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Section 5: FIRE-FIGHTING MEASURES

#### **5.1 FLAMMABILITY**

Flammability:

Not flammable by WHMIS/OSHA criteria.

#### **5.2 EXTINGUISHING MEDIA**

Suitable Extinguishing Media: Treat for surrounding material.

Unsuitable Extinguishing Media: Not available.

#### 5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon.

#### **Explosion Data:**

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

#### 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment:	Contain and/or absorb spill with inert material, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for Cleaning-Up:	Scoop up material and place in a disposal container.



#### Section 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Handling:	Avoid contact with skin and eyes. Do not swallow. Avoid breathing fumes. Handle and open container with care. When using do not eat or drink. (See section 8)	
General Hygiene Advice:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.	
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES		
Storage:	Keep out of the reach of children. Keep container tightly closed. (See section 10)	

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **8.1 CONTROL PARAMETERS**

#### Exposure Guidelines

Occupational Exposure Limits		
Ingredient	OSHA-PEL	ACGIH-TLV
	15 mg/m <sup>3</sup> (total);	
Calcium carbonate	5 mg/m <sup>3</sup> (resp)	10 mg/m³
Siloxanes and Silicones, di-Me, hydroxy-terminated	Not available.	Not available.
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	Not available.	Not available.
Silane, dichlorodimethyl-, reaction products with silica	Not available.	Not available.

#### **8.2 EXPOSURE CONTROLS**

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

#### 8.3 INDIVIDUAL PROTECTIVE MEASURES

#### **Personal Protective Equipment:**

Eye/Face Protection: Wear eye/face protection.

**Skin Protection:** 

Hand Protection: Chemical-resistant gloves.

Body Protection: Wear suitable protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

General Health and Safety	Handle according to established industrial hygiene and safety
Measures:	practices.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Viscous paste.

Color:

Not available.

Odor:	Not available.
Odor Threshold:	Not available.
Physical State:	Paste-like compound.
pH:	Not available.
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	Not available.
Flash Point:	Not available.
Evaporation Rate:	Not available.
Flammability:	Not Flammable.
Lower Flammability/Explosive Limit:	Not available.
Upper Flammability/Explosive Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Relative Density/Specific Gravity:	Not available.
Solubility:	Not available.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	Not available.
Oxidizing Properties:	Not available.
Explosive Properties:	Not available.

Section 10: STABILITY AND REACTIVITY

#### **10.1 REACTIVITY**

No dangerous reaction known under conditions of normal use.

#### **10.2 CHEMICAL STABILITY**

Stable under normal storage conditions.

### **10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reaction known under conditions of normal use.

#### **10.4 CONDITIONS TO AVOID**

Heat. Incompatible materials.

#### **10.5 INCOMPATIBLE MATERIALS**

None known.

#### **10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

May include, and are not limited to: oxides of carbon.



### Section 11: TOXICOLOGICAL INFORMATION

#### **11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

Likely Routes of Exposure: Skin contact, skin absorption, eye contact, inhalation, and ingestion.

#### Symptoms related to physical/chemical/toxicological characteristics:

- Eye: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
- **Skin:** Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause sensitization by skin contact.
- **Ingestion:** May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory irritation.

#### Acute Toxicity:

Ingredient	LC50	LD50
Calcium carbonate	Not available.	Oral 6450 mg/kg, rat
		Oral >15400 mg/kg, rat
Siloxanes and Silicones, di-Me, hydroxy-terminated	Not available.	Dermal >2000 mg/kg, rabbit
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	Not available.	Not available.
Silane, dichlorodimethyl-, reaction products with silica	Not available.	Oral > 5000 mg/kg, rat

Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation)	LD50 (or	al)	LD50 (dermal)
Not available.	> 2000 mg/k	kg, rat	> 2000 mg/kg, rabbit
Ingredient		Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*	
Calcium carbonate		Not listed.	
Siloxanes and Silicones, di-Me, hydroxy-terminated		Not listed.	
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime		Not listed.	
Silane, dichlorodimethyl-, reaction products with silica			Not listed.

#### 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation:	Causes skin irritation.
Serious Eye Damage/Irritation:	Causes serious eye damage.
Respiratory Sensitization:	Based on available data, the classification criteria are not met.
Skin Sensitization:	May cause an allergic skin reaction.
STOT-Single Exposure:	Based on available data, the classification criteria are not met.
Chronic Health Effects:	
Carcinogenicity:	This product is not classified as a carcinogen.
Germ Cell Mutagenicity:	This product is not classified as a mutagen.
Reproductive Toxicity:	

Developmental: Based on available data, the classification criteria are not met.

NEXREG



Teratogen	icity: Not hazardous by WHMIS/OSHA criteria.	
Embryotox	cicity: Not hazardous by WHMIS/OSHA criteria.	
Fertility:	Based on available data, the classification criteria are not met.	
STOT-Repeated Exposure: Based on available data, the classification criteria are not m		
Aspiration Hazard:	Based on available data, the classification criteria are not met.	
Toxicologically Synergistic Materials:	Not available.	
Other Information:	Not available.	
Sect	ion 12: ECOLOGICAL INFORMATION	
12.1 ECOTOXICITY		
Acute/Chronic Toxicity:	May cause long-term adverse effects in the aquatic environment.	
12.2 PERSISTENCE AND DEGRAD	ABILITY	
Not available.		
12.3 BIOACCUMULATIVE POTENT	IAL	
Bioaccumulation:	Not available.	
12.4 MOBILITY IN SOIL		
Not available.		
12.5 OTHER ADVERSE EFFECTS		
Not available.		
Secti	on 13: DISPOSAL CONSIDERATIONS	
13.1 WASTE TREATMENT METHO	DS	
Disposal Method:	This material must be disposed of in accordance with all local, state, provincial, and federal regulations.	
Other disposal recommendations:	Not available.	
Sect	tion 14: TRANSPORT INFORMATION	
14.1 UN NUMBER		
DOT	TDG	
Not regulated.	Not regulated.	
14.2 UN PROPER SHIPPING NAME	1	
DOT	TDG	
Not applicable. Not applicable.		
14.3 TRANSPORT HAZARD CLASS	3 (ES)	
DOT	TDG	
Not applicable.	Not applicable.	



#### **14.4 PACKING GROUP**

DOT

Not applicable.

TDG

Not applicable.

#### 14.5 ENVIRONMENTAL HAZARDS

Not available.

#### 14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

### **14.7 SPECIAL PRECAUTIONS FOR USER**

Do not handle until all safety precautions have been read and understood.

#### Section 15: REGULATORY INFORMATION

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**US:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (Ibs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Calcium carbonate	Not listed.	Not listed.	Not listed.	Not listed.
Siloxanes and Silicones, di-Me,				
hydroxy-terminated	Not listed.	Not listed.	Not listed.	Not listed.
Butan-2-one O,O',O"-(vinylsilylidyne)				
trioxime	Not listed.	Not listed.	Not listed.	Not listed.
Silane, dichlorodimethyl-, reaction				
products with silica	Not listed.	Not listed.	Not listed.	Not listed.

### State Regulations

#### **California Proposition 65:**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Global Inventories:**

Ingredient	Canada DSL/NDSL	USA TSCA
Calcium carbonate	NDSL	Yes.
Siloxanes and Silicones, di-Me, hydroxy-terminated	DSL	Yes.
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	DSL	Yes.
Silane, dichlorodimethyl-, reaction products with silica	DSL	Yes.



11 1/1		0
Health:		2
Fire:		0
Reactivity:		
	HMIS-Hazardous Mater	ials Identification System
Health: 2*		2*
Fire:		1
Physical Haz	zard:	0
Hazard Ratin	<b>ng:</b> 0 = minimal, 1 = slight, 2 = moder	ate, 3 = severe, 4 = extreme
SOURCE AGE	ENCY CARCINOGEN CLASSIFICATION	DNS:
CP65	California Proposition 65	
OSHA (O)	Occupational Safety and Health Administration.	
ACGIH (G)	<ul> <li>American Conference of Governmental Industrial Hygienists.</li> <li>A1 - Confirmed human carcinogen.</li> <li>A2 - Suspected human carcinogen.</li> <li>A3 - Animal carcinogen.</li> <li>A4 - Not classifiable as a human carcinogen.</li> <li>A5 - Not suspected as a human carcinogen.</li> </ul>	
IARC (I)	<ul> <li>International Agency for Research on Cancer.</li> <li>1 - The agent (mixture) is carcinogenic to humans.</li> <li>2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity ir humans and sufficient evidence of carcinogenicity in experimental animals.</li> <li>2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.</li> <li>3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.</li> <li>4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.</li> </ul>	
NTP (N)	National Toxicology Program. 1 - Known to be carcinogens. 2 - Reasonably anticipated to be carcinogens.	
	Section 16: OTH	ER INFORMATION

Date of Preparation:	June 7, 2013
Expiry Date:	June 7, 2016
Version:	1.0
Revision Date:	June 7, 2013

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by:	Nexreg Compliance Inc. Phone: (519) 488-5126	
	www.nexreg.com	
Prepared for:	Custom Building Products	

## **End of Safety Data Sheet**