

Transfer 60 Hydro+Microbubble+Heat Massage Walk In Bathtub

(Wheelchair Accessible)



OLA3060HM-L-h Left Drain

Actual Size: 30'' W x 60'' L x 42'' H Shipping Size: 32'' W x 62'' L x 50'' H

Shipping Weight: 300lbs. Net Weight: 220lbs.

Water Capacity: 95 gal. US (unoccupied)

55-75 gal. US (occupied)

Approx. Drain Time: +/- 2 minutes (unoccupied bathtub)

at ideal home plumbing conditions

Approx. Fill Time: 14 gallons per minute

based on in-house water pressure

(Disclaimer: Drainage time depends on house drain conditions.)



OLA3060HM-R-h Right Drain

Options

Left or Right Hinged Door

Included Features:

- 1. Acrylic Tub Shell:
 - · High quality acrylic
 - Excellent color uniformity
 - High Gloss White Finish
 - Fiberglass Reinforced
- 2. Low threshold step in 7"
- 3. Stainless Steel Frame with Adjustable Leveling Legs
- 4. Seat: 22'' W x 19'' H x 19'' L
- 5. One (1) front and one (1) end removable access panels
- 6. Wall and deck mounted stainless steel safety grab bar in plated chrome finish
- 7. LED multiple color chromatherapy light (.04AMP)
- 8. Aromatherapy
- 9. L-shaped door for wheelchair accessible
- 10. Heated seat and backrest (4AMP 470W)
- 11. MicroBubble Therapy System (10AMP 1,200W)
 - 1HP Pump
 - Pressure Vessel
 - · Air Switch and one (1) jet
 - Agitator Valve
- 12. Hydro Massage System: (5AMP 600W)
 - Six (6) adjustable and seven (7) fixed hydro jets
 - Hydro massage air flow intensity control
 - In-line water heater (5.5AMP 650W)
 - On/Off push control

- 13. Five-Piece thermostatic faucet set (chrome finish)
 - Thermostatic control valve
 - Two (2) 2-way diverters with extension handles
 - Pull out, hand held, chrome plated shower with 5 ft. retractable stainless steel braided hose

Plumbing:

- Two (2) x 5' long stainless steel braided water supply lines with 3/4" IPS connectors
- Two (2) x 2" floor drains
- Two (2) PVC 2" drain elbows

Electrical


Electrical requirement is two dedicated 120 V electrical lines with a 15AMP GFCI standard three prong outlet

Warranty:


- Lifetime limited warranty on acrylic walk in tub shell, frame, and door.
- 5 Year parts warranty*
- Thermostatic Control Valve (TCV) 1 year limited warranty


















Disclaimer:

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.








Disclaimer:

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.









Disclaimer:

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.