# **SAFETY DATA SHEET**

Issuing Date 07-May-2013 Revision Date 08-Oct-2013 Revision Number 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier 009

Product Name DRYLOK FAST PLUG

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Cement

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

United Gilsonite Laboratories

1396 Jefferson Ave.

Dunmore

PA 18509

US

Phone:570-344-1202

Fax:570-969-7634

Email:sales@ugl.com

Contact Phone: 570-344-1202

Emergency telephone number (800) 424-9300 Chemtrec

\_\_\_\_\_\_

# 2. HAZARDS IDENTIFICATION

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

# GHS Label elements, including precautionary statements

## **Emergency Overview**

Signal word Danger Hazard statements Harmful if swallowed Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause cancer May cause respiratory irritation. May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure Appearance Gray Physical State Powder Solid **Odor** None

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

## **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not Applicable

#### Other information

• Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

<u>Interactions with Other Chemicals</u> No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Quartz	14808-60-7	40 - 70	*
Portland cement	65997-15-1	40 - 70	*
Calcium hydroxide	1305-62-0	5 - 10	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if applicable, and continue flushing. Do

not rub affected area. Seek immediate medical attention/advice.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction If symptoms persist, call a physician. Do not remove clothing if adhering to skin. If skin has bonded to clothing or other skin NEVER pull the area apart. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling

the skin away from bonded area. Consult a physician if necessary.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Rinse mouth. Clean mouth with water and afterwards drink plenty of water. Never give

anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician.

Protection of First-aiders Avoid contact with skin, eyes and clothing. Use personal protective equipment. For personal

protection see Section 8.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Burning. Itching. Rashes. Hives. Burning sensation.

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** May cause sensitization of susceptible persons. Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient.

# Specific Hazards Arising from the Chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Uniform Fire Code Sensitizer: Solid

Toxic: Solid

COMBUSTIBLE DUST/POWDER

**Explosion Data** 

Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Use personal

protective equipment. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

eyes and clothing. Do not eat, drink or smoke when using this product. Remove and wash

contaminated clothing before re-use.

#### Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep

out of the reach of children.

Incompatible Products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	TWA: 0.1 mg/m <sup>3</sup> (vacated)	IDLH: 50 mg/m3 respirable dust
14808-60-7			TWA: 0.05 mg/m <sup>3</sup> respirable dust
Portland cement 65997-15-1	TWA: 1 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction TWA: 50 mppcf <1% Crystalline silica	IDLH: 5000 mg/m³ TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Calcium hydroxide 1305-62-0	TWA: 5 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ not in effect as a result of reconsideration	TWA: 5 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

## **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations

Ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection**Wear protective gloves/clothing. Long sleeved clothing. Impervious gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

**Hygiene Measures** Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing

before re-use. Avoid contact with skin, eyes and clothing. Wear suitable gloves and eye/face

protection. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

Physical State Powder Solid

AppearanceGrayOdorNone

Color No information available Odor Threshold No information available

Property<br/>pHValuesRemarks/ Method<br/>None known

Melting/freezing pointNo data availableNone knownBoiling Point/RangeNone knownFlash PointNo data availableNone knownEvaporation rateNo data availableNone known

Flammability (solid, gas)

No data available

None known
Flammability Limits in Air

Upper flammability limit

Lower flammability limit

No data available

No data available

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Dispersable None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known **Autoignition temperature** No data available None known Decomposition temperature No data available None known

Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone knownExplosive PropertiesNo data available

No data available

Oxidizing Properties
Other Information

Softening Point No data available VOC Content (%) No data available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

## **Chemical stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

## **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** There is no data available for this product. May cause irritation of respiratory tract.

**Eye Contact** There is no data available for this product. Expected to be an irritant based on components.

May cause redness, itching, and pain. Severely irritating to eyes. Causes serious eye damage.

May cause burns. May cause irreversible damage to eyes.

**Skin Contact**There is no data available for this product. Expected to be an irritant based on components.

Irritating to skin. Prolonged contact may cause redness and irritation.

**Ingestion** There is no data available for this product. Ingestion may cause irritation to mucous

membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

May be harmful if swallowed. (based on components)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quartz	= 500 mg/kg (Rat)	-	-
14808-60-7			
Calcium hydroxide	= 7340 mg/kg (Rat)	-	-
1305-62-0			

#### Information on toxicological effects

Symptoms Redness of the skin. May cause redness and tearing of the eyes. Burning. May cause

blindness. Itching. Rashes Hives

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

**Carcinogenicity**The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7		-		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

**Reproductive Toxicity** No information available

STOT - single exposure Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29

CFR 1910.122), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a

single overexposure to this product

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Based on classification

> criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the

other sections of this SDS

No information available.

**Chronic Toxicity** Contains a known or suspected carcinogen. Effects from this product caused by acute

exposure may cause permanent damage to target organs and/or may cause chronic conditions

Avoid repeated exposure. Prolonged exposure may cause chronic effects. Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lungs. Kidney.

**Target Organ Effects Aspiration Hazard** 

## **Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral)

1,239.00 mg/kg

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Harmful to aquatic life

## Persistence and Degradability

No information available.

#### Bioaccumulation

No information available.

#### **Other Adverse Effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR

261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Do not re-use empty containers.

#### California Hazardous Waste Codes 181

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Calcium hydroxide	Corrosive
1305-62-0	

## 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## U.S. Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## U.S. State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Quartz - 14808-60-7	Carcinogen

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium hydroxide 1305-62-0	X	X	X
Quartz 14808-60-7	X	X	X
Portland cement 65997-15-1	Х	X	Х

# International Regulations

Mexico - Grade

Slight risk, Grade 1

Chemical Name	Carcinogen Status	Exposure Limits
Quartz		Mexico: TWA= 0.1 mg/m <sup>3</sup>
Portland cement		Mexico: TWA 10 mg/m <sup>3</sup>
		Mexico: STEL 20 mg/m <sup>3</sup>
Calcium hydroxide		Mexico: TWA 5 mg/m <sup>3</sup>

#### Canada

**WHMIS Hazard Class** 

D2A Very toxic materials



# **16. OTHER INFORMATION**

NFPA Health Hazard 3 Flammability 0 Instability 0 Physical and Chemical

Hazards -

HMIS Health Hazard 3 \* Flammability 0 Physical Hazard 0 Personal Protection X

Chronic Hazard Star Legend \*Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

**Issuing Date** 07-May-2013

Revision Date 08-Oct-2013

Revision Note No information available

#### **General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**