# Safety Data Sheets (SDSs)

For

Shenzhen HuanYuYuan Technology Co., Ltd.

Block 72C, Dongyuan Industrial Park, No.28 Beihuan Road West, Longteng Area, Shiyan Town, Bao'an District,

Shenzhen, China

Model /Type reference 18650 3.7V 4400mAh

Trademark N/A

Nominal Voltage 3.7V

Typical Capacity 4400mAh 16.28Wh

Version Number V1.0

Preparation Date Aug. 19, 2019

Revision Date N/A

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### **Product Identifier**

Product name: Lithium-ion Battery Model:18650 3.7V 4400mAh

#### Other means of identification

Synonyms:none

#### Recommended use of the chemical and restrictions on use

Recommended Use: Used in portabl electronic equipments;

Uses advidsed against:

- a) Do not dismantle, open or shred secondary cells or batteries.
- b) Do not expose cells or batteries to heat or fire. Avoid storage in direct sunlight.
- c) Do not short-circuit a cell or a battery. Do not store cells or batteries haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.
- d) Do not remove a cell or battery from its original packaging until required for use.
- e) Do not subject cells or batteries to mechanical shock.
- f) In the event of a cell leaking, do not allow the liquid to come in contact with the skin or eyes. If contact has been made, wash the affected area with copious amounts of water and seek medical advice.
- g) Do not use any charger other than that specifically provided for use with the equipment.
- h) Observe the plus (+) and minus (-) marks on the cell, battery and equipment and ensure correct use.
- i) Do not use any cell or battery which is not designed for use with the equipment.
- j) Do not mix cells of different manufacture, capacity, size or type within a device.
- k) Battery usage by children should be supervised.
- I) Seek medical advice immediately if a cell or a battery has been swallowed.
- m) Always purchase the battery recommended by the device manufacturer for the equipment.
- n) Keep cells and batteries clean and dry.
- o) Wipe the cell or battery terminals with a clean dry cloth if they become dirty.
- p) Secondary cells and batteries need to be charged before use. Always use the correct charger and refer to the manufacturer's instructions or equipment manual for proper charging instructions.
- q) Do not leave a battery on prolonged charge when not in use.
- r) After extended periods of storage, it may be necessary to charge and discharge the cells or batteries several times to obtain maximum performance.
- s) Retain the original product literature for future reference.
- t) Use only the cell or battery in the application for which it was intended.
- u) When possible, remove the battery from the equipment when not in use.
- v) Dispose of properly.

#### **Details of the supplier of the safety data sheet:**

Supplier Name: Shenzhen HuanYuYuan Technology Co., Ltd.

Address: Block 72C, Dongyuan Industrial Park, No.28 Beihuan Road West, Longteng Area,

Shiyan Town, Bao'an District, Shenzhen, China Telephone number of the supplier: 0755-29686393

mail address: xmxs2008@yeah.net

Emergency telephone number: 0755-29686393

Company Emergency Phone Number: 0755-29686393

# 2. HAZARDS IDENTIFICATION

#### Classification

No harm at the normal use. If contact the Electrolyte in the Polymer Li-ion Battery, reference as follows:

# Classification of the substance or mixture

Classification according to GHS

#### Lithium hexafluorophosphate(1-)

CAS no.: 21324-40-3

Hazard category

Toxic if swallowed (Hazard category 3)

Symbol

Skull and crossbones

2 Skull and crossbones	Danger	H300	Fatal if swallowed	
3 Skull and crossbones	Danger	H301	Toxic if swallowed	
	Precaut	ionary statements		
Prevention	Response		Storage	Disposal
P264 Washthoroughly after handling Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P301 + P310  IF SWALLOWED: Immediately of CENTER/doctor/Manufacturer/supplier or the comspectify the appropriate source of en advice.  P321  Specific treatment (see on this large in the model of the advice in the seed of the advice in the seed of the advice in the seed of the seed o	petent authority to ergency medical abel) idote is required.	P405 Store locked up.	P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified), Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

Hazard statement

H300 Fatal if swallowed

Signal word

Danger

#### Causes severe skin burns and eye damage(Hazard category 1A to 1C)

Hazard category Symbol IA to 1C Corrosion	Signal word Hazard sta  Danger H314 C	tement auses severe skin burns and	eye damage				
Precautionary statements							
Prevention	Response	Storage	Disposal				
P260  Do not breathe dusts or mists.  - if inhalable particles of dusts or mists may occur during use.  P264  Washthoroughly after handling. Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling.  P280  Wear protective gloves/protective clothing/eye protection/face protection.  Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	P301 + P330 + P331  IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353  IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  - text in square brackets to be included where the manufacturer/supplier or the competent authority considers it appropriate for the specific chemical. P363  Wash contaminated clothing before reuse. P304 + P340  IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310  Immediately call a POISON CENTER/doctor/ Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P321  Specific treatment (sec on this label) Reference to supplemental first aid instruction.  Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate. P305 + P351 + P338  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, If present and easy to do. Continue rinsing.	P405 Store locked up.	P501  Dispose of contents/container to  in accordance with local/regional/national/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.				

Causes damage to organs through prolonged or repeated exposure (Hazard category 1)

Hazard category

Symbol Health hazard



#### Signal word Hazard statement

H372 Causes damage to organs <...> through prolonged or repeated exposure <<...>>

<...> (state all organs affected, if known)

<<...>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

<b>Precautionary statements</b>				
Prevention	Response	Storage	Disposal	
P260 Do not breathe dust/fume/gas/mist/ vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P264 Wash thoroughly after handlingManufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P314 Get medical advice/attention if you feel unwell.  Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, containe or both.	

# Causes serious eye damage (Hazard category 1)

Hazard category	Symbol	Par	Signal word	Hazard statement
1	Corrosion		Danger	H318 Causes serious eye damage

	- CONTROL - CONT	9	
	Precautionary statements		
Prevention	Response	Storage	Disposal
P280 Wear eye protection/face protection. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	P305 + P351 + P338  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310  Immediately call a POISON CENTER/doctor/Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.		

#### Cobalt lithium dioxide

# CAS no.: 12190-79-3

# May damage fertility or the unborn child (Hazard category 1)

Hazard category	Symbol	Signal word	Hazard	l statement
1	Health hazard	Danger	H360	May damage fertility or the unborn child <> <<>>
2	Health hazard	Warning	H361	Suspected of damaging fertility or the unborn child <> <<>>
	4		<>	(state specific effect if known)

Precautionary statements					
Prevention	Response	Storage	Disposal		
P201 Obtain special instructions before use omit for consumer products where P202 is used. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P308 + P313  IF exposed or concerned: Get medical advice/attention.  Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.	P405 Store locked up.	P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.		

## **Aluminium**

# CAS no.:7429-90-5

Flammable solid (Hazard category 1, 2)

Hazard category	Symbol	Signal word	Hazard	d statement	
1	Flame	Danger	H228	Flammable solid	
2	Flame	Warning	H228	Flammable solid	
		Precautionary sta	tements		
Pre	vention	Response		Storage	Disposal
P210 Keep away from heat, open flames and other smoking. P240 Ground and bond con equipment. — if the solid is electros.	ignition sources. No	P370 + P378  In case of fire: Use to extinguish  — if water increases risk.  Manufacturer/supplier or the competent authority to specify appropriate media.			
specific electrical, venta equipment if necessary	ur. s may be used to specify ilating, lighting or other and as appropriate. ent may be omitted where				
protection/face protection/	or the competent authority				

# In contact with water releases flammable gases (Hazard category 1, 2)

Hazard category	Symbol	Signal word	Hazard s	statement		
1	Flame	Danger	H260	In contact with water releases flammable	e gases, which may ignite spontaneously	
2	Flame	Danger	H261	In contact with water releases flammable gas		
		Preca	utionary stat	ements		
Pre	evention	Response		Storage	Disposal	
to specify appropriate lice not appropriate. P280 Wear protective gloves protection/face protect	ents under inert gas/  there reacts readily with  r or the competent authority quid or gas if "inert gas" is  /protective clothing/eye ion/hearing protection/  r the competent authority to	P302 + P335 + P334  IF ON SKIN: Brush off loose p skin and limmerse in cool water  P370 + P378  In case of fire: Use to extingt  - if water increases risk Manufacturer/supplier or the c authority to specify appropriate n	rish ompetent	P402 + P404 Store in a dry place. Store in a closed container.	P501 Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.	

#### copper

Hazard category

# CAS no.: 7440-50-8

# Very toxic to aquatic life (Hazard category 1)

1	Environment	Warni	ng H400	Very toxic to aquatic life	
			Precautionary statements		
P	Prevention	Res	sponse	Storage	Disposal
P273 Avoid release to the e - if this is not the inter		P391 Collect spillage.			P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

Hazard statement

Very toxic to aquatic life with long lasting effects (Hazard category 1)

Signal word

Hazard category
Symbol
Environment
Environment
Environment

Environment

Precautionary sta

Signal word Hazard statement

Warning H410 Very toxic to aquatic life with long lasting effects

No signal word H411 Toxic to aquatic life with long lasting effects

Precautionary statements				
Prevention	Response	Storage	Disposal	
P273 Avoid release to the environment.  — if this is not the intended use.	P391 Collect spillage.		P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.	

#### Toxic if inhaled (Hazard category 3)

Hazard category

Skull and crossbones



Signal word Danger Hazard statement
H311 Toxic if inhaled

Precautionary statements						
Prevention	Response	Storage	Disposal			
P261 Avoid breathing dust/fume/gas/mist/ vapours/spray. — may be omitted if P260 is given on the label Manufacturer/supplier or the competent authority to specify applicable conditions. P271 Use only outdoors or in a well-ventilated area.	P304 + P340  IF INHALED: Remove person to fresh air and keep comfortable for breathing.  P311  Call a POISON CENTER/doctorManufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.  P321  Specific treatment (see on this label) - if immediate specific measures are required Reference to supplemental first aid instruction.	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  — if the chemical is volatile and may generate a hazardous atmosphere. P405 Store locked up.	P501 Dispose of content/container to in accordance with local/regional/national/international regulations (to be specified). Manufacture/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.			

# Harmful if swallowed (Hazard category 4)

 Hazard category
 Symbol
 Signal word
 Hazard statement

 4
 Exclamation mark
 Warning
 H302
 Harmful if swallowed

Precautionary statements					
Prevention Response		Storage	Disposal		
P264 Wash thoroughly after handling Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P301 + P312  IF SWALLOWED: Call a POISON CENTER/ doctor/If you feel unwell. Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.  P330  Rinse mouth.		P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.		

## Causes serious eye irritation (Hazard category 2A)

 Hazard category
 Symbol
 Signal word
 Hazard statement

 2A
 Exclamation mark
 Warning
 H319
 Causes serious eye irritation

Precautionary statements			
Prevention	Response	Storage	Disposal
P264 Wash thoroughly after handling Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P280 Wear eye protection/face protection. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	P305 + P351 + P338  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  P337 + P313  If eye irritation persists: Get medical advice/attention.  Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		

#### Nickel

CAS no.: 7440-02-0

Causes damage to organs through prolonged or repeated exposure (Hazard category 1)

Hazard category



Signal word Danger

Hazard statement

 ${\rm H372} \qquad {\rm Causes \ damage \ to \ organs < ... > through \ prolonged \ or \ repeated \ exposure << ... >>}$ 

<..> (state all organs affected, if known)
<</p>
< (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)</p>

<b>Precautionary statements</b>				
Prevention	Response	Storage	Disposal	
P260 Do not breathe dust/fume/gas/mist/ vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P264 Wash thoroughly after handlingManufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P314 Get medical advice/attention if you feel unwell.  Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.	

#### Suspected of causing cancer (Hazard category 2)

Hazard category	Symbol		Signal word	Hazard	statement
1	Health hazard	W	Danger	H350	May cause cancer <>
2	Health hazard		Warning	H351	Suspected of causing cancer <>
				<>	(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

Precautionary statements				
Prevention	Response	Storage	Disposal	
P201 Obtain special instructions before use omit for consumer products where P202 is used. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P308 + P313 IF exposed or concerned: Get medical advice/attention. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.	P405 Store locked up.	P501  Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.	

## Harmful to aquatic life with long lasting effects (Hazard category 3)

Hazard category	Symbol	Signal word	Hazar	u statement	
3	No symbol	No signal word	H412	12 Harmful to aquatic life with long lasting effects	
4	No symbol	No signal word	H413	H413 May cause long lasting harmful effects to aquatic life	
	Precautionary statements				
Pre	vention	Response		Storage	Disposal
P273 Avoid release to the env – if this is not the intende					P501 Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

#### May cause an allergic skin reaction (Hazard category 1, 1A, 1B)

		Precautionary statements		
1, 1A, 1B	Exclamation mark	Warning	H317	May cause an allergic skin reaction
Hazard category	Symbol	Signal word	Hazard	1 statement

Precautionary statements			
Prevention	Response	Storage	Disposal
Avoid breathing dust/fume/gas/mist/ vapours/spray.  - may be omitted if P260 is given on the label Manufacturer/supplier or the competent authority to specify applicable conditions.  P272  Contaminated work clothing should not be allowed out of the workplace.  P280  Wear protective gloves.  Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	P302 + P352  IF ON SKIN: Wash with plenty of water/Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate.  P333 + P313  If skin irritation or rash occurs: Get medical advice/attention.  Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.  P321  Specific treatment (see on this label) Reference to supplemental first aid instruction. Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.  P362 + P364  Take off contaminated clothing and wash it before reuse.		P501  Dispose of contents/container to in accordance with local/regional/inational/international regulations (to be specified).  Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, containe or both.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical characterixation: Mixtures** 

**Description:** 

Product: Consisting of the following components.

Common Chemical Name	CAS Number	Concentration (%)
Nickel cobalt manganese acid lithium	346417-97-8	37
Graphite	7782-42-5	20
Carbon Black	1333-86-4	1
Polyvinylidene fluoride	24937-79-9	1
Lithium hexafluorophosphate	21324-40-3	16
Polypropylene	9003-07-0	5
Aluminum	7429-90-5	5
Copper	7440-50-8	5
Iron	7439-89-6	10

Note: CAS number is Chemical Abstract Service Registry Number.

# 4. FIRST-AID MEASURES

#### First aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact Remove contaminated clothing and shoes. Wash skin with soap and water. In the case of skin corrosion or allergic reactions see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Swallowing Do not induce vomiting. Get medical attention.

Most Important Symptoms/Effects No information available.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

CO2, dry chemical powder, water spray.

Unsuitable Extinguishing Media:No information available.

#### **Specific Hazards Arising from the Chemical**

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide(CO)

Carbon dioxide

Other irritating and toxic gases.

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No

Sensitivity to Static Discharge No

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. For example: Wear self-contained respiratory protective device. Wear suitable protective clothing and eye/face protection.

#### Special hazards arising from the substance or mixture:

Battery may burst and release hazardus decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C), When damaged or abused(e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Refer to section 8 for personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

#### **Environmental precautions**

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

## Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other Non combustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

Wash thoroughly after handling. Use this material with adequate ventilation.

The product is not explosive.

#### Conditions for safe storage, including any incompatibilities

If the Lithium-ion Battery is subject to storage for such a long term as more than 3 months, it is recommended to recharge the Lithium-ion Polymer Battery periodically.

3 months: -10 ℃~+40 ℃, 45 to 85%RH

And recommended at 0°C~+35°C for long period storage.

The capacity recovery rate in the delivery state (50% capacity of fully charged) after storage is assumed to be 80% or more.

The voltage for a long time storage shall be 3.7V~4.2V range.

Do not storage Lithium-ion Battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.

Keep out of reach of children.

Do not expose Lithium-ion Polymer Battery to heat or fire. Avoid storage in direct sunlight.

Do not store together with oxidizing and acidic materials.

Keep ignition sources away- Do not smoke.

Store in cool, dry and well-ventilated place.

**Incompatible Products** None known.

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Control parameters**

Ingredients with limit values that require monitoring at the workplace:		
12190-79-3 Lithium Cobalt Oxide		
TLV (USA)	USA) 0.02mg/m³	
MAK (Germany) 0.1mg/m <sup>3</sup>		

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962(11th Cir., 1992).

#### **Appropriate engineering controls**

**Engineering Measures** Showers

Eyewash stations

Ventilation systems

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Ensure adequate ventilation.

# Individual protection measures, such as personal protective equipment

#### **Eye/Face Protection:**



**Tightly sealed goggles** 

#### **Body protection:**

Protective work clothing.

Skin protection:



# **Protective gloves**

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

	Form: Prismatic		
Physical	Color: Blue		
State	Odour: Odourless		
	Odor Threshold: No information	available	
Change in o	condition:		
pH, with ind	lication of the concentration	Not determined.	
Melting poir	nt/freezing point	Not determined.	
Initial boiling	g point and Boiling range:	Not determined.	
Flash Point		Not determined.	
Evaporation rate		Not determined.	
Flammability (solid, gas)		Not determined.	
Upper/lowe	r flammability or explosive limits	Not determined.	
Vapor Press	sure:	Not determined.	
Vapor Dens	sity:	Not determined.	
relative density:		Not determined.	
Solubility in	Water:	Not determined.	
Solubility in	other solvents	Not determined.	
n-octanol/w	ater partition coefficient	Not determined.	

Auto-ignition temperature	Product is not self-igniting.
Decomposition temperature	Not determined.
Odout threshold	Not determined.
Evaporation rate	Not determined.
Viscosity	Not determined.
Other Information	No further relevant information available.

# 10. STABILITY AND REACTIVITY

**<u>Reactivity:</u>** Stable under recommended storage and handling conditions (see section 7, Handling and storage).

**Chemical stability:** Stable under normal conditions of use, storage and transport.

**Thermal decomposition/conditions to be avoided:** No decomposition if used according to specifications.

<u>Possibility of Hazardous Reactions:</u> None under normal processing.

<u>Hazardous Polymerization:</u> Hazardous polymerization does not occur.

**Conditions to avoid:** Strong heating, fire, Incompatible materials.

Incompatible materials: Strong oxidizing agents. Strong acids.Base metals.

<u>Hazardous Decomposition Products:</u>Carbon oxides, Other irritating and toxic gases.

# 11. TOXICOLOGICAL INFORMATION

Acute toxiciy: No data available.

LD/LC50 values relevant for classification:

Not available.

Skin corrosion/irritation: No information available.

Serious eye damage/irritation: Cause serious eye irritation.

**Respiratory or skin sensitization:** No sensitizing effects known.

**Specific target organ system toxicity:** No information available.

CMR effects(carcinogenity, mutagenicity and toxicity for reproduction): No information

available.

# 12. Ecological Information

#### Toxicity:

Acquatic toxicity:

No further relevant information available.

Persistence and degradability: No further relevant information available.

**<u>Bioaccumulative potential:</u>** No further relevant information available.

**Mobility in soil:** No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Recommendation: Must not be disposed together with household garbage.

Do not allow product to reach sewage system

#### <u>Uncleaned packaging:</u>

Recommendation: Disposal must be made according to official regulations.

# 14. TRANSPORT INFORMATION

#### **Land transport**

ADR/RID class: Not regulated. UN-Number: UN3480 or UN3481.

#### **Maritime transport**

IMDG Class: Class 9.

UN Number: UN3480 or UN3481.

Marine pollutant: No

#### Air transport

ICAO/IATA Class: Class 9

UN/ID Number: UN3480 or UN3481 Environmental hazards: Not applicable. Special precautions for user: Not applicable.

Transport/Additional information: Not restricted goods according to the above specifications.

The Lithium-ion Battery had been tested according to the requirements of the UN manual of tests and Criteria, Part III, subsection 38.3;

The lithium ion batteries according to Section II/Section IB of PACKING INSTRUCTION 965, or Section II of PACKING INSTRUCTION 966 $\sim$ 967 of the Dangerous Goods regulations 60th Edition may be transported.

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking. The materials and pack design shall be chosen so as to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.

Meets requirements of DOT Special Provision 188 to be transported as non-dangerous goods Meets the requirements of 49CFR173.185 to be transported as non-dangerous goods for road, rail, air, and vessel (Effective August 6, 2014 per HM224F)

The package must be handled with care and that a flammability hazard exists if the package is damaged.

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation:

**Authorisations:** No information available. **Restrictions on use:** No information available.

**Regulatory information** 

CAS No.	EU	US	Japan	Canada	Austrlia	Korea	China
	(EINE	(TSCA)	(ENCS)	(DSL/	(AICS)	(ECL)	(IECSC)
	CS)			NDSL)			
346417-97-8	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7782-42-5	Listed	Listed	Listed	DSL	Listed	Listed	Listed
1333-86-4	Listed	Listed	Listed	DSL	Listed	Listed	Listed
24937-79-9	Listed	Listed	Listed	DSL	Listed	Listed	Listed
21324-40-3	Listed	Listed	Listed	DSL	Listed	Listed	Listed
9003-07-02	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7429-90-5	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7440-50-8	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7439-89-6	Listed	Listed	Listed	DSL	Listed	Listed	Listed

Chemical safety assessment A Chemical Safety Assessment has not been carried out.

# **16. OTHER INFORMATION**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases:

R20/22: Harmful by inhalation and if swallowed.

R36: Irritating to eyes.

H302: Harmful if swallowed. H332: Harmful if inhaled.

\*\*\*\*\*\*\*\*\*\*\*\*\*End of SDS\*\*\*\*\*\*\*\*\*\*\*\*