SAFETY DATA SHEET

Sample name	:	NiMH Rechargeable Battery
Model No.	:	Ni-MH AAA 300mAh 1.2V
Consignor	:	Lexel Battery (ShenZhen) Co., Ltd
Address	:	No.2, Guangtian Road, Lexel Technology Park, 3rd Industrial Park, Luotian Village, Yanluo, Bao'an, Shenzhen, China

ATS Electronic Technology Co., Ltd.

ATS Electronic Technology Co., Ltd.	Tel: +86-769-38975958
ATS Electionic rechnology Co., Elu.	Fax: +86-769-38975968
3/F, Building A, No. 1 Hedong Three Road, Jinxia Community,	Web: www.dgats.com
Changan Town, Dongguan City, Guangdong, China	

1. IDENTIFICATION

Product Identifier

Product name: NiMH Rechargeable Battery

Model: Ni-MH AAA 300mAh 1.2V

Other means of identification

Synonyms: none

Recommended use of the chemical and restrictions on use

Recommended Use: Used in portable electronic equipments;

Uses advised against:

a) Do not dismantle, open or shred secondary cells or batteries.

b) Keep batteries out of the reach of children. Battery usage by children should be supervised. Especially keep small batteries out of reach of small children.

c) Seek medical advice immediately if a cell or a battery has been swallowed.

d) Do not expose cells or batteries to heat or fire. Avoid storage in direct sunlight.

e) Do not short-circuit a cell or a battery. Do not store cells or batteries haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.

f) Do not remove a cell or battery from its original packaging until required for use.

g) Do not subject cells or batteries to mechanical shock.

h) In the event of a cell leaking, do not allow the liquid to come in contact with the skin or eyes. If contact has been made, wash the affected area with copious amounts of water and seek medical advice.

i) Do not use any charger other than that specifically provided for use with the equipment.

j) Observe the plus (+) and minus (-) marks on the cell, battery and equipment and ensure correct use.

k) Do not use any cell or battery which is not designed for use with the equipment.

I) Do not mix cells of different manufacture, capacity, size or type within a device.

m) Always purchase the battery recommended by the device manufacturer for the equipment.

n) Keep cells and batteries clean and dry.

o) Wipe the cell or battery terminals with a clean dry cloth if they become dirty.

p) Secondary cells and batteries need to be charged before use. Always use the correct charger and refer

to the manufacturer's instructions or equipment manual for proper charging instructions.

p) Secondary cells and batteries need to be charged before use. Always use the correct charger and refer

to the manufacturer's instructions or equipment manual for proper charging instructions.

q) Do not leave a battery on prolonged charge when not in use.

r) After extended periods of storage, it may be necessary to charge and discharge the cells or batteries several times to obtain maximum performance.

s) Retain the original product literature for future reference.

t) Use the cell or battery only in the application for which it was intended.

u) When possible, remove the battery from the equipment when not in use.

v) Dispose of properly.

Details of the supplier of the safety data sheet:

Supplier Name: Lexel Battery (ShenZhen) Co., Ltd

Address: No.2, Guangtian Road, Lexel Technology Park, 3rd Industrial Park, Luotian Village, Yanluo, Bao'an, Shenzhen, China

Page 3 of 10

Telephone number of the supplier: +86-755-27066466 Postcode: 518101 E-mail address: zhangyan@lexelbattery.com <u>Emergency telephone number</u> Company Emergency Phone Number: +86-755-27066466

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

•	
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1B

GHS Label elements, including precautionary statements

	Emergency Overview		
Signal word	Danger		
Hazard Statements			
Harmful if swallowed			
Harmful if inhaled			
Causes skin irritation			
Causes serious eye damage			
May cause allergy or asthma symptoms or breathing difficulties if inhaled			
May cause an allergic skin reaction			
Suspected of causing genetic defects			
May cause cancer			
May damage fertility or the unborn child			
Causes damage to organs through pr	olonged or repeated exposure		
\wedge	\wedge		



This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the above hazards exist.

Appearance Green Physical State Solid

Odor None

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

In case of inadequate ventilation wear respiratory protection

- Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Description:

Product: Consisting of the following components.

Chemical Name	CAS No.	Weight-%
Nickel hydroxide	12054-48-7	27.2
Cobalt	7440-48-4	3.8
Manganese	7439-96-5	4.5
Lanthanum	7439-91-0	22.5
Cerium	7440-45-1	8.5
Potassium hydroxide	1310-58-3	2.0
Polypropylene	9003-07-0	1.8
Iron	7439-89-6	22.7
Water	7732-18-5	6.4
Polyamide fibers	63428-84-2	0.6

Note: CAS number is Chemical Abstract Service Registry Number.

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact Remove contaminated clothing and shoes. Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Swallowing Do not induce vomiting. Get medical attention.

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO2, dry chemical powder, water spray.

Unsuitable Extinguishing Media: No information available.

Page 6 of 10

Specific Hazards Arising from the Chemical

Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide Other irritating and toxic gases. <u>Hazardous Combustion Products</u> Carbon oxides. Explosion Data Sensitivity to Mechanical Impact No

Sensitivity to Static Discharge No

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. For example: Wear self-contained respiratory protective device. Wear suitable protective clothing and eye/face protection.

Special hazards arising from the substance or mixture:

Battery may burst and release hazardus decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high

temperature(>150°C), When damaged or abused(e.g. mechanical damage or electrical overcharging); may

burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Refer to section 8 for personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

Environmental precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other Non combustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

ATS Electronic Technology Co., Ltd

Page 7 of 10

eyes and clothing. Wear personal protective equipment.

Wash thoroughly after handling. Use this material with adequate ventilation.

The product is not explosive.

Conditions for safe storage, including any incompatibilities

If the batteries are subject to storage for such a long term as more than 3 months, it is recommended to recharge the Nickel metal hydride battery periodically.

Storage Temperature

Short period less than 3 months: -20~+45°C, 75%RH Max

Long period more than 3 months: +5°C ~+35°C,75%RH Max

Do not storage Nickel metal hydride battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects. Keep out of reach of children. Do not expose Nickel metal hydride battery to heat or fire. Avoid storage in direct sunlight. Do not store together with oxidizing and acidic materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering control

Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor. Keep away from heat and open flame. Store in a cool, dry place.

Respiratory protection

Not necessary under normal conditions.

Skin and body Protection

Not necessary under normal conditions, Wear neoprene or nitrile rubber gloves if handling an open or leaking battery.

Eye protection

Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery.

Hands protection

Wear neoprene or natural rubber material gloves if handling an open or leaking battery.

Others protection

Have a safety shower and eye wash fountain readily available in the immediate work area.

Hygiene Measures

Do not eat, drink, or smoke in work area. Maintain good housekeeping.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Cylindrical Color: Green

Odour: Odourless	Odour: Odourless			
Odor Threshold: No information a	Odor Threshold: No information available			
Change in condition:	Not determined.			
pH, with indication of the concentration	Not determined.			
Melting point/freezing point	Not determined.			
Initial boiling point and Boiling range:	Not determined.			
Flash Point	Not determined.			
Evaporation rate	Not determined.			
Flammability (solid, gas)	Not determined.			
Upper/lower flammability or explosive limits	Not determined.			
Vapor Pressure:	Not determined.			
Vapor Density:	Not determined.			
relative density:	Not determined.			
Solubility in Water:	Not determined.			
Solubility in other solvents	Not determined.			
n-octanol/water partition coefficient	Not determined.			
Auto-ignition temperature	Not determined.			
Decomposition temperature	Not determined.			
Odout threshold	Not determined.			
Evaporation rate	Not determined.			
Viscosity	Not determined.			
Other Information	Not determined.			

10. STABILITY AND REACTIVITY

<u>Reactivity</u>: Stable under recommended storage and handling conditions (see section 7, Handling and storage).

Chemical stability: Stable under normal conditions of use, storage and transport.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to avoid: Strong heating, fire, Incompatible materials.

Incompatible materials: Strong oxidizing agents. Strong acids. Base metals.

Hazardous Decomposition Products: Carbon oxides, Other irritating and toxic gases.

11. TOXICOLOGICAL INFORMATION

Acute toxiciy: No data available.

LD/LC50 values relevant for classification:

Not available.

Skin corrosion/irritation: No irritant effect.

Page 9 of 10

Serious eye damage/irritation: Cause serious eye irritation. Respiratory or skin sensitization: No sensitizing effects known.

Specific target organ system toxicity: No information available.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): No information available.

12. ECOLOGICAL INFORMATION

Toxicity:

Acquatic toxicity:

No further relevant information available.

Persistence and degradability: No further relevant information available.

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No information available.

13.DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation: Must not be disposed together with household garbage.

Do not allow product to reach sewage system

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

This report applies to by sea, by air and by land;

The Nickel metal hydride battery was protected so as to prevent short circuits. This includes protection against contact with conductive materials within the same packaging that could lead to short circuit;

The Nickel metal hydride battery according to the IATA Dangerous Goods Regulations 59th Edition special provisions A199, the sample list in this report can be transport as normal goods, the words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill. According to IMDG CODE Amdt.38-16 Edition special provisions 963, the Ni-MH button cell Ni-MH cells or batteries install in(or packed with) equipments, and the battery in the carriage of goods by a single component does not exceed the total weight of 100 kg, does not apply to any other provisions of this rule of IMDG.

More information concerning shipping, testing, marking and packaging can be obtained from label master at http://www.labelmaster.com/.

ATS Electronic Technology Co., Ltd

Page 10 of 10

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking. The materials and pack design shall be chosen so as to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.

The package must be handled with care and that a flammability hazard exists if the package is damaged;

With regard to transport, the following regulations are cited and considered:

- The International Civil Aviation Organization (ICAO) Technical Instructions.

- The International Air transport Association (IATA) Dangerous Goods Regulations.

UN Proper shipping name/Description (technical name): Battery, dry <Ni-MH battery >;

UN Classification (Transport hazard class): Non dangerous;

Marine pollutant(Y/N): N;

- The International Maritime Dangerous Goods (IMDG) Code.

For Nickel metal hydride batteries by sea, provided that packaging is strong and prevent the products from short-circuit.

UN number of Nickel metal hydrogen battery: UN3496;

UN Proper shipping name/Description (technical name): Battery, dry <Ni-MH battery >;

UN Classification (Transport hazard class): Non dangerous;

Marine pollutant(Y/N): Y;

- The US Hazardous Materials Regulation (HMR) pursuant to a final rule issued by RSPA

- The Office of Hazardous Materials Safety within the US Department of Transportations' (DOT) Research and Special

Programs Administration (RSPA)

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation:

Authorisations: No information available.

Restrictions on use: No information available.

Regulatory information: No information available.

Chemical safety assessment A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

--End of Sheet Safety Data Sheet--