

## OUTDOOR POWER EQUIPMENT AND ACCESSORIES

- Leaf Blower, Mulcher & Vac
- Inverter Generator
- Chainsaw, Pole Saw & Powered Pruner
- Chipper Shredder & Mulcher
- Log Splitter
- Powered Auger & Auger Bit
- Powered Tiller & Cultivator
- Pressure Washer
- Trimmer, Edger & Brush Cutter
- Other Attachment Kits, Parts & Accessories
- Tool Combo Kit
- Combo Kit (Multiple Attachements)
- Portable Generator
- Standby Generator

# The Home Depot

## STYLE SHEET FOR PRODUCT MARKETING CONTENT

### CONTENTS

CHECKLIST FOR ONLINE SKU REQUIREMENTS .....	2
ANATOMY OF THE HOMEDEPOT.COM PRODUCT INFORMATION PAGE (PIP) .....	3
PRODUCT NAME AND MARKETING COPY .....	4
PRODUCT FEATURE / BENEFIT BULLET STATEMENTS .....	7
PRODUCT IMAGE GUIDELINES FOR HOMEDEPOT.COM .....	9
HTML COLOR TABLES.....	9
PRODUCT FILE FORMAT AND REQUIRED ASSETS .....	9
IMAGE EXAMPLES.....	10

# CHECKLIST FOR ONLINE SKU REQUIREMENTS

All items must be entered into the IDM Vendor Portal (or communicated to your digital content analyst) before the SKU will be moved out of Vendor Enrich.

## OUTDOOR POWER EQUIPMENT AND ACCESSORIES– ALL PRODUCTS

### REQUIRED

#### Super SKUs

{Super\_SKUs\_Required}

#### Swatch Images

{Swatch\_Images\_Required}

#### Accessories

Accessories are recommended for this category. Please limit the number of accessory items to 12 or fewer.

#### Collections

Collections are recommended for this category. Please attempt to limit the number of items in the collection to 12 or fewer.

#### Coordinating Items

N/A

#### Images and Assets

{Images\_and\_Assets\_Required}

#### Video

Product videos should be loaded for items in this category.

# ANATOMY OF THE HOMEDEPOT.COM PRODUCT INFORMATION PAGE (PIP)

Helping our customers get more out of their home improvement projects is what The Home Depot is about. It's only natural to express that helpfulness with a genuine and friendly voice. We don't talk at customers. We talk to them. We strive to remain **Best in Class** and our wish is that your items uphold the same standards.

As you create the marketing components associated with your product information, use the perfect sku example below to ensure your products are picture-perfect, optimizing the customers shopping experience. For a more detailed explanation on the various components below, [CLICK HERE](#)

- To get your own (already created) product videos online, use the Vendor Video Portal: <http://itemvideo-prod.microsite.homedepot.com/>
- To add items to existing videos or if you have questions about videos, email: [vendor\\_video\\_request@homedepot.com](mailto:vendor_video_request@homedepot.com)
- Inquiries about linking to us from your site: [vendorLinks@homedepot.com](mailto:vendorLinks@homedepot.com)
- Receive more info related to your product reviews and be set up for automated reporting, respond to a customer issue, etc: [UserGeneratedContent@homedepot.com](mailto:UserGeneratedContent@homedepot.com)
- Implement Q&A for all your products: [UserGeneratedContent@homedepot.com](mailto:UserGeneratedContent@homedepot.com)

## Perfect PIP: Outdoor Power

**Primary image:** Clearly shows what the customer will receive. Image should be of the product only (no props) on a plain, white background and should be a minimum of 1000 x 1000 pixels

**Images and video:** Contains images and videos that give the customer more views of the items

**MFG Brand Name:** MFG brand name entered in the MFG Brand Name attribute

**Product Name:** Follows category specific standards, i.e product name formula

**Salient Bullets:** The three most important differentiating factors about your product

## Product Overview

Gas-like power you want, attachment capability you need. The RYOBI 40-Volt Expand-It Trimmer trimmer, with none of the hassle of mixing oil and gas. Attachment capability means you can add attachments, saving you time, money and space. The RYOBI 40-Volt X-Expand-It Cordless Trimmer comes with premium 0.080 in. twisted line and the REEL-EASY bump-feed string head for faster reloads, usually found only on gas trimmers. The cutting width is adjustable for longer run time or wider cutting width. This trimmer is recommended for yards up to one acre.

California residents see Proposition 65 information

- Works with all RYOBI 40-Volt lithium-ion tools and batteries
- Attachment capable: accepts RYOBI Expand-It attachments and other universal gas attachments to save time, money and space
- 40-Volt lithium-ion high capacity battery and 90 min charger included
- Premium 0.080 in. twisted oval line
- REEL-EASY bump-feed string head for fast and easy reloading
- Variable speed trigger for cutting control
- 13 in. - 15 in. adjustable cutting width for longer run time or wider cutting path
- 3-year limited warranty
- [Click here for more information on Electronic Recycling Programs](#)

**Product Overview/Marketing Copy:** Follows category standards, includes features, benefits and product uses

**Bullets:** Key product feature information – refer to the “Product Feature/ Benefit Bullet Statements” for more information

### Item Relationship Groupings: Accessories, Collections and Coordinating Items

**Info & Guides**

- Replacement Part List
- SDS
- Use and Care Manual
- Warranty

**Info & Guides:** Documents such as assembly/installation instructions, warranty information, etc. (PDFs)

# PRODUCT NAME AND MARKETING COPY

## PRODUCT NAME

The product name formula supports the best experience by allowing customers to quickly locate specific products of interest at the category page view without having to load the product detail page to confirm type of OUTDOOR POWER EQUIPMENT AND ACCESSORIES. **DO NOT include the manufacturer brand name in the product name.** The manufacturer brand name must be entered in the MFG Brand Name attribute during data collection and will be automatically added to the Product Name when the information is displayed on homedepot.com.

### Product Name Legend

- Items in brackets [ ] are considered required elements of the product name
- Items in parentheses { } are considered desired and may only be supplied if it is applicable to that product
- Items in quotations “ ” are to be added as listed

#### Leaf Blower, Mulcher & Vac:

##### Product Naming Formula

{Series} + [Maximum Air Speed in "MPH"] + [Maximum Air Volume in "CFM"] + [Power Type in {"cc Gas"} or {"-Amp. Electric"} or {"# of Volts "-Volt" Battery Type} Cordless"] + {Low Noise} + {"Handheld" or "Backpack" or "Walk-Behind"} + ["Leaf Blower" and/or "Mulcher" and/or "Vaccum"] + {- California Only}

##### Product Naming Example

165 MPH 391 CFM 25.4cc Gas Low Noise Handheld Leaf Blower  
208 MPH 155 CFM 36-Volt LXT Lithium-Ion Cordless Handheld Leaf Blower  
215 MPH 510 CFM 58.2cc Gas Backpack Leaf Blower  
Cyclone 150 MPH 1,200 CFM 163cc Gas Walk-behind Leaf Blower  
165 MPH 391 CFM 25.4cc Gas Leaf Blower/Vaccum  
Ultra 250 MPH 350 CFM 12-Amp Electric Handheld Leaf Blower/Vaccum/Mulcher

#### Chainsaw, Pole Saw & Powered Pruner:

##### Product Naming Formula

{Series} + [Guide Bar Length "in."] + [Power Type in "cc Gas" or "Amp. Electric" or "Volt Electric Cordless"] + [Chainsaw or Pruner Type]

##### Product Naming Example

PRO 20 in. 50cc Gas Chainsaw  
40-Volt Electric Cordless Chainsaw  
16 in. 12-Amp Electric Chainsaw  
12 in. 28.1cc Gas Telescoping Pole Pruner

#### Chipper Shredder & Mulcher:

##### Product Naming Formula

{Series} + [Shredding Capacity "in."] + [Power Type in "HP Gas Powered" or "Amp. Electric"] + [Chipper Shredder or Mulcher Type]

##### Product Naming Example

3 in. 11 HP Gas Powered Commercial-Duty Chipper Shredder  
3/8 in. 15-Amp. Electric Chipper  
2 in. 7 HP Gas Powered Self-Feeding Chipper Shredder

#### Log Splitter:

##### Product Naming Formula

{Series} + [Splitting Force in "-Ton"] + [Engine Displacement in "cc Gas" or "-Amp. Electric"] + [Log Splitter Type]

#### Trimmer, Edger & Brush Cutter:

##### Product Naming Formula

{Series} + [Power Type in "cc Gas" or "Amp. Electric" or "-Volt"] + {"Electric Cordless"} + {Engine Cycle} + [Trimmer, Edger or Cutter Type] + {"Bare Tool" or "Battery & Charger Included" or "Battery Included" or "Charger Included"}

##### Product Naming Example

40-Volt Lithium-Ion Cordless Attachment Capable String Trimmer - 2.6 Ah Battery & Charger Included  
25.4cc Gas Stick Edger  
21.2cc Gas Pole Hedge Trimmer - Bare Tool  
One+ 18-Volt Lithium-ion Cordless Hedge Trimmer  
2.7-Amp Electric Hedge Trimmer  
21.2 cc Curved Shaft 2 Cycle Gas String Trimmer

#### Other Attachment Kits, Parts & Accessories:

##### Product Naming Formula

{Series} + {Size in.} + [Product Type] + {"for" Compatible product} + {Quantity if more than 1 "(-Pack)"}

##### Product Naming Example

Reconditioned Expand-It 8 in. Brush Cutter Trimmer Attachment  
Ryobi 40-Volt and 24-Volt Cordless Edger Attachment  
Dual Spool Universal Bump Fixed String Head (2-Pack)  
Replacement Trimmer Auto-Feed Head Spool Cap for Homelite Electric Trimmer  
3-Line Rapid-Loader Head

#### Tool Combo Kit:

##### Product Naming Formula

{Series} + {"Reconditioned"} + [Power Type in "cc Gas" or "Amp. Electric" or "Volt Cordless"] + [Battery Type (if Cordless)] + [Tools Included] + ["Combo Kit"] + [{"2-Tool"} or "# of Tools "-Tool"]

##### Product Naming Example

SYNC 20-Volt Cordless Lithium-ion String Trimmer/Blower Combo Kit (2-Tool)

#### Combo Kit (Multiple Attachments):

##### Product Naming Formula

{Series} + {Engine Cycle} + [Power Type in {"cc Gas"} or {"# of Volts "-Volt" Battery Type} Cordless"] + [Tools Included] + ["with" Attachment Included]

##### Product Naming Example

#### Product Naming Example

Joe 5-Ton 15-Amp Electric Log Splitter  
22-Ton 174cc Gas Log Splitter

#### **Powered Auger & Auger Bit:**

##### Product Naming Formula

{Series} + [Engine Displacement cc] + [Auger Type]

##### Product Naming Example

190cc Earth Auger Powerhead  
51.7cc Earth Auger  
43cc Earth Auger Powerhead  
190cc Briggs Engine 2-Man Auger Powerhead  
Earth/Ice Auger  
42.7cc 1-Man Gas Auger

##### Auger Bit:

{Series} + [\_\_\_ in. dia.] + [Auger Bit Type]

[Auger Bit Type examples]: Earth Auger Bit, Ice Auger Bit, Earth/Ice Auger Bit, etc.

#### **Powered Tiller & Cultivator:**

##### Product Naming Formula

{Series} + [Power Source in "-Amp. Electric" or "cc Gas"] + [Tiller or Cultivator Type]

##### Product Naming Example

Yard Machines 6-1/2-Amp Electric Forward-Rotating Cultivator  
8-1/2-Amp Electric Tiller Cultivator  
2-1/2-Amp Electric Garden Cultivator  
43cc 2-Cycle Gas Cultivator  
21.2cc Front-Tine Forward Rotating Gas Tiller

#### **Pressure Washer:**

##### Product Naming Formula

{Series} + [Max. Pressure in "PSI"] + [Max. Flow Rate in "GPM"] + [Gas or Electric] + [Pressure Washer Type]

##### Product Naming Example

Generac 3100-PSI 2.7-GPM Axial Cam Pump Gas Pressure Washer - California Compliant  
1,800-PSI 1.4-GPM Electric Pressure Washer  
125-PSI Electric Pressure Abrasive Blaster

PAS 2-Cycle 21.22 cc Gas String Trimmer with Blower Attachment  
2-Cycle 25.4cc Gas String Trimmer with Blower Attachment  
Expand-It 40-Volt Lithium-Ion Cordless String Trimmer with Edger Attachment

#### **Portable Generator:**

##### Product Naming Formula

{Series} + [ ", " RunningWattage# "Running Watt"] + [Fuel Type "Powered"] + {Start Type "Start"} + [{"Portable Generator"}] + {"with" Engine Type}

##### Product Naming Example

3,100 Running Watt Gasoline Powered Manual Start Portable Generator with Honda Engine  
GP7000- 7,000 Running Watt Portable Generator  
GP 5,500 Running Watt Portable Generator

#### **Standby Generator:**

##### Product Naming Formula

{Series} + [ ", " RunningWattage# "Running Watt"] + [Cooling Type] + [{"Standby Generator"}] + {"with" #-Amp Transfer Switch}

##### Product Naming Example

25,000 Running Watt Air Cooled Automatic Standby Generator  
Guardian Series 18,000 Running Watt Air Cooled Standby Generator  
20,000 Running Watt Automatic Standby Generator with 200-Amp Transfer Switch

#### **Inverter Generator:**

##### Product Naming Formula

{Series} + [ ", " StartingWattage# "Starting Watt"] + [Fuel Type "Powered"] + {Start Type "Start"} + [{"Inverter Generator"}] + {"with" Engine Type}

##### Product Naming Example

Energy Storm 2,800 Starting Watt Gasoline Powered Remote Start Inverter Generator with Connection System  
2,200 Starting Watt Gasoline Portable Inverter Generator

#### **PRODUCT NAME NOTES**

{Product\_Name\_Notes}

#### **MARKETING COPY**

What you type in the description field will appear to our customers. You are creating a product description that appears on HomeDepot.com, not your manufacturing company website. This means that your descriptions must stand on their own without the use of asterisks to qualify a statement. Further, from a Search Engine Optimization (SEO) perspective, your description should focus on the key terms that make your product unique. **DO NOT use any special characters** such as the © Copyright Symbol, ®Registered Symbol or Trademark Symbol when inserting your product information in Item Data Management.

#### **MARKETING COPY EXAMPLE**

*The Ryobi ONE+ Cordless Chain Saw is ideal for light sawing jobs around the home. Its 10 in. bar and chain saws up to 9-in. diameter branches to make quick work out of unsightly brush. Cordless chain saw includes the ONE+ Lithium-ion battery and charger that's compatible to power up any of the Ryobi ONE+ tools. Backed by a 3-year warranty.*



# PRODUCT FEATURE / BENEFIT BULLET STATEMENTS

## FEATURE BULLET RANKING AND EXAMPLES

- A minimum of 4 bullets is required for products in this category. You may add more features if they are relevant to the product
- If you come across features that are not listed below but you feel they are important to the customer, please first try to combine it with an existing feature below or you may add it separately
- Do not include punctuation at the end of the bullet (no periods or semi-colons)
- Do not spell out numbers even when beginning a bullet. The only exception to this rule is when two numbers follow each other; always spell out the first number

**Note: Only use the following feature bullets (that are applicable) listed in the sequence orders below:**

### 1. If Combo Kit (Mowers)

Mower Name: Deck Width (in.)

BLACK+DECKER CM1640 40-Volt Mower: 16 in. Deck Width

BLACK+DECKER CM2040 40-Volt Mower: 20 in. Deck Width

### 2. If Combo Kit (String Trimmer/Brush Cutter)

String Trimmer/Brush Cutter Name/Type: Cutting Path (in.), Line Diameter (in.), Line Advancement System

RYOBI 40-Volt String Trimmer: 13 in. Cutting Path, .080 in. Line Diameter, Automatic Line Advancement System

RYOBI 20-Volt String Trimmer: 12 in. Cutting Path, .065 in. Line Diameter, Automatic Line Advancement System

ECHO PAS 21.2 cc Gas Trimmer: 17 in. Cutting Path, .095 in. Line Diameter, Bump Line Advancement System

TORO Brush Cutter Attachment: 8 in. Cutting Path, 8 in. Blade Diameter

### 3. If Combo Kit (Blower/Sweeper)

Blower/Sweeper Name/Type: Maximum Air Speed (MPH), Maximum Air Volume (CFM)

RYOBI ONE+18V Hard Surface Sweeper: 120 MPH Maximum Air Speed, 120 CFM Maximum Air Volume

CUB CADET CC-1 Blower Attachment: 80 MPH Maximum Air Speed, 450 CFM Maximum Air Volume

WORX AIR Blower/Sweeper: 120 MPH Maximum Air Speed, 80 CFM Maximum Air Volume

### 4. If Combo Kit (Hedge Trimmer)

Hedge Trimmer Name: Blade Length (in.), Maximum Cut Diameter

RYOBI ONE+ 18-Volt Hedge Trimmer: 18 in. Blade Length, .375 in. Maximum Cut Diameter

BLACK+DECKER LHT2220 Hedge Trimmer: 22 in. Blade Length, .75 in. Maximum Cut Diameter

### 5. If Combo Kit (Chainsaw)

Chainsaw Name: Blade Length (in.), Chain Size (in.)

RYOBI ONE+ 18-Volt Chainsaw: 18 in. Bar Length, 18 in. Chain Size

RYOBI 40-Volt Lithium-Ion Chainsaw: 14 in. Bar Length, 14 in. Chain Size

### 6. If Combo Kit (Edger)

Edger Name/Type: Blade Length (in.), Adjustable Cutting Depth

RYOBI ONE+ 18-Volt Lithium-Ion Edger: 9 in. Blade Length, Includes Adjustable Cutting Depth

TORO Edger Attachment: 9 in. Blade Length, Includes Adjustable Cutting Depth

RYOBI Expand-It Edger Attachment: 9 in. Blade Length, Includes

### 11. Cutting Width or Cutting Path feature and benefit

54-in. cutting deck mows more grass in less cutting time

33-in. cutting path is ideal for midsize and larger yards

### 12. Blade/Design feature and benefit

4-blade reel assembly for consistent cutting action

Mowing deck has overlapping blades to ensure no grass is left uncut

### 13. Performance/Technologies feature and benefit

1-pass technology cuts a clear, clean path

Easily mow around obstacles with its tight 12-in. turning radius

Steel deck is engineered for superior mulching and side discharge for professionally-cut lawn

### 14. Handling feature and benefit

10-in. wheels with radial-tread tires for enhanced control

Flared T-style handle with cushioned grips for comfort while pushing mower

Select from 7 settings for 1-1/2 in. to 4-1/2 in. cutting heights

### 15. Speed/Direction feature and benefit

Travels up to 7-mph in forward and 3-mph in reverse

### 16. Power/Fuel capacity feature and benefit

4-1/2-gal. fuel capacity minimizes refueling time

Operates for up to 3 hours on a full charge

### 17. Safety feature and benefit

Safety bar instantly stops mower when released

### 18. Storage/Convenience feature and benefit

Handle folds in half for easy storage

### 19. Assembly feature and benefit

Easy to setup in approximately 10 minutes

### 20. Can item be sold in California?

Item is CARB Compliant and can ship to California

Item is not CARB Compliant and cannot ship to California

Adjustable Cutting Depth

**7. If Combo Kit (Cultivators)**

Cultivator Name/Type: Tine Length (in.) Maximum Till Width (in.)

RYOBI 40-Volt Cultivator Attachment: 10 in. Tine Length, 20 in.

Maximum Till Width

BLACK+DECKER LCG120B 20-Volt Cultivator: 4 in. Tine Length, 7 in.

Maximum Till Width

**8. If Combo Kit (Pole Chainsaw)**

Pole Chainsaw Name/Type: Maximum Pole Length, Maximum Cut Diameter

RYOBI ONE+ Pole Chainsaw: 95 in Maximum Pole Length, 8 in

Maximum Cut Diameter

RYOBI 40-Volt and 24-Volt Pole Chainsaw Attachment: 92 in.

Maximum Pole Length, 6 in. Maximum Cut Diameter

**9. Engine or motor or horsepower feature and benefit**

17-HP single-cylinder engine for powerful performance

4-1/2-HP gas-powered engine for powerful performance

**10. Transmission feature and benefit**

6-speed manual drive transmission lets you set your own pace



# PRODUCT IMAGE GUIDELINES FOR HOMEDEPOT.COM

To ensure an optimum customer experience on homedepot.com, the following product image requirements have been established.

## SIZE

- All images must be at least a minimum of 1000 pixels x 1000 pixels

## PHOTOGRAPHY:

- All products must be digitally photographed out of the package with the exception of products that are typically represented in the package, such as extension cords, fasteners, etc. If an image is shot in the packaging, both the front and the back of the package should be shot to include any marketing copy or disclaimer included on the packaging. *This is to be assessed on an as need basis by the vendor, merchant and homedepot.com.*
- Main product images should only feature the product. No props or additional products (assortment groupings) are allowed within the primary image area. Alternate images of the product are encouraged to convey “lifestyle” images, and alternate views of important product features.
- People and pets must not appear in any product image.
- Images must represent the correct color of the product.

{Guideline\_Background\_Borders}

## HTML COLOR TABLES

HTML Color Table

Name	Sample	Hex Triplet	RGB	CMYK
White		#FFFFFF	R-255 G-255 B-255	C-0 M- 0 Y- 0 K- 0
Beige		#F5F5DC	R-245 G-245 B-220	C-0 M- 0 Y- 10 K- 4

## PRODUCT FILE FORMAT AND REQUIRED ASSETS

### FILE FORMAT and NAME

- Image files MUST be in JPEG format.
- The format for naming your asset should enable users to quickly associate an asset to an item.
- Example: yourModel#\_productimage.jpg, your UPC\_productimage.jpg, yourModel#\_lifestyle.jpg

# IMAGE EXAMPLES

---

## Outdoor Power Product Image (Required)

An image that displays the full product on a white background



## Handle Feature Image (Optional)

Feature image of the handle



## Blade Image (Optional)

Close-up image of the blade



## Trimmer Image (Optional)

Detail image of the trimmer



## Detail Image (Optional)

Detail image of product



## Lifestyle Image (Optional)

Image of product being used

