

COMPOSITLOCK™ FIBERGLASS POLES

TREE TRIMMING & LINE-CLEARANCE POLES
WITH COMPOSITE FERRULES



SAFETY FIRST

WITH **NEW** COMPOSITE FERRULE POLES

Non-conductive composite ferrules enhance dielectric strength from top-to-bottom, improving user safety while performing tree trimming and line-clearance around overhead utility lines.

Jameson's Latest Innovation In Poles!

Jameson built the first fiberglass poles in 1956 in response to customer needs for a stronger pole. Today, Jameson is the leading supplier of fiberglass poles.

The development of Jameson's NEW fiberglass COMPOSITLOCK™ Poles with fiber reinforced composite ferrule was in response to safety concerns from our customers.

According to the Tree Care Industry Association (TCIA), "Electricity is a serious and widespread hazard to arborists. In fact, electricity causes about 15% of all fatalities in the tree care industry, making it the leading cause of worker fatalities."¹ A ten-year study (2006-2016) conducted by the National Rural Electric Cooperative Association found "while overall recordable injuries were down by approximately 50 percent in that time-frame, the number of serious incidents did not decline and rose significantly as a percentage of all events."²

Jameson COMPOSITLOCK™ Poles maintain insulating properties across pole sections for line-clearance tree work PLUS offer more secure pole connection for telecommunication, line clearance, arborist and landscape professionals.



**MAXIMUM
DURABILITY, STRENGTH,
UV & IMPACT RESISTANCE**

Not A "Hot Stick" - Not For Use On Energized Lines



COMPOSITLOCK™ FIBERGLASS POLES

BENEFITS OF JAMESON FIBER REINFORCED COMPOSITE FERRULES

INCREASED SAFETY WHEN WORKING AROUND ENERGIZED LINES

Responding in part to the TCIA EHAP® Program and the NRECA Commitment

to Zero Contacts initiative, Jameson's CompositLock™ Fiberglass Poles seek to reduce the potential for conductivity from top-to-bottom and help prevent accidental electrical contact when working around energized utility lines.

STRONG, SECURE CONNECTIONS BETWEEN POLE SECTIONS

Over-sized thread profile provides strong, secure pole-to-pole connections, eliminating loose fitment or "slop" required with traditional aluminum ferrules. The result is less binding, easy cleaning, and improved rigidity the entire working length of the pole.

SMOOTH FERRULE PROFILE

Sunken rivets and threaded attachment result in a smooth profile that moves easily in foliage without snagging.



SAW HEAD POLE

Female ferrule and permanently mounted saw head for attaching saw blade.



EXTENSION POLE

Male and female ferrules to attach additional poles or tools. Provides additional length (workable height).



BASE POLE

Rubber end cap and male ferrule to attach poles or tools. Provides solid foundation. Jameson recommends starting with Base Pole.



JEC FOAM CORE COMPOSITLOCK™ POLE

PREFERRED FOR AERIAL CONSTRUCTION & LINE CLEARANCE

Jameson’s JE Series foam core pole is the highest quality fiberglass pole available.

- Foam core prevents debris and moisture build up inside pole and adds extra hoop strength and rigidity
- Polymer protective surface veil prevents fiber blooming at surface due to abrasion or ultra-violet light
- High visibility safety yellow color
- Meets requirements of OSHA Standard 1910.269(j)(1)(i): **Individually tested to 100KV per foot for five minutes**

| | | | | | |
|-------------|----------|----------|----------|-----------|-----------|
| Pole Length | 4' | 6' | 8' | 10' | 12' |
| Base | JEC-4F | JEC-6F | JEC-8F | JEC-10F | JEC-12F |
| Extension | JEC-4 | JEC-6 | JEC-8 | JEC-10 | JEC-12 |
| Saw Head | JEC-4SFP | JEC-6SFP | JEC-8SFP | JEC-10SFP | JEC-12SFP |



FGC HOLLOW CORE COMPOSITLOCK™ POLE

PREFERRED FOR TREE TRIMMING & AERIAL CONSTRUCTION

Jameson’s strongest and most popular pole is lighter than foam core poles, offering greater control and exceptional bend strength. Batch tested per ASTM F711.**

- Polymer protective surface veil prevents fiber blooming at surface due to abrasion or ultra-violet light
- **Batch tested to 100KV per foot for five minutes.**

| | | | | | |
|-------------|----------|----------|----------|-----------|-----------|
| Pole Length | 4' | 6' | 8' | 10' | 12' |
| Base | FGC-4F | FGC-6F | FGC-8F | FGC-10F | FGC-12F |
| Extension | FGC-4 | FGC-6 | FGC-8 | FGC-10 | FGC-12 |
| Saw Head | FGC-4SFP | FGC-6SFP | FGC-8SFP | FGC-10SFP | FGC-12SFP |




BLC HOLLOW CORE COMPOSITLOCK™ POLE

THE LIGHTWEIGHT OPTION FOR TREE TRIMMING

Jameson’s highest strength-to-weight ratio pole is lightweight and easy to control, making it ideal for tree trimming. BL poles are batch tested per ASTM F711.**

- Durable enamel coating prevents fiber blooming at surface due to abrasion or ultra-violet light
- **Batch tested to 100KV per foot for five minutes.**

| | | | | | |
|-------------|----------|----------|----------|-----------|-----------|
| Pole Length | 4' | 6' | 8' | 10' | 12' |
| Base | BLC-4F | BLC-6F | BLC-8F | BLC-10F | BLC-12F |
| Extension | BLC-4 | BLC-6 | BLC-8 | BLC-10 | BLC-12 |
| Saw Head | BLC-4SFP | BLC-6SFP | BLC-8SFP | BLC-10SFP | BLC-12SFP |



COMPOSITLOCK™ FIBERGLASS POLES - HEAD TOOLS & KITS



| | | | | | |
|---|---|--|---|---|--|
| PHC-14-PKG | JAC-34DP-PKG | PHC-11-PKG | PHC-12-PKG | PSC-3FP | WRC-1 |
| 1.25" Side Cut Fixed Pulley Pruner & Rope | 1.75" Side Cut Double Pulley Pruner & Rope | 1" Center Cut Pruner, Rope & Saw Blade | 1.5" Center Cut Pruner & Rope | Pole Saw Head | Limb & Wire Raiser |
| Heavy duty pruner with enhanced spring for smooth cutting action. | Double pulley for additional leverage & less pulling force. | Chain pulley pruner. Accommodates SB-2 saw blade for pruner and pole saw capabilities. | Chain pulley pruner. Does not accept saw blade. | Center blade mount. Mounting pin for easy blade replacement. Fits SB-1C & Tri-Cut Blades. | Place cable during line construction. Pull or lift branches. |
| JAC-14DP-PKG | PHC-34-PKG | | | | |
| 1.25" Side Cut Double Pulley Pruner & Rope | 1.75" Side Cut Single Pulley Pruner & Rope | | | | |



PSC-3FPS1
CompositLock™ Pole Saw Kit
Saw Head & 13" Tri-Cut Blade

| Pole Saw Kits With CompositLock™ Adapter Ferrules | |
|---|--|
| PSC-3FPK-16DH | Saw Head, Double Hook Blade |
| PSC-3FPK-16DH-B | Saw Head, Double Hook Blade and Belting Scabbard |
| PSC-3FPS2 | Saw Head & 16" Tri-Cut Blade |
| PSC-3SB | Saw Head & 16" Non-Stick Coated Blade |

| Tree Trimming Kits With CompositLock™ Poles & Head Tools | |
|---|---|
| BLC-6PKG-1 | 1.25" Pruner, Pruner Rope, Saw Head, 16" Tri-Cut Saw Blade, 6' BLC Base Pole, and (2) 6' BLC Extension Poles |
| BLC-6PKG-7 | 1.75" Double Pulley Pruner, Pruner Rope, Saw Head, 16" Tri-Cut Blade, 6' BLC Base Pole and 6' BLC Extension Pole |
| FGC-6PKG-1 | 1.25" Pruner, Pruner Rope, Saw Head, 13" Tri-Cut Saw Blade, 6' FGC Base Pole and 6' FGC Extension Pole |
| FGC-6PKG-7 | 1.75" Double Pulley Pruner, Pruner Rope, Saw Head, 16" Tri-Cut Blade, 6' FGC Base Pole and 6' FGC Extension Poles |
| Line Clearance Kits With CompositLock™ Poles & Head Tools | |
| JEC-18LCKIT-14 | 1.25" Pruner & Rope, Saw Head, Tri-Cut 16" Saw Blade, Leather Scabbard, 7.5" Fiberglass Rope Insulator, Vinyl Storage Bag Two 6' JEC Extension Poles and One 6' JEC Base Pole |
| JEC-18LCKIT-34DP | 1.75" Double-Pulley Pruner & Rope, Saw Head, Tri-Cut 16" Saw Blade, Leather Scabbard, 7.5" Fiberglass Rope Insulator, Vinyl Storage Bag Two 6' JEC Extension Poles and One 6' JEC Base Pole |

