

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/20/2018 Revision date: 02/20/2018 Supersedes: 01/12/2016 Version: 2.3

SECTION 1: Identification

1.1. Identification

Product form Mixture
Product name HIT-HY 100, A
Product code BU Anchor

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Hilti, Inc. Legacy Tower, Suite 1000 7250 Dallas Parkway 75024 Plano - USA T +1 9724035800

1-800-879-8000 toll free - F +1 918 254 0522

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH

Hiltistraße 6

86916 Kaufering - Deutschland

T +49 8191 906310 - F +49 8191 90176310

anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number Chem-Tree

Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada)

Tel.: 703 527 3887 (Other countries)

+1 918 8723000 1-800-879-8000 toll free

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Eye Irrit. 2AH319 -Causes serious eye irritation.Skin Sens. 1H317 -May cause an allergic skin reaction.Repr. 1BH360 -May damage fertility or the unborn child.

Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)





GHS07

GHS08

Signal word (GHS-US) Danger

Hazard statements (GHS-US) H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H360 - May damage fertility or the unborn child.

Precautionary statements (GHS-US)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

20/02/2018 US-OSHA - en 1/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P337+P313 - If eye irritation persists: Get medical advice/attention.

P302+P352 - If on skin: Wash with plenty of water

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Quartz	(CAS-No.) 14808-60-7	25 - 40	Carc. 1A, H350
2-Hydroxypropyl methacrylate	(CAS-No.) 27813-02-1	5 - 10	Eye Irrit. 2A, H319 Skin Sens. 1, H317
1,4-Butanediol dimethacrylate	(CAS-No.) 2082-81-7	5 - 10	Skin Sens. 1B, H317
1,1'-(p-tolylimino)dipropan-2-ol	(CAS-No.) 38668-48-3	1 - 2.5	Acute Tox. 2 (Oral), H300 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412
boric acid	(CAS-No.) 10043-35-3	0.1 - 1	Repr. 1B, H360
4-tert-butylpyrocatechol	(CAS-No.) 98-29-3	0.1 - 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general Take off immediately all contaminated clothing. Never give anything by mouth to an

unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing. First-aid measures after inhalation

Allow the victim to rest.

Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash First-aid measures after skin contact occurs: Get medical advice/attention.

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

First-aid measures after eye contact Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

Rinse mouth. Drink plenty of water. Get medical advice/attention. Do not induce vomiting.

Obtain emergency medical attention.

Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

First-aid measures after ingestion

Based on available data, the classification criteria are not met.

symptoms

Symptoms/effects after skin contact May cause an allergic skin reaction.

Symptoms/effects after eye contact May cause severe irritation.

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

20/02/2018 US-OSHA - en 2/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation.

Mechanically recover the product. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other

exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep cool. Protect from sunlight.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 5 - 25 °C

20/02/2018 US-OSHA - en 3/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Heat and ignition sources

Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Quartz (14808-60-7)		
OSHA	Remark (OSHA)	(3) See Table Z-3.
boric acid (10043-35-3)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m³
ACGIH	ACGIH STEL (mg/m³)	6 mg/m³

1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)

Not applicable

1,4-Butanediol dimethacrylate (2082-81-7)

Not applicable

4-tert-butylpyrocatechol (98-29-3)

Not applicable

2-Hydroxypropyl methacrylate (27813-02-1)

Not applicable

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant

for this product.

8.2. Exposure controls

Personal protective equipment Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.







Hand protection Wear protective gloves. The permeation time is not the maximum wearing time! Generally

speaking, it must be reduced. Contact with either mixtures of substances or different

substances may shorten the protective function's effective duration.

Eye protection Wear security glasses which protect from splashes.

Wear suitable protective clothing. Skin and body protection Environmental exposure controls Avoid release to the environment.

Consumer exposure controls Avoid contact during pregnancy/while nursing.

Other information Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance Thixotropic paste.

Colour

Grey Odour characteristic Odour threshold Not determined No data available No data available Melting point Freezing point No data available

20/02/2018 US-OSHA - en 4/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point No data available

Flash point > 109 °C DIN EN ISO 1523

Relative evaporation rate (butylacetate=1)

Flammability (solid, gas)

Explosive limits

Explosive properties

Oxidising properties

Vapour pressure

No data available

Product is not explosive.

No data available

No data available

Relative density No data available Relative vapour density at 20 °C No data available Density 1.74 g/ml DIN 66137-2 Solubility No data available Log Pow No data available Auto-ignition temperature Not self-igniting Decomposition temperature No data available No data available Viscosity No data available Viscosity, kinematic

70 HN-0333

9.2. Other information

Viscosity, dynamic

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Not classified

boric acid (10043-35-3)	
LD50 oral rat	2660 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >2600 mg/kg bodyweight; Rat; Experimental value)

20/02/2018 US-OSHA - en 5/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

boric acid (10043-35-3)			
LD50 dermal rabbit	> 2000 mg/kg Rabbit; Experimental value; FIFRA (40 CFR)		
ATE US (oral)	2660 mg/kg bodyweight		
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)			
LD50 oral rat	25 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
ATE US (oral)	25 mg/kg bodyweight		
1,4-Butanediol dimethacrylate (2082-81-7)			
LD50 oral rat	10066 mg/kg		
LD50 dermal rat	> 3000 mg/kg		
ATE US (oral)	10066 mg/kg bodyweight		
4-tert-butylpyrocatechol (98-29-3)			
LD50 oral rat	815 mg/kg bodyweight (Rat; Lethal; ECHA)		
LD50 dermal rat	1331 mg/kg bodyweight (Rat;Lethal; ECHA)		
ATE US (oral)	815 mg/kg bodyweight		
ATE US (dermal)	1331 mg/kg bodyweight		
2-Hydroxypropyl methacrylate (27813-02-1)			
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)		
LD50 dermal rabbit >= 5000 mg/kg bodyweight (Rabbit; Experimental value)			
Skin corrosion/irritation Not classified			
Serious eye damage/irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	May cause an allergic skin reaction.		
Germ cell mutagenicity	Not classified		
Based on available data, the classification criteria are not met			
Carcinogenicity	Not classified		
Quartz (14808-60-7)			
IARC group	1 - Carcinogenic to humans		
Reproductive toxicity	May damage fertility or the unborn child.		
	Based on available data, the classification criteria are not met		
Specific target organ toxicity (single exposure)	Not classified		
Specific target organ toxicity (repeated exposure)	Not classified		
Aspiration hazard	Not classified		
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.		
mptoms/effects after skin contact May cause an allergic skin reaction.			
Symptoms/effects after eye contact	May cause severe irritation.		
•			

SECTION 12: Ecological information

12.1. Toxicity

boric acid (10043-35-3)	
LC50 fish 1	447 mg/l
EC50 Daphnia 1	658 - 875 mg/l (48 h; Daphnia magna)
LC50 fish 2	79 ppm (96 h; Salmo gairdneri (Oncorhynchus mykiss); Hard water)

20/02/2018 US-OSHA - en 6/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

boric acid (10043-35-3)	
EC50 Daphnia 2	19.7 mg/l (336 h; Daphnia magna)
ErC50 (algae)	290 mg/l
NOEC chronic fish	2.1 mg/l
TLM fish 1	1800 ppm (24 h; Gambusia affinis)
Threshold limit algae 1	5 mg/l (672 h; Elodea sp.)
·	0 mg.n (0 mg.n (0 mg.n)
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	≈ 17 mg/l
LC50 other aquatic organisms 1	245 mg/l
EC50 Daphnia 1	28.8 mg/l
NOEC (acute)	57.8 mg/l
1,4-Butanediol dimethacrylate (2082-81-7)	To this may the second of the
LC50 fish 1	32.5 mg/l
LC50 other aquatic organisms 1	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (acute)	20 mg/l
, ,	mg//
4-tert-butylpyrocatechol (98-29-3) LC50 fish 1	0.42 mg// (06 h. Dania raria Latha). FCHA)
	0.12 mg/l (96 h, Danio rerio, Lethal, ECHA)
EC50 Daphnia 1	> µg/l
2-Hydroxypropyl methacrylate (27813-02-1)	
LC50 fish 1	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 Daphnia 1	> 143 mg/l (48 h; Daphnia magna; GLP)
Threshold limit algae 1	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit algae 2	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
12.2. Persistence and degradability	
<u> </u>	
HIT-HY 100, A	Alek eskelikele ed
Persistence and degradability	Not established.
1,4-Butanediol dimethacrylate (2082-81-7)	
Biodegradation	84 %
4-tert-butylpyrocatechol (98-29-3)	
ThOD	
11102	2.4 g O₂/g substance
2-Hydroxypropyl methacrylate (27813-02-1)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
HIT-HY 100, A	
	Not established.
HIT-HY 100, A Bioaccumulative potential	Not established.
HIT-HY 100, A	Not established. < 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight)
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2	
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3)	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight)
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2 Log Pow Bioaccumulative potential	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight) -1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C)
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2 Log Pow Bioaccumulative potential 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight) -1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C) Low bioaccumulation potential (BCF < 500).
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2 Log Pow Bioaccumulative potential 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3) BCF fish 1	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight) -1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C) Low bioaccumulation potential (BCF < 500).
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2 Log Pow Bioaccumulative potential 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3) BCF fish 1 Log Kow	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight) -1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C) Low bioaccumulation potential (BCF < 500).
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2 Log Pow Bioaccumulative potential 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3) BCF fish 1 Log Kow 1,4-Butanediol dimethacrylate (2082-81-7)	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight) -1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C) Low bioaccumulation potential (BCF < 500). 2.1
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2 Log Pow Bioaccumulative potential 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3) BCF fish 1 Log Kow 1,4-Butanediol dimethacrylate (2082-81-7) Log Pow	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight) -1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C) Low bioaccumulation potential (BCF < 500).
HIT-HY 100, A Bioaccumulative potential boric acid (10043-35-3) BCF fish 2 Log Pow Bioaccumulative potential 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3) BCF fish 1 Log Kow 1,4-Butanediol dimethacrylate (2082-81-7)	< 0.1 (60 days; Oncorhynchus tshawytscha; Fresh weight) -1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C) Low bioaccumulation potential (BCF < 500).

20/02/2018 US-OSHA - en 7/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-tert-butylpyrocatechol (98-29-3)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2-Hydroxypropyl methacrylate (27813-02-1)	
BCF fish 1	<= 100
BCF fish 2	3.2 Quantitative structure-activity relationship (QSAR)
Log Pow	0.97 (OECD 102 method)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).

12.4. Mobility in soil

boric acid (10043-35-3)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects

Effect on the global warming

No known effects from this product.

Other information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.

Product/Packaging disposal recommendations Refer to manufacturer/supplier for information on recovery/recycling. Dispose of

contents/container to Avoid release to the environment, Refer to manufacturer/supplier for

information on recovery/recycling.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID
14.1. UN number			
Not regulated for transport	Not regulated for transport		
14.2. UN proper shipping nam	ne		
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment :	Dangerous for the environment :	Dangerous for the environment :	Dangerous for the environment :
No	No	No	No
	Marine pollutant : No		
No supplementary information available			

20/02/2018 US-OSHA - en 8/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Special precautions for user

- Overland transport
- Transport by sea

No data available

- Air transport

No data available

- Rail transport

Carriage prohibited (RID)

No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

A	CAC No. 1244 20 1	5 10%
Aluminium oxide	LCAS-No. 1344-28-1	5 - 10%

4-tert-butylpyrocate	echol (98-29-3)
----------------------	-----------------

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

15.2. International regulations

CANADA

Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Eye Irrit. 2
 H319

 Skin Sens. 1
 H317

Full text of hazard classes and H-statements : see section 16

National regulations

Quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

20/02/2018 US-OSHA - en 9/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Revision date 02/20/2018
Other information None.

Full text of H-statements:

XI OF IT-Statements.		
H300	Fatal if swallowed.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H350	May cause cancer.	
H360	May damage fertility or the unborn child.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

SDS_US_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

20/02/2018 US-OSHA - en 10/10



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/20/2018 Revision date: 02/20/2018 Supersedes: 01/12/2016 Version: 2.3

SECTION 1: Identification

1.1. Identification

Mixture Product form HIT-HY 100, B Product name Product code **BU Anchor**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Composite mortar component for fasteners in the construction industry

1.3. Details of the supplier of the safety data sheet

Supplier

Hilti, Inc. Legacy Tower, Suite 1000 7250 Dallas Parkway 75024 Plano - USA T +1 9724035800

1-800-879-8000 toll free - F +1 918 254 0522

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH

Hiltistraße 6

86916 Kaufering - Deutschland

T +49 8191 906310 - F +49 8191 90176310

anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number

Tel.: 1800 424 9300 (USA, PR, Virgin Islands, Canada)

Tel.: 703 527 3887 (Other countries)

+1 918 8723000 1-800-879-8000 toll free

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Sens. 1 H317 -May cause an allergic skin reaction. Aquatic Acute 1 H400 -Very toxic to aquatic life.

Full text of H statements : see section 16

2.2. Label elements

Signal word (GHS-US)

GHS-US labelling

Hazard pictograms (GHS-US)





GHS09

GHS07

Hazard statements (GHS-US) H317 - May cause an allergic skin reaction.

H400 - Very toxic to aquatic life.

Precautionary statements (GHS-US) P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P302+P352 - If on skin: Wash with plenty of water

20/02/2018 US-OSHA - en 1/8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Quartz	(CAS-No.) 14808-60-7	40 - 60	Carc. 1A, H350
dibenzoyl peroxide	(CAS-No.) 94-36-0	5 - 10	Org. Perox. B, H241 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general Take off immediately all contaminated clothing. Never give anything by mouth to an

unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing.

Allow the victim to rest.

First-aid measures after skin contact

Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion Rinse mouth. Drink plenty of water. Get medical advice/attention. Do not induce vomiting.

Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

symptoms

Based on available data, the classification criteria are not met.

Symptoms/effects after skin contact May cause an allergic skin reaction.

Symptoms/effects after eye contact May cause severe irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

20/02/2018 US-OSHA - en 2/8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation.

Mechanically recover the product. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other

exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditionsKeep cool. Protect from sunlight.Incompatible productsStrong bases. Strong acids.Incompatible materialsSources of ignition. Direct sunlight.

Storage temperature 5 - 25 °C

Heat and ignition sources Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Quartz (14808-60-7)		
OSHA	Remark (OSHA)	(3) See Table Z-3.

20/02/2018 US-OSHA - en 3/8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

dibenzoyl peroxide (94-36-0)		
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant

for this product.

8.2. Exposure controls

Personal protective equipment Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.







Hand protection Wear protective gloves. The permeation time is not the maximum wearing time! Generally

speaking, it must be reduced. Contact with either mixtures of substances or different

substances may shorten the protective function's effective duration.

Eye protection Wear security glasses which protect from splashes.

Skin and body protection Wear suitable protective clothing. Environmental exposure controls Avoid release to the environment.

Consumer exposure controls Avoid contact during pregnancy/while nursing.

Other information Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance Thixotropic paste.

Colour white
Odour characteristic

Odour threshold Not determined pH ≈ 6

Melting point
No data available
Freezing point
No data available
Boiling point
No data available
Flash point
No data available
Flash point
No data available
Relative evaporation rate (butylacetate=1)
Flammability (solid, gas)
No data available
Explosive limits
No data available

Explosive properties Product is not explosive.

Oxidising properties No data available Vapour pressure No data available Relative density No data available Relative vapour density at 20 °C No data available 2 g/cm3 DIN 66137-2 Density Solubility No data available Log Pow No data available Not self-igniting Auto-ignition temperature ≈ 65 °C SADT Decomposition temperature Viscosity No data available Viscosity, kinematic No data available

Viscosity, dynamic

20/02/2018 US-OSHA - en 4/8

70 Pa.s HN-0333



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Not classified

Skin corrosion/irritation Not classified

pH: ≈ 6

Serious eye damage/irritation Not classified

pH: ≈ 6

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

Carcinogenicity Not classified

 Quartz (14808-60-7)

 IARC group
 1 - Carcinogenic to humans

Reproductive toxicity Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) Not classified

Specific target organ toxicity (repeated Not classified

exposure)

Aspiration hazard Not classified

Potential adverse human health effects and Based on av

symptoms

- - -

Based on available data, the classification criteria are not met.

Symptoms/effects after skin contact May cause an allergic skin reaction.

Symptoms/effects after eye contact May cause severe irritation.

20/02/2018 US-OSHA - en 5/8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

dibenzoyl peroxide (94-36-0)	
LC50 fish 2	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)

12.2. Persistence and degradability

HIT-HY 100, B	
Persistence and degradability Not established.	
dibenzoyl peroxide (94-36-0)	
Persistence and degradability Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.	

12.3. Bioaccumulative potential

HIT-HY 100, B	
Bioaccumulative potential	Not established.
dibenzoyl peroxide (94-36-0)	
Log Pow	3.71
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming

No known effects from this product.

Other information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.

Product/Packaging disposal recommendations Refer to manufacturer/supplier for information on recovery/recycling. Dispose of

contents/container to Avoid release to the environment, Refer to manufacturer/supplier for

information on recovery/recycling.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID	
14.1. UN number				
Not regulated for transpo	ort			
14.2. UN proper ship	ping name			
Not applicable	Not applicable	Not applicable	Not applicable	
		<u> </u>		
14.3. Transport haza	rd class(es)			

20/02/2018 US-OSHA - en 6/8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR	IMDG	IATA	RID
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment :	Dangerous for the environment :	Dangerous for the environment :	Dangerous for the environment :
Yes	Yes Marine pollutant : Yes	Yes	Yes
Environmentally haz	zardous substances derogation applie	s (quantity of liquids ≤ 5 litres or net m	nass of solids ≤ 5 kg)
not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7			

14.6. Special precautions for user

- Overland transport

Special provisions (ADR) 375

- Transport by sea

No data available

- Air transport

Special provisions (IATA) A197

- Rail transport

Carriage prohibited (RID) No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

dibenzoyl peroxide	CAS-No. 94-36-0	5 - 10%
Aluminium oxide	CAS-No. 1344-28-1	10 - 25%

dibenzoyl peroxide (94-36-0)
Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

Quartz (14808-60-7)		
Listed on the Canadian DSL (Domestic Substances List)		

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1 H317 Aquatic Acute 1 H400

20/02/2018 US-OSHA - en 7/8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

National regulations

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date 02/20/2018
Other information None.

Full text of H-statements:

H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H350	May cause cancer.
H400	Very toxic to aquatic life.

SDS_US_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

20/02/2018 US-OSHA - en 8/8