Fungicide Miticide Insecticide

BONIDE®

Ready to Use

3 garden products in one

ady to Use

Controls blackspot, powdery mildew, rust, spider mites, aphids, whiteflies & other insect pests

For use on roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts and vegetables

ACTIVE I	NGREDIENT:	

 Clarified Hydrophobic Extract of Neem Oil
 0.9%

 OTHER INGREDIENTS:
 99.1%

 TOTAL
 100.0%

 EPA Est No. 4-NY-1
 EPA Reg. No. 70051-13-4

Keep Out Of Reach Of Children CAUTION (See Back Panel for Additional Precautionary Statements and First Aid) Can be used up to day of harvest

Rust

Powder Mildew

Neem Seeds

Spider Mite

White Flies



Neem Oi Fungicide•Miticide•Insecticide Ready to Use

- ✓ For use on: roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables in and around the home and home garden. Can be used up to day of harvest
- ✓ Controls: blackspot, powdery mildew, rust, spider mites, aphids. whiteflies, and other insect pests
- ✓ For organic gardening

Seller warrants that this product complies with the specifications expressed in this label. to the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price, to the extent consistent with applicable law. Seller shall have no liability for consequential damages.

EPA Reg. No. 70051-13-4 EPA Est. No. 4-NY-1 ©Bonide Products, Inc. All Rights Reserved

Distributed by: Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL INFORMATION

- · Three garden products in one.
- Multi-purpose fungicide/insecticide/miticide-3 in 1 product.
- Kills eggs, larvae and adult stages of insects.
- Prevents fungal attack of plant tissues.
- Not for use in food-handling areas.
- Shake well before using.
- Thorough plant coverage is essential to obtain levels of control.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment.
- As with other pest control products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- · Use with care on plants with tender tissue. Check for leaf burn in small-scale trials prior to use.

FUNGICIDE USE

Application Instructions

- This product is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust leaf spot, botrytis, needle rust, scab, and flower, twig and tip blight.
- This product may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- As a preventative, apply this product on a 7 to 14 day schedule until the potential for disease development is no longer present. Spray to run off. Complete coverage of all plant tissue is necessary for control.
- To control disease already present, apply this product on a 7- day schedule until disease pressure is eliminated. Then continue spraying on 14-day schedule to prevent the disease from recurring. Spray to run off. Complete coverage of all plant tissue is necessary for control.

FUNGICIDE USE Cont.

- To prevent rust leaf spot diseases, anthracnose, and scab, begin applications at the first sign of spring budding.
- To prevent powdery mildew, apply in mid-summer or when disease is first detected.

 Continue applications until disease pressure no longer exists.
- To prevent black spot on roses, begin applications at first bud emergence in spring. Apply this product on a 14-day preventative schedule through the spring and fall to prevent disease emergence.

INSECTICIDE USE

Application Instructions

- This product is an effective insecticide for the control of various insect pests including whitefflies, mealy bugs, armyworms, hornworms, leafnoppers, bagworms, leafminers, psyllids, fruit flies, loopers, budworms, beetles (including Japanese beetles), aphids, scales, cateroillars, middes, budworms, and mites (including soider mites).
- This product may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- Apply this product at first sign of insects/mites. This product is most effective in controlling insects/mites when applied on a 7-14 day schedule. For heavy insect populations, apply on a 7-day schedule. Spray to run off. Complete coverage of all plant tissue is necessary for control.

STORAGE & DISPOSAL

Pesticide Storage: Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. Keep from freezing. Pesticide and Container Handling: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give
artificial respiration, preferably by mouth-to-mouth, if possible.

If in eyes:

 Call a poison control center or doctor for treatment advice. If on skin Take off contaminated clothing. or clothing: Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

then continue rinsing eve.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if inhaled. Avoid breathing spray mist. Causes moderate eve irritation, Harmful if absorbed through skin, Avoid contact with skin, eves, or clothing. Wash thoroughly with soap and water after handling and before eating,

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number 1-800-858-7378.

FIRST AID

Call a poison control center or doctor for further treatment advice.

 Hold eve open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes.

drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause

allergic reactions in some individuals. **ENVIRONMENTAL HAZARDS** To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

RFF HA7ARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.