

# SAFETY DATA SHEET

Issuing Date No data available

Revision Date 10-Mar-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Trewax Mahogany Paste Wax

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Floor Wax - Wood

**Uses advised against** See product label for usage restrictions.

### Details of the supplier of the safety data sheet

**Supplier Name** Beaumont Products, Inc.

**Supplier Address** 1560 Big Shanty Road  
Kennesaw  
Georgia  
30144  
US

**Supplier Phone Number** Phone: 800-451-7096

Fax: 770-514-7400

Contact Phone: 770-514-9000

**Emergency telephone number** CHEMTEL: 1-800-255-3924, Int'l: 1-813-248-0585

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Aspiration toxicity	Category 1
Flammable solids	Category 1

### GHS Label elements, including precautionary statements

#### Emergency Overview



<b>Signal word</b>	<b>Danger</b>	
<b>Hazard Statements</b> May be fatal if swallowed and enters airways Flammable solids		
		
<b>Appearance</b> Red brown	<b>Physical State</b> Solid containing liquid	<b>Odor</b> Solvent

**Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ ventilating/ lighting/ equipment  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response****Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Do NOT induce vomiting

**Fire**

In case of fire: Use CO2, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

No information available

**Other information**

Prolonged or repeated contact may dry skin and cause irritation

**Interactions with Other Chemicals**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates	64742-47-8	60-100

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures

#### General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

#### Skin Contact

Removal of solidified molten material from skin requires medical assistance.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen.

#### Ingestion

Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

#### Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and Effects** Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

#### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

This product is combustible. Dry chemical, CO<sub>2</sub>, sand, earth, water spray or regular foam. Water spray, fog or regular foam.

### Unsuitable extinguishing media

No information available.

### Specific Hazards Arising from the Chemical

This product has a flashpoint of 150°F/66°C.

**Uniform Fire Code**                      Combustible Liquid: II

### Hazardous Combustion Products

Carbon oxides.

### Explosion Data

**Sensitivity to Mechanical Impact**      No.

**Sensitivity to Static Discharge**        Yes.

### Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. See section 8 for more information. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

### Environmental Precautions

#### **Environmental Precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways.

#### **Methods for cleaning up**

Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material.



## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Handling**

Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

### Conditions for safe storage, including any incompatibilities

#### **Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

#### **Incompatible Products**

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

No data available.

### Appropriate engineering controls

#### **Engineering Measures**

Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

#### **Eye/Face Protection**

Tight sealing safety goggles. None required during normal consumer use.

#### **Skin and Body Protection**

Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots. None required during normal consumer use.

<b>Respiratory Protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical State</b>	Paste	<b>Odor</b>	Solvent
<b>Appearance</b>	Red brown, Paste	<b>Odor Threshold</b>	No information available
<b>Color</b>	Red brown		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks</u></b>	<b><u>Method</u></b>
<b>pH</b>	No data available	None known	
<b>Melting / freezing point</b>	135-190°F/57-88°C	None known	
<b>Boiling point / boiling range</b>	No data available	None known	
<b>Flash Point</b>	150°F/66°C.	None known	
<b>Evaporation Rate</b>	No data available	None known	
<b>Flammability (solid, gas)</b>	Combustible	None known	
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit</b>	No data available		
<b>Lower flammability limit</b>	No data available		
<b>Vapor pressure</b>	No data available	None known	
<b>Vapor density</b>	No data available	None known	
<b>Specific Gravity</b>	No data available	None known	
<b>Water Solubility</b>	Immiscible in water	None known	
<b>Solubility in other solvents</b>	No data available	None known	
<b>Partition coefficient: n-octanol/water</b>	No data available	None known	
<b>Autoignition temperature</b>	No data available	None known	
<b>Decomposition temperature</b>	No data available	None known	
<b>Kinematic viscosity</b>	No data available	None known	
<b>Dynamic viscosity</b>	No data available	None known	
<b>Explosive properties</b>	No data available		
<b>Oxidizing Properties</b>	No data available		

### Other Information

<b>Softening Point</b>	No data available
<b>VOC Content (%)</b>	63.90
<b>Particle Size</b>	No data available
<b>Particle Size Distribution</b>	

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions (77°F/25°C and 100kPa/1bar).

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Incompatible with strong acids, alkalis, and oxidizers.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye Contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin Contact</b>	Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

#### Component Information

### Information on toxicological effects

**Symptoms** No information available

---

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>Mutagenic Effects</b>	No information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. <i>IARC (International Agency for Research on Cancer)</i> <i>Group 3 - Not Classifiable as to Carcinogenicity in Humans</i>
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic Toxicity</b>	No known effect
<b>Target Organ Effects</b>	Respiratory system. Eyes. Skin.
<b>Aspiration Hazard</b>	No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

57,290.00 mg/kg

**ATEmix (inhalation-dust/mist)**

50.46 mg/l

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

**Persistence and Degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

<b>Disposal methods</b>	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
<b>Contaminated Packaging</b>	Dispose of contents/containers in accordance with local regulations.
<b>US EPA Waste Number</b>	D001 D005

**California Hazardous Waste Codes** 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. TRANSPORT INFORMATION

#### DOT

<b>Proper Shipping Name</b>	CONSUMER COMMODITY
<b>Hazard Class</b>	ORM-D
<b>Description</b>	CONSUMER COMMODITY, ORM-D
<b>Emergency Response Guide Number</b>	133

#### TDG

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1
<b>Packing Group</b>	II
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

#### MEX

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1
<b>Packing Group</b>	II
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

#### ICAO

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1
<b>Packing Group</b>	II
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

#### IATA

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1



<b>Packing Group</b>	II
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II
<b>Special precautions for users</b>	This material is shipped as consumer commodity per 49 CFR 173.167.

**IMDG/IMO**

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1
<b>Packing Group</b>	II
<b>EmS-No.</b>	F-A, S-I
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

**RID**

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1
<b>Packing Group</b>	II
<b>Classification code</b>	F1
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

**ADR**

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1
<b>Packing Group</b>	II
<b>Classification code</b>	F1
<b>Tunnel restriction code</b>	(E)
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

**ADN**

<b>UN-No.</b>	UN3175
<b>Proper Shipping Name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	4.1
<b>Packing Group</b>	II
<b>Classification code</b>	F1
<b>Special Provisions</b>	216, 274, 601, 800
<b>Description</b>	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES, HYDROTREATED LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II
<b>Limited Quantity</b>	1 KG
<b>Ventilation</b>	VE01, VE03

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.
IECSC	-

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

**US State Regulations**

**California Proposition 65**

This product is known to contain chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Microcrystalline Wax (CAS # 63231-60-7)	X	X	X		
Petroleum distillates (CAS # 64742-47-8)	X	X	X		

**International Regulations**

**Canada**

**WHMIS Hazard Class**

Non-controlled

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards 1</b>	<b>Flammability 2</b>	<b>Instability 0</b>	<b>Physical and Chemical Hazards - Personal Protection</b> X
<b>HMIS</b>	<b>Health Hazards 2</b>	<b>Flammability 0</b>	<b>Physical Hazard 0</b>	



**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Revision Date** 10-Mar-2015

**Revision Note** No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**