



SAFETY DATA SHEET

1. Identification

Product identifier	Flex Paste White
Other means of identification	Not available.
Recommended use	Paste, Sealant
Recommended restrictions	None known.
Manufacturer information	Swift Response LLC 2690 Weston Road Weston, FL 33331 US
Supplier	See above.
CHEMTREC	800-424-9300

2. Hazard identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word	Danger	
Hazard statement	Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.	
Precautionary statement		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not breathe vapors. Wear protective gloves, protective clothing, eye protection and face protection. Contaminated work clothing should not be allowed out of the workplace.	
Response	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF exposed or concerned: Get medical attention.	
Storage	Store locked up.	
Disposal	Dispose of container in accordance with local, regional, national and international regulations.	
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known	
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-		1760-24-3	0.5 - 1.5*
Silane, ethenyltrimethoxy-		2768-02-7	1 - 5*
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)-		22673-19-4	0.1 - 1*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First-aid measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label).
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice. Show this safety data sheet to the doctor in attendance. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling	<p>Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.</p> <p>Do not breathe mist or vapor.</p> <p>Avoid contact with eyes, skin, and clothing.</p> <p>Wear appropriate personal protective equipment.</p> <p>Provide adequate ventilation.</p> <p>Pregnant or breastfeeding women must not handle this product.</p> <p>Avoid prolonged exposure.</p> <p>Wash thoroughly after handling. When using do not eat or drink.</p>
Conditions for safe storage, including any incompatibilities	<p>Store locked up.</p> <p>Store in original tightly closed container.</p> <p>Store away from incompatible materials (see Section 10 of the SDS).</p> <p>Keep out of reach of children.</p>

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3
	TWA	0.1 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3
	TWA	0.1 mg/m3

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3
	TWA	0.1 mg/m3

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Silane, ethenyltrimethoxy- (CAS 2768-02-7)	STEL	60 mg/m3
		10 ppm
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	TWA	0.1 mg/m3

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3
	TWA	0.1 mg/m3

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	15 minute	0.2 mg/m3
	8 hour	0.1 mg/m3

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	PEL	0.1 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3
	TWA	0.1 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	TWA	0.1 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**Canada - Alberta OELs: Skin designation**

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first.

Other

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance	Paste.
Physical state	Liquid.
Form	Paste
Color	White
Odor	Odorless
Odor threshold	Not available.
pH	8 - 9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.77 g/cm ³
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	3 - 3.5 McP
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	May react with incompatible materials.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of exposure	
Ingestion	May cause stomach distress, nausea or vomiting.
Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components	Species	Test Results
1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]- (CAS 1760-24-3)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
		> 16 ml/kg, 24 Hours, ECHA
	Rat	> 2009 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	1.5 - 2.4 mg/L, 4 Hours, ECHA
Oral		
LD50	Rat	2574 mg/kg, ECHA
		2413 mg/kg, ECHA
		2295 mg/kg, ECHA
		1897 mg/kg, ECHA
		7.5 ml/kg, ECHA
Silane, ethenyltrimethoxy- (CAS 2768-02-7)		
Acute		
Dermal		
LD50	Rabbit	3.5 ml/kg, 24 Hours, ECHA
		3.4 - 4 ml/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	2773 ppm, 4 Hours, ECHA
Oral		
LD50	Mouse	3750 mg/kg, ECHA
		2000 mg/kg, ECHA
		1600 mg/kg, ECHA
		500 mg/kg, ECHA
	Rat	300 - 2000 mg/kg, ECHA
		11.3 ml/kg, ECHA
		8.2 ml/kg, ECHA
		7.3 - 7.5 ml/kg, ECHA
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)		
Acute		
Dermal		
LD50	Rabbit	3000 mg/kg, ACIMA
	Rat	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Not available	
Oral		
LD50	Rat	2431 mg/kg, ACIMA
		1864 mg/kg, ECHA
Skin corrosion/irritation		
	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation		
	Causes serious eye irritation.	
Corneal opacity value	Not available.	

Iris lesion value	Not available.
Conjunctival reddening value	Not available.
Conjunctival oedema value	Not available.
Recover days	Not available.

Respiratory or skin sensitization

Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.

Mutagenicity Suspected of causing genetic defects.

Carcinogenicity Not classifiable as a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity May damage fertility or the unborn child.

Teratogenicity Not available.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Aluminum hydroxide (CAS 21645-51-2)

Listed.

Canada Priority Substances List (Second List): Listed substance

Aluminum hydroxide (CAS 21645-51-2) Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Controlled**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance** No**Classified hazard categories** Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Carcinogenicity
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)**SARA 313 (TRI reporting)**

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below**US - California Hazardous Substances (Director's): Listed substance**Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed.
(CAS 22673-19-4)**US - Minnesota Haz Subs: Listed substance**Aluminum hydroxide (CAS 21645-51-2) Listed.
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed.
(CAS 22673-19-4)**US - Texas Effects Screening Levels: Listed substance**1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]- Listed.
(CAS 1760-24-3)
Aluminum hydroxide (CAS 21645-51-2) Listed.
Decanedioic acid, bis (2,2,6,6-tetramethyl-4-piperidiny) ester (CAS 52829-07-9) Listed.
Silane, ethenyltrimethoxy- (CAS 2768-02-7) Listed.
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed.
(CAS 22673-19-4)**US. Rhode Island RTK**Aluminum hydroxide (CAS 21645-51-2)
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region

United States & Puerto Rico

Inventory name

Toxic Substances Control Act (TSCA) Inventory

On inventory (yes/no)*


Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.