

Free GHS labeling guide



Guide to Globally Harmonized System of Chemical Classification labeling

AdChoices D ► MSDS Sheet ► MSDS Safety ► CAS on MSDS ► MSDS MSI

Search



MSDS : CRAFT AND FABRIC PAINT, PUFFY 65101

CAS

NAME : non hazardous ients





DUNCAN ENTERPRISES

-- CRAFT AND FABRIC PAINT, PUFFY 65101

Material Safety Data Sheet

MSDS Num: CJSKP

MSDS NAME: CRAFT AND FABRIC PAINT, PUFFY 65101 Responsible Party

Name: DUNCAN ENTERPRISES Address: 5673 E SHIELDS AVE

City: FRESNO CA 93727 Info Phone: 209-291-4444

Emergency Phone Number: 209-291-4444 Resp. Party Other MSDS No.: MSDS #701 Preparer's Name: FRANK PETERS

Review Ind: Y Published: Y

Contractor Summary

Name: DUNCAN ENTERPRISES Address: 5673 E SHIELDS AVE City: FRESNO CA 93727

Phone: 209-291-4444

Name: NON HAZARDOUS INGREDIENTS

Health Hazards Data

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO Effects of Exposure: NONE. NONTOXIC. Signs And Symptions Of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravated By Exposure: ABRASIVE, CAN SCRATCH EYES. First Aid: EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN CONTACT: WASH WITH SOAP AND WATER. INGESTION: CALL PHYSICIAN IMMEDIATELY (FP N). INHALATION: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OX YGEN OR ARTIFICIAL RESPIRATION) (FP N). Handling and Disposal Spill Release Procedures: CLEAN UP PROPERLY WITH PAPER TOWELS AND WET SPONGE. Waste Disposal Methods: PUT PAPER TOWELS IN TRASH AND RINSE OUT SPONGE. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS (FP N). Handling And Storage Precautions: KEEP CONTAINER SEALED. THE REST OF THE PROPERTY OF TH Fire and Explosion Hazard Information Extinguishing Media: USE APPROPRIATE TECHNIQUES AND MEDIA FOR SURROUNDING FIRE. Fire Fighting Procedures: NONE, WEAR NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). Unusual Fire/Explosion Hazard: MATERIAL CAN SPATTER ABOVE 212F. POLYMER FILM CAN BURN. Control Measures Respiratory Protection: IF SPRAYING, DO NOT INHALE MIST. USE RESPIRATOR THAT IS NIOSH APPROVED FOR SPRAYS AND MISTS. Ventilation: LOCAL EXHAUST: RECOMMENDED, MECHANICAL (GENERAL): RECOMMENDED WHEN SPRAYING, SPECIAL: USE RESPIRATOR WHEN SPRAYING, OTHER: NONE. Protective Gloves: NO. IMPERVIOUS GLOVES (FP N). Eye Protection: ANSI APPROVED CHEMICAL WORKERS GOGGLES (FP N). Other Protective Equipment: NONE NEEDED. ANSI APPROVED EMERGENCY EYEWASH AND DELUGE SHOWER (FP N). Work Hygienic Practices: GOOD HYGIENE PRACTICES SHOULD BE FOLLOWED. Physical/Chemical Properties na nintra vela el pravios an arverante el pravio de el pravio de la completa <u>el proposició de la completa de</u> Boiling Point: =100.C, 212.F Vapor Pres: (MM HG) NOT APPLICABLE Vapor Density: (ATR-1)N/A Spec Gravity: 1.1 (WATER =1) PH: 7.0-9.0 Solubility in Water: INSOLUBLE Appearance and Odor: OPAQUE-COLORED LATEX PAINT. a a describer e comenciar e un mercano a mande e que e come e que e consequencia e que e que e que e que e que e Reactivity Data Stability Indicator: YES Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR. Whitehall with American his has a care a contrate and a second con Toxicological Information Toxicological Information: CONFORMS TO NONTOXIC ASTMD-4236; PRODUCTS BEARING THE NONTOXIC PRODUCT SEAL ARE CERTIFIED IN A PROGRAM OF TOXICOLOGICAL EVALUATION BY A NATIONALLY RECOGNIZED TOXICOLOGIST TO CONTAIN NO MATERIALS IN SU FFICIENT QUANTITIES TO BE TOXIC OR INJURIOUS TO HEMANS OR TO CAUSE ACUTE OR CHRONIC HEALTH PROBLEMS. THESE PRODUCTS ARE CERTIFIED TO BE LABELED IN ACCORDANCE WITH THE VOLUNTARY CHRONIC HAZARD LABELING STANDARD ASTMD 436. IN ADDITION THERE IS NO PHYSICAL HAZARD AS DEFINED WITHIN 29 CFR PART 1910, I200 (C). menter tetra en la representación de escribir de la elementación de elementaci Ecological Information Regulatory Information AND THE STREET CONTRACTOR STREET, AND ADDRESS OF THE STREET, AND ADDRESS OF Other Information THE STOREST CONTROL TO THE STORES CONTROL STORES CONTROL OF THE ST Other Information: CODES: HEALTH: O, FIRE: O, REACTIVITY: O, PROTECTIVE EQUIPMENT: G (IF SPRAYING). ment folictic folgen i kantantica folgen i en varia i en eta abbi da lica<u>alia e bere ali ele ele ali</u>acio el HAZCOM Label

MSDS NAME: CRAFT AND FABRIC PAINT, PUFFY 65101

Company: DUNCAN ENTERPRISES Street: 5673 E SHIELDS AVE

City: FRESNO CA Zipcode: 93727

Health Emergency Phone: 209-291-4444

Label Required IND: Y

Date Of Label Review: 11/08/1999

Status Code: A Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: NONE

Respiratory Protection IND: YES

Health Hazard: None Contact Hazard: None Fire Hazard: None Reactivity Hazard: None

Hazard And Precautions: ACUTE: NONE. NONTOXIC. CHRONIC: NONE SPECIFIED BY

MANUFACTURER (FP N).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.

*** END OF RECORD ***

Search More



ALL PAGES On Chemical Property IN THIS GROUP

NAME	CAS
CRAFT AND FABRIC PAINT, PEARL 65080	
SEPHAROSE CL-6B, 17-0160-01	64-17-5
SEPHAROSE CL-4B, 17-0150-01	64-17-5
SEPHACRYL S-1000 SUPERFINE, 17-0476-05	64-17-5
ACETONITRILE 00170, BP1170-4	
AGAROSE IEF, 17-0468-01	9012-36-6
AGAROSE NA, 17-0554-02	
DENSITY MARKER BEADS, 17-0459-01	
HITRAP PROTEIN G 5X1 ML (01), 17-0404-01	
GAMMABIND PLUS SEPHAROSE, 17-0886-01	64-17-5
PROTEIN A SEPHAROSE 6MB, 17-0469-09	64-17-5
134 HI-SOLV	
HYSOL PC18M	
CRAFT AND FABRIC PAINT, GUTTER 65082	
CRAFT AND FABRIC PAINT, GUTTER 65120	
CRAFT AND FABRIC PAINT, CRYSTALS 65091	
CRAFT AND FABRIC PAINT, CRYSTALS 65100	
CRAFT AND FABRIC PAINT, PUFFY 65101	
CRAFT AND FABRIC PAINT, PUFFY 65101	
CRAFT AND FABRIC PAINT, PUFFY 65108	
PITT-TECH DTM HIGH GLOSS, 90A	108419-35- 111-77-3

112-34-5 1309-37-1 1333-86-4 13463-67-7 21645-51-2 29911-28-2 3468-63-1 7631-86-9 **EPINEPHRINE** 51-43-4 TITANIUM PUTTY RESIN, 10760; 0113 25068-38-6 TITANIUM PUTTY HARDENER, 10760; 0214 108-95-2 112-24-3 14808-60-7 32610-77-8 931-36-2 SPINDLE OIL

HYDRAULIC OIL AW

HYDRAULIC OIL AW-D

HYDRAULIC OIL AW-LT

HYDRAULIC OIL AW-S

HYDRAULIC OIL AW-ZF

HYDRAULIC OIL R&O

PAPER MACHINE OIL

COMPRESSOR/TURBINE OIL

HM FLUID

ZINC-CHLORIDE BATTERIES "NO MERCURY, NO CADMIUM" F 1313-13-9 **ORMULA** 7439-89-6 7440-66-6 7732-18-5 7440-44-0 7646-85-7 7439-92-1

ROYAL LUBRICANTS COMPANY

SANI-PAK POWDER SP77000 SERIES

METAL PAL PRESERVATIVE

WT-202 DESCALER, BIODEGRADE

MIL-L-26087B, LUBRICATING OIL, GENERAL PURPOSE

MAGIC MUSCLE

MAGIC MUSCLE

MAGIC MUSCLE

MAGNESIUM SULFATE HEPTAHYDRATE 13525, M63-500

07994 HAVOLINE DEX-COOL EXTENDED LIFE ANTIFREEZE/C

OOLANT

MICRO BCA PROTEIN ASSAY REAGENT, 0023235

PHENYLISOTHIOCYANATE, 0026922 103-72-0 MICRO BCA REAGENT C, 0023234 7758-98-7 75-05-8 ACETONITRILE, 0051101

2-(2' NITROPHENYLSULFENYL)3-METHYL-3'-BROMOINDOLEN

E, 0027580

Free MSDS Search (Providing 250,000+ Material Properties) Chemcas.com Last modified: 03/09/2015 15:38:28