

Wood Full-Round & Kidney-Shaped Lazy Susans

- 1/2" thick multi-ply shelf with UV-cured clear coat finish and 1" rim
- Standard pack includes two shelves, one post, installation template and hardware
- Independently rotating shelves










Stock #	Diameter	Assembled Product Dimensions			Weight Limit	Finish	Units per	W-i-b4 0t	
	A	B	B 0		per Shelf	Finish	Carton	Weight per Carton	
FULL-ROUND									
WFS18ST-PLYWD	18"	-	-	-	31 lbs. [14.2 kg.]	Wood	1	12.7 lbs. [5.8 kg.]	
WFS24ST-PLYWD	24"	-	-	-	55 lbs. [24.9 kg.]	Wood	1	19.4 lbs. [8.8 kg.]	
WFS28ST-PLYWD	28"	-	_	-	78 lbs. [35.4 kg.]	Wood	1	24.1 lbs. [10.9 kg.]	
WFS32ST-PLYWD	32"	-	-	-	78 lbs. [35.4 kg.]	Wood	1	30.8 lbs. [14.0 kg.]	
KIDNEY-SHAPED									
WKS24ST-PLYWD	24"	14-3/8" [365 mm]	2-3/8" [60 mm]	1-3/8" [35 mm]	45 lbs. [20.4 kg.]	Wood	1	17.4 lbs. [7.9 kg.]	
WKS28ST-PLYWD	28"	20-7/16" [519 mm]	6-7/16" [164 mm]	4-1/4" [108 mm]	67 lbs. [30.4 kg.]	Wood	1	20.9 lbs. [9.5 kg.]	
WKS32ST-PLYWD	32"	22-1/2" [572 mm]	6-1/2" [165 mm]	4-3/8" [111 mm]	93 lbs. [42.2 kg.]	Wood	1	20.4 lbs. [9.3 kg.]	

p. 800.253.1561 • kv.com

Lazy Susan Post Replacement Parts




LAZ	Y SUSAN POST HAR	DWARE PAG	CKS								
STA	NDARD PACK #	Pkd.	BULK PACK #	Pkd.	For Shelf Type(s)	Bearing Hubs	Beauty/ Post Caps	Mounting Plates	Post Height Range	STD. PK. Carton Wt.	BULK PK. Carton Wt.
FUL	L-ROUND										
2	HWR-WFS-1-PC	1	-	-	Wood	Platinum	Chrome	Metal Unimount	25-1/2" - 31-1/2" [635 mm - 787 mm]	2.8 lbs. [1.3 kg.]	-
1	HN-F-TEL-PT	1	-	5	Polymer	White	-	Metal Unimount	25-1/2" - 31-1/2" [635 mm - 787 mm]	4.8 lbs. [2.2 kg.]	24 lbs. [10.9 kg.]
KID	NEY-SHAPED										
2	HWR-WKS-1-PC	1	-	-	Wood	Platinum	Chrome	Metal Unimount	25-1/2" - 31-1/2" [635 mm - 787 mm]	2.8 lbs. [1.3 kg.]	-
2	-	1	HWR-WS-BLK-10	10	Wood	White	White	White Plastic Unimount	25-1/2" - 31-1/2" [635 mm - 787 mm]	-	20 lbs. [9.1 kg.]
2	HWR-WS-1-DWL	1	-	-	Wood	White	White	Doweled White Plastic Unimount	25-1/2" - 31-1/2" [635 mm - 787 mm]	2.6 lbs. [1.2 kg.]	21.4 lbs. [9.7 kg.]
1	HN-K-TEL-PT	1	-	5	Polymer	White	Chrome	Metal Unimount	25-1/2" - 31-1/2" [635 mm - 787 mm]	1.9 lbs. [0.9 kg.]	9.5 lbs. [4.3 kg.]

All hardware packs include hub pins [HUB-PIN], shipping clips, installation hardware and instruction sheets.

Cabinet and Shelf Lip Dimensions

KIDNEY-SHAPED LAZY SUSANS


- Radius
- **(F)** = Min. Cabinet Depth
- **G** = Center of Rotation
- H = Min. Cabinet Opening



	•										
Stock #	(3	G	G	•	0	0	ß	Mounting			
WOOD Kidney-Shap	ed Lazy Susans										
SDS-KD-28-FNW	14-7/16" [367 mm]	21-5/8" [549 mm]	6-7/16" [164 mm]	9-1/4" [235 mm]	4-1/8" [105 mm]	3-7/16" [87 mm]	2-1/16" [52 mm]	Top/Bottom			
WKS24ST- PLYWD	12" [305 mm]	15-1/2" [394 mm]	1-3/8" [35 mm]	7-15/16" [202 mm]	1-5/8" [41 mm]	1-1/8" [29 mm]	1-15/16" [49 mm]	Top/Bottom			
WKS28ST- PLYWD	14" [356 mm]	19-1/4" [489 mm]	4-1/4" [108 mm]	9-5/16" [237 mm]	1-5/8" [41 mm]	1-1/8" [29 mm]	1-15/16" [49 mm]	Top/Bottom			
WKS32ST- PLYWD	16" [406 mm]	21-1/4" [540 mm]	4-3/8" [111 mm]	11-5/16" [287 mm]	1-5/8" [41 mm]	1-1/8" [29 mm]	1-15/16" [49 mm]	Top/Bottom			
WIRE Kidney-Shape	ed Lazy Susans										
PC24STM-W	12" [305 mm]	15-3/16" [386 mm]	2-7/16" [62 mm]	10" [254 mm]	2" [51 mm]	1-3/4" [44 mm]	2-3/8" [60 mm]	Top/Bottom			
PC28STM-W	14" [356 mm]	18-13/16" [478 mm]	4-1/16" [103 mm]	10-1/8" [257 mm]	2" [51 mm]	1-3/4" [44 mm]	2-3/8" [60 mm]	Top/Bottom			
PC32STM-W	16" [406 mm]	20-7/8" [530 mm]	4-1/8" [105 mm]	12-1/16" [306 mm]	2" [51 mm]	1-3/4" [44 mm]	2-3/8" [60 mm]	Top/Bottom			
PC24STM-FN	12" [305 mm]	15-3/16" [386 mm]	2-7/16" [62 mm]	10" [254 mm]	2" [51 mm]	1-3/4" [44 mm]	2-3/8" [60 mm]	Top/Bottom			
PC28STM-FN	14" [356 mm]	18-13/16" [478 mm]	4-1/16" [103 mm]	10-1/8" [257 mm]	2" [51 mm]	1-3/4" [44 mm]	2-3/8" [60 mm]	Top/Bottom			
PC32STM-FN	16" [406 mm]	20-7/8" [530 mm]	4-1/8" [105 mm]	12-1/16" [306 mm]	2" [51 mm]	1-3/4" [44 mm]	2-3/8" [60 mm]	Top/Bottom			
POLYMER Kidney-S	haped Lazy Susans	;									
PKN18ST-W	9" [229 mm]	11-7/16" [291 mm]	1-11/16" [43 mm]	7-5/8" [194 mm]	1-3/4" [44 mm]	1" [25 mm]	1/2" – 1-5/16" [13 – 33 mm]	Top/Bottom			
PKN24ST-W	12" [305 mm]	15-1/8" [384 mm]	2-3/8" [60 mm]	10" [254 mm]	1-3/4" [44 mm]	1" [25 mm]	1/2" — 1-5/16" [13 — 33 mm]	Top/Bottom			
PKN28ST-W	14" [356 mm]	18-9/16" [471 mm]	3-13/16" [97 mm]	10-1/4" [260 mm]	1-3/4" [44 mm]	1" [25 mm]	1/2" — 1-5/16" [13 — 33 mm]	Top/Bottom			
PKN32ST-W	16" [406 mm]	21-15/16" [557 mm]	5-3/16" [132 mm]	10-1/2" [267 mm]	1-3/4" [44 mm]	1" [25 mm]	1/2" – 1-5/16" [13 – 33 mm]	Top/Bottom			

FULL-ROUND LAZY SUSANS

A minimum 3/4" side clearance is recommended between Full-Round Lazy Susan shelves and all adjacent interior surfaces (cabinet, wall, etc.).



Dimensions shown are recommended minimum cabinet dimensions and clearances.

p. 800.253.1561 • kv.com Lazy Susans 29