

Toucan Surveillance Kit

Camera & Smart Socket

USER'S MANUAL




Model: TSK100KU

Table of Contents

1. Key Features

Toucan Camera

Prevent a Break In, before it happens.



| 1. | Key Features | 2 |
|----|--------------------------|----|
| 2. | What is Included | 5 |
| 3. | Positioning | 8 |
| 4. | Toucan Installation | 9 |
| 5. | Status LED Indicators | 13 |
| 6. | Specifications | 14 |
| 7. | Troubleshooting & FAQ | 15 |
| 8. | Regulations & Compliance | 16 |


1

1. Key Features

3

Smart Socket Easy to install the smart socket Mesh Network Connectivity Total security solution for entire home with Bluetooth® technology Adapt to lamp fixture Simply thread in E26 adapter between fixture and the bulb ÷. USB power adapter 320 · Provides power to camera Remote Light Control Turn on and off the lights \bigcirc Schedule dusk-to-dawn Timer feature to schedule light to turn on at dust and off at dawn through cloud system

Free app to receive automatic notifications, view live video, and speak directly to those at your door. Captured footage up to 2 hours and stored in Cloud Server. Never miss a moment!



*User interface is subject to change without prior notice.

Functions on the KUNA app

2. What is Included

Before installing Toucan, make sure all parts are present. If any part is missing, please contact VuPoint Solutions at support@vupointsolutions.com.

P

Smart Socket

Thread in between

power to camera.

Positioning Sticker

Indicator for camera's

position on the wall

during installation

bulb. USB port provides

Mount Camera on Back Plate



Toucan Camera Mount camera under light fixture



Back Plate Cover Fix the cable position light fixture and light

Conduit Cover Fix the cable position

Cable Management



Mount of Wall

Mount Screws (2pcs)

Wall mount purpose

USB cable with Silicon pipe · Connect camera to socket for power source. Silicon pipe protects USB cable when installing lamp shade on fixture.



Cable Clips (3pcs) · Manage the cable on light base plate



Camera Back Plate Fix the cable position on back plate



Conduit Manage the cable between cable and liaht fixture with adiustable length



Visor Anti-glare from light bulb





Wall mount purpose







Wall Inserts (2pcs) Wall mount purpose

Hexagonal Wrench Lock and unlock the camera on back plate

2. What is Included

Warranty

Card

Warranty Card

Manual and Labels



User's Manual




 Power Sticker
 Stick on main power switch




Secure Stickers (3pcs) • Alert intruder that home is secured by Toucan

3. Positioning

Smart Socket is compatible to standard commonly known light bulbs A15 and A19 and can support up to 75W. If your lamp shade height is less than 7 inches, or if your light bulb protrudes from your light fixture after threading in Smart Socket and light bulb, please consider changing to a smaller light bulb.



It is recommended to position the camera beneath the light fixture. If the camera is placed approx. 5" beneath the lamp base against the wall, please install the conduit to manage the cables.



*Placement recommendations may vary based on different light fixture's designs, style, and size.

4. Toucan Installation

Before installation, make sure the power switch is OFF or disconnect power at fuse. Refer to "What Is Included" in Section 2 for part installation for the steps below:

STEP 1 Socket installation



Remove USB cover Before

installing the socket into light fixture, disassemble the lamp shade if necessary.




Install Smart Socket to fixture.

Thread in light bulb.

3






Attach USB Cable to Smart Socket



Reattach lamp shade if necessary.



Screw lamp shade back in and drag out USB cable through the shade then adjust Silicon Pipe from USB cable to protect cable.

STEP 2 Mounting the camera's back plate

Remove optional inner temporary adhesive for camera positioning and use leveler to align and balance back plate. You can use a pencil or Position Sticker (included) to mark placement before adhering to your wall.

Attach conduit and cover on back plate to determine the conduit's length. Afterwards. remove the conduit from back plate.

Refer to **Option 1** to mount camera to wall with adhesive or **Option 2** to mount camera to wall with screws.

OPTION 1 Mounting with adhesive



After using the Leveler to adjust


the balance of the plate, adhere

the Positioning Sticker to mark

the center of the plate.



Remove and flip plate to remove outer adhesive from back plate for a more stable placement of the camera to the wall





Align back plate with the Positioning Sticker on the wall to center the plate.


4. Toucan Installation

STEP 2 Mounting the camera's back plate

OPTION 2 Mounting with screws




After using the **Leveler** to adjust the balance of the plate, you can use a pencil to mark the placement for the screws.



Drill holes for screws placement.




Install Wall Inserts



STEP 3 Camera body installation



Plug **USB Cable** into the back of the camera and loop the cable around the rings; continue looping the cable if necessary. Mount the camera to the back plate and align the white dot to the left of the screw where the white arrow starts and rotate camera counter-clockwise to lock. Manage the cable with optional Conduit. 1) Attach the Back Plate Cover to the back plate if conduit is not used. 2) Attach conduit then the Conduit Cover on top.



Position camera and use **Cable Clips** to manage the cable if necessary.



Tighten the security screw with hexagonal wrench. Do not over-tighten the security screw.



Attach **Visor** to the top of the camera lens.

5. Status LED Indicators

In order to set up your Toucan, please make sure it's successfully installed, and the status LED on the bottom left side of your Toucan camera is flashing red. This means that your Toucan is ready to be set up!

| LED STATUS | DESCRIPTION |
|-----------------|--|
| Solid Red | Booting |
| Flashing Red | Waiting for Wi-Fi Connection |
| Flashing Yellow | Connected to Wi-Fi |
| | Waiting for connection to Kuna Servers |
| Solid Blue | Connected to Kuna Servers and operating normally |
| Solid Purple | Firmware updating triggered by user |

6. Specifications

Toucan Camera (Model: TC100KU)

| Camera | HD 720p resolution |
|------------------------|--|
| Video resolution | 1280x720 at 30 fps. H.264 |
| Field of View | 116 degrees (diagonal) |
| Wi-Fi® | 2.4GHz 802.11 b/g/n |
| Bluetooth® | Bluetooth® BLE 4.0 |
| Siren Alarm | 100 dB |
| Lighting Control | On/Off/Scheduling with app |
| Weatherproof Design | Yes |
| Dimensions (L×H×W) | 4.6" × 4.6" ×1.9" |
| Microphone: | Built-in |
| Speaker: | Built-in |
| Input Voltage: | DC:5V/1.0A |
| Compatibility: | iOS: 5 or above / Android : 4.3 or above |
| Operating temperature: | -40°F - 140°F |
| | |

Toucan Smart Socket (Model: TS100WU)

| Lamp Base Type | Socket type E26 |
|------------------|--|
| USB Output | DC5V, 1A |
| Input | AC120V, 60Hz |
| Lighting Control | On/Off/Scheduling through BLE Mesh Network |
| Bluetooth® | Bluetooth® BLE 4.0 |
| Light bulb | Support maximum 75W standard bulb; |
| | recommended 10W LED light bulb; not included |
| Dimensions | 2"(Dia.) x 3" |

7. Troubleshooting & FAQ

Note: Model Number and Serial Number (S/N) is located on the packaging, instruction manual, or on the product. Please have this information ready before contacting tech support.

Frequently Asked Questions

| 1 How long will my recordings be available? | All Toucan come standard with a two-hour download and "look back" window. With premium subscription plans, you can "go back in time" to access every event that your Toucan generated for up to 30 days. |
|--|---|
| 2 Do I have to leave my light switch on? | Yes, Toucan uses power continuously, so you will have to leave the light switch on. We have provided with your Toucan a "Keep it On" label as reminder to leave the switch on. |
| 3 How many Toucan Cameras can I install at home? | There's no limit. We recommend installing Toucan at all major entry points. You can add multiple camera to your Kuna app and manage each camera all in one app. |
| 4 Can I use LED bulb with Toucan? | Yes, we recommend that you use an LED bulb. |
| 5 What is the maximum light bulb wattage I can use with the Smart Socket? | Smart Socket supports up to maximum 75W. |
| 6 I do not see any Toucan camera show up in setup screen? | Toucan uses Bluetooth® LE 4.0 for setup. You will need to be within about 10 feet of the Toucan and have Bluetooth enabled on your mobile device. Try rebooting your mobile device and launch the Kuna app again. |
| 7 My Toucan is "offline"? | Reboot your Toucan: Turn off your Toucan (using the light switch it's connected to) and wait at least 10 seconds. Then, turn on the light switch back on. Run through the set-up process: Re-add the Toucan camera again. * may be caused by weak Wi-Fi signal. Improve performance by moving your router closer to your Toucan, or adding a Range Extender in between. |

Note: If you need to change the router or ownership of your Toucan, please contact Kuna Customer Service to reset the Toucan.

8. Regulations & Compliance

SAFETY & OPERATIONS

USB power output max. up to 5W. Please adhere to the following safety instructions. Failure to follow the instructions outlined in the user's manual may lead to serious personal injury and possible property damage.

Use only the USB cable packaged with the product from Toucan. The Smart Socket and USB cable may become warm during normal use. Always allow adequate ventilation around the smart socket and USB cable and use care when handing. Unplug the device if any of the following conditions exist:

- the USB cable or Smart Socket has become frayed or damaged
- the USB connector or Smart Socket is exposed to rain, liquid, or excessive moisture
- the USB cable or Smart Socket has become damaged
- · you suspect the USB cable or Smart Socket needs service or repair
- · you want to clean the USB cable or Smart Socket

FCC STATEMENT

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation. App StoreSM is a service mark of Apple Inc. Google Play[™] and Android[™] are registered trademarks of Google Inc. UI-FI® is a registered trademark of the WI-FI® Alliance. Kuna is a registered trademark of Kuna Systems Corporation, Bluetooth® word mark and logo are registered trademarks owned by Bluetooth SIG, Inc. All trademarks are the property of their respective owner.



Camera FCC ID: 2ABT4TC100KU Socket FCC ID: 2ABT4TS100WU

www.toucan.solutions