

Version 1.1

Revision Date 07/09/2018

Print Date 09/17/2018

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Enforcer Flea Spray for Carpets & Furniture XX
EPA ID Number:		40849-55
Material number	:	ENFS14
Manufacturer or supplier's d	leta	nils
Company	:	Zep Commercial Sales & Service, a unit of Zep, Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use : Pesticide

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	mild, characteristic

### **GHS Classification**

Flammable aerosols Gases under pressure	: Category 2 : Liquefied gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> </ul>



Version 1.1	Revision Date 07/09/2018	Print Date 09/17/2018
	P251 Pressurized container: Do use. <b>Storage:</b> P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1	ht. Do not expose to

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
butane	106-97-8	>= 10 - < 20
Distillates (petroleum), hydrotreated light	64742-47-8	>= 5 - < 10
propane	74-98-6	>= 3 - < 5
The event nerrounterion of displaced events	المستقرب المتعاد والمتعاد والمتعالم	

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Immediately flush eye(s) with plenty of water.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.



Version 1.1

Revision Date 07/09/2018

Print Date 09/17/2018

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drai courses.	ns or water
Hazardous combustion products Specific extinguishing methods	Carbon dioxide (CO2) Carbon monoxide Smoke Jse extinguishing measures that are appropriate circumstances and the surrounding environment.	
Further information	Collect contaminated fire extinguishing water sep nust not be discharged into drains. Fire residues and contaminated fire extinguishing be disposed of in accordance with local regulation For safety reasons in case of fire, cans should be separately in closed containments. Use a water spray to cool fully closed containers.	water must ns. stored
Special protective equipment for firefighters	Near self-contained breathing apparatus for firefinecessary.	ghting if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>

### SECTION 7. HANDLING AND STORAGE



Version 1.1	Revision Date 07/09/2018	Print Date 09/17/2018
Advice on safe handling	<ul> <li>Avoid exposure - obtain special in Avoid contact with skin and eyes. For personal protection see sectio Smoking, eating and drinking shou application area.</li> <li>Do not breathe vapours or spray n Take precautionary measures aga Provide sufficient air exchange an Dispose of rinse water in accordar regulations.</li> <li>Always replace cap after use.</li> </ul>	n 8. uld be prohibited in the nist. ainst static discharges. d/or exhaust in work rooms.
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. exposure and temperatures over 8 or throw into fire even after use. D red-hot objects. No smoking.</li> <li>Containers which are opened must kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilities</li> <li>Electrical installations / working m the technological safety standards</li> </ul>	50 °C. Do not open by force to not spray on flames or st be carefully resealed and ated place. aterials must comply with
Materials to avoid	: Store and keep away from bases a Store and keep away from, oxidizi	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm	OSHA Z-1



rsion 1.1	Revision Date	07/09/2018	Print D	ate 09/17/2018
	Т	WA	1,800 mg/m3 1,000 ppm	OSHA P0
	P	EL	1,800 mg/m3 1,000 ppm 1,800 mg/m3	CAL PEL
Engineering measures	: effective ventila	effective ventilation in all processing areas		
Personal protective equipm	ent			
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.			
Hand protection Remarks			workplace should b otective gloves.	e discussed
Eye protection	include: eye wa with pure wate	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Safety glasses		
Skin and body protection	Choose body p	<ul> <li>Impervious clothing</li> <li>Choose body protection according to the amount and</li> <li>concentration of the dangerous substance at the work place.</li> </ul>		
Hygiene measures	When using do	<ul> <li>When using do not eat or drink.</li> <li>When using do not smoke.</li> <li>Wash hands before breaks and at the end of workday.</li> </ul>		

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear
Odour	: mild, characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: 102 °C
Flash point	:
	not determined
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: not determined



Version 1.1	Revision Date 07/09/2018	Print Date 09/17/2018
Relative vapour density	: No data available	
Density	: 0.97 g/cm3	
Solubility(ies)		
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Bases
Hazardous decomposition products	: Carbon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Aggravated Medical Condition Symptoms of Overexposure	: None known. : Effects may be delayed, symptoms may include minor eye or
	skin irritation.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.



Version 1.1	Revision Date 07/09/2018	Print Date 09/17/2018
OSHA NTP	No component of this product presen- equal to 0.1% is on OSHA's list of reg No component of this product presen- equal to 0.1% is identified as a knowr by NTP.	gulated carcinogens. t at levels greater than or
Acute toxicity		
Product:		
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	g/kg
Components:		
<b>Distillates (petroleum), hyd</b> Acute oral toxicity	rotreated light: : LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritatio	on	
Product:		
Remarks: May irritate eyes.		
Respiratory or skin sensitisatio	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		



Version 1.1

Revision Date 07/09/2018

Print Date 09/17/2018

### Further information

### Product:

Remarks: No data available

#### **Components:**

**Distillates (petroleum), hydrotreated light:** Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

### Product:

	<u>rioudot.</u>	
	octanol/water <u>Components:</u> butane :	Remarks: No data available
	Partition coefficient: n- : octanol/water	Pow: 2.89
Мо	obility in soil	
No	data available	
Ot	her adverse effects	
No	data available <u>Product:</u>	
	Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
	Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
	Additional ecological : information	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.
	<u>Components:</u> Distillates (petroleum), hydrotr	reated light :
		Na data availabla

Additional ecological	: No data available
information	



Version 1.1

Revision Date 07/09/2018

Print Date 09/17/2018

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

## SAFETY DATA SHEET



## ENF FLEA SPRY CPT & FURN

Version 1.1

Revision Date 07/09/2018

Print Date 09/17/2018

ersion 1.1	Revision Date 07/09/2018	Print Date 09/17/2018
armful if swallowed. armful if absorbed through sl auses moderate eye irritatior is pesticide is extremely tox oserve label precautions.		
TSCA list	: No substances are subject to a S	ignificant New Use Rule.
	No substances are subject to TSC requirements.	CA 12(b) export notification
EPCRA - Emergency Pla	anning and Community Right-to-Know	Act
CERCLA Reportable Qu This material does not co	antity ntain any components with a CERCLA R	Q.
SARA 304 Extremely Ha	zardous Substances Reportable Quan	ıtity
This material does not co	ntain any components with a section 304	EHS RQ.
SARA 311/312 Hazards	: Flammable (gases, aerosols, liqui Gases under pressure	ids, or solids)
SARA 302	: No chemicals in this material are requirements of SARA Title III, Se	
SARA 313	<ul> <li>This material does not contain an known CAS numbers that exceed reporting levels established by SA</li> </ul>	the threshold (De Minimis)
California Prop. 65		
	This product does not contain a California to cause cancer, birth reproductive harm.	
The components of this	product are reported in the following	inventories:
	This product contains one or several comp	ponents that are not on the

Canadian DSL nor NDSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**




Version 1.1

Revision Date 07/09/2018

Print Date 09/17/2018

**Further information** 



## **OSHA - GHS Label Information:**

Signal word Hazard statements Precautionary statements

Hazard pictograms



Flammable aerosol. Contains gas under pressure; may explode if heated.

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Version:	1.1
Revision Date:	07/09/2018
Print Date:	09/17/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.