





Global Harmonized System - WT-103 Clear Flame Retardant Matte Coating

Identification

Product Identifier WT-103 Flame Retardant Clear - Matte Coating

Other means of Identification Flame retardant coating.

Recommended use Refer to manufacturer sell sheet. **Recommended restrictions** Refer to manufacturer sell sheet.

Manufacturer name Firetect, Inc.

Address 28298 Constellation Road

Valencia, CA 91355

Country USA

Phone 661-295-3473 Fax 661-295-3880 E-mail info@firetect.com Website www.firetect.com

Hazard(s) Identification

Emergency overview Irritant.

Classification

Hazard symbol Category 5. No symbol.

Signal word

Potential health effects

Inhalation Over-exposure may cause irritation. If not breathing,

give artificial respiration seek medical attention.

Eyes/Skin Cleanse affected areas with mild soap and water. If irritation

develops, seek medical attention.

Ingestion If drowsy or unconscious, place victim on left side with head

down. Do not give anything by mouth; seek medical

attention.

Warning.

Environmental hazards

No known significant environmental effects. NFPA/HMIS classification Health: 0

Flammability: 0

Reactivity: 0

0-Least, 1-Slight, 2-Moderate, 4-Extreme

3. Composition/Information on ingredients

Chemical name	CAS number	Percent
Water	7722 10 5	4F F60/
Ammonium Polyphosphate	7732-18-5	45-56%
7	68333-79-9	18-25%
Other ingredients (Trade secret per 29 CFR 1910.1200)		19-37%
NO REPORTABLE HAZARDOUS INGREDIENTS		13 37 70

First-aid measures

Inhalation Remove person to fresh air. If necessary, seek advice of a physician. Skin contact Wash skin with soap and water. Launder clothing before reuse. In case of eye contact, flush with running water for at least Eye contact 15 minutes. If irritation persists, seek advice of a physician. Ingestion If swallowed, induce vomiting and seek medical attention.

Fire-fighting measures

Suitable extinguishing media For dry solids use water foam CO2 or dry chemical fire-fighting apparatus. Unsuitable extinguishing media None.

www.firetect.com | Firetect™, Inc. 28298 Constellation Road, Valencia, CA 91355

1/10/2018 Page 1 of 3

WT-103 Clear Flame Retardant Matte Coating

Specific hazards arising from

the substance or mixture

Special protective equipment

Closed container exposed to heat may rupture due to

and precautions for fire-fighters pressure build up.

6. Accidental release measures

Personnel precautions

Environmental precautions

Cleanup measures

None.

Avoid runoff into storm sewers, ditches, and waterways. Flush spilled material into suitable retaining areas or containers with large

quantities of water. Small amounts may be absorbed into appropriate

absorbent.

None.

Handling and storage

Precautions for safe handling

Engineering controls

Avoid breathing mist. Avoid prolonged skin contact. If sprayed inside, use local exhaust ventilation. Otherwise,

general ventilation is adequate.

Conditions for safe storage Store upright in original sealed containers and in a cool, dry, and ventilated

location.

Storage temperature

Shelf life

Store between 40°F and 80°F. Do not freeze.

Shelf life is one year, if stored properly. Once container is

opened, chemical must be used completely.

Exposure controls/Personal protection 8.

Exposure controls

Use appropriate engineering controls such as proper ventilation. Where such systems are not effective, wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards.

Personal protective equipment

Eye/Face protection

Wear goggles to avoid overspray and splashing. Eye and face protection should be in accordance with OSHA 29 CFR 1910.133.

Hand/Arm protection

Rubber or plastic gloves are recommended.

Respiratory protection Not mandatory.

Physical and chemical properties

Appearance

Physical state Liquid.

Color Milky white (clears as it dries).

Odor Very faint odor. Odor threshold Not applicable.

pН

% volatile by vol

Freezing point 32°F **Boiling point** 212°F Specific gravity 1.08

Less than water. **Evaporation rate**

Vapor pressure None

Vapor density Equal to water.

10. Stability and reactivity

Reactivity None. **Chemical stability** Stable. Incompatible materials None. **Decomposition materials** None.

11. Toxicological information

Acute toxicity

Potential health effects

www.firetect.com | Firetect™, Inc. 28298 Constellation Road, Valencia, CA 91355

1/10/2018 Page 2 of 3

WT-103 Clear Flame Retardant Matte Coating

Inhalation May be harmful if inhaled. Short-term exposure may cause

irritation of nose, throat and lungs.

Eyes/Skin May be harmful in contact with eyes/skin. Short-term

exposure may cause irritation.

Ingestion May be harmful if swallowed. Possible stomach irritation and

nausea.

12. Ecological information

Ecotoxicity Persistence and degradability Bioaccumulative potential

Mobility in soil Other adverse effects No data available. No data available. No data available. No data available.

No data available.

13. Disposal considerations

Waste disposal of product Contaminated packaging

Container disposal

Do not discharge product into storm or waste water sewer systems. Dispose of in accordance with federal, state, and local regulations.

Plastic pails are recyclable. Rinse well before recycling or disposal. Dispose of in accordance with federal, state, and local regulations. Contact local authorities

for further information.

14. Transport information

Land transport

USDOT Non-hazardous product. Not regulated.

Marine transport

IMDG Non-hazardous product. Not regulated.

Air transport

IATA Non-hazardous product. Not regulated.

15. Regulatory information

Additional safety, health

Not applicable.

and environmental regulations

16. Other information

1/10/2018

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 and prepared to GHS.

Preparation information

Prepared by

Firetect ®, Inc.

Disclaimer

It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information given is presented in good faith and believed to be correct as of the date hereof, based on available data, material components, and similar materials. Firetect®, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used.