# SAFETY DATA SHEET

Issuing Date 20-Mar-2020

Revision Date 20-Mar-2017

**Revision Number** 0

NGHS / English

\_\_\_\_\_



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

**Product identifier** 

Product Name SSBA260V 60-volt Li-ion Battery

Other means of identification

Product Code(s) 1261695

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Identification** Hongkong Sun Rise Trading Ltd.

Address Room 713,No.8-9,Lane 1500,South LianHua Road,Minhang District,Shanghai,201108

China Shanghai Jiangsu 201108 China

**Telephone** Phone:0086-21-33581871

E-mail tefird@sunrisetoolsusa.com

Emergency telephone number

**Company Emergency Phone** 

704-660-2807

Number

# 2. HAZARDS IDENTIFICATION

### Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 2
Skin corrosion/irritation	Category 2



Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Solid Physical state Solid Odor Odorless

#### GHS Label elements, including precautionary statements

#### **Danger**

#### **Hazard statements**

Harmful if swallowed
Toxic in contact with skin
Fatal if inhaled
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer

Causes damage to organs through prolonged or repeated exposure



### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Contaminated work clothing must not be allowed out of the workplace

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment is urgent (see supplemental first aid instructions on this label)

#### Lyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

#### Skin

IF ON SKIN: Wash with plenty of water and soap

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

#### Ingestion



IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

Very toxic to aquatic life with long lasting effects.

### Unknown acute toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity

75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

96 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

60 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Supplier Trade Secret	•	40 - 50%	-	-
Supplier Trade Secret	-	10 - 20%	-	-
Supplier Trade Secret	•	10 - 20%	-	-
Supplier Trade Secret	-	10 - 20%	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Phosphate(1-), hexafluoro-, lithium	21324-40-3	4	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Supplier Trade Secret	-	0 - 10%	-	-

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of sealed battery.

Inhalation

If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Get medical attention immediately if symptoms occur.



Revision Date 20-Mar-2017

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact

lenses, if present and easy to do. Continue rinsing. Do not rub affected area.

Skin contact Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. May cause an allergic skin

reaction.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more

information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing. Burning sensation. Itching. Rashes.

Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Avoid generation of

dust. Do not breathe dust. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.



#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe dust. Avoid generation of dust. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate

exhaust ventilation. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 0.02 mg/m <sup>3</sup> Co inhalable	(vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> Mn IDLH: 10
	particulate matter TWA: 0.02	Ceiling: 5 mg/m³ Mn	mg/m³ Ni
	mg/m³ Mn respirable particulate		TWA: 1 mg/m³ Mn TWA: 0.015
	matter		mg/m³ except Nickel carbonyl
	TWA: 0.1 mg/m <sup>3</sup> Mn inhalable		Ni
	particulate matter		STEL: 3 mg/m³ Mn
Supplier Trade Secret	TWA: 2 mg/m³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m <sup>3</sup>
	particulate matter all forms	synthetic	TWA: 2.5 mg/m <sup>3</sup> respirable
	except graphite fibers	TWA: 5 mg/m³ respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Supplier Trade Secret	TWA: 0.2 mg/m <sup>3</sup> fume	TWA: 0.1 mg/m <sup>3</sup> fume	IDLH: 100 mg/m³ dust, fume
		TWA: 1 mg/m³ dust and mist	and mist
		(vacated) TWA: 0.1 mg/m³ Cu	TWA: 1 mg/m³ dust and mist
		dust, fume, mist	TWA: 0.1 mg/m <sup>3</sup> fume
Supplier Trade Secret	TWA: 1 mg/m³ respirable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup> total dust
	particulate matter	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m <sup>3</sup> total	



					dust ) TWA: 5 mg/m <sup>3</sup> able fraction		
Phosphate(1-), hexaflucture lithium 21324-40-3	oro-,	TWA: 2.5 mg	g/m³ F		2.5 mg/m³ F TWA: 2.5 mg/m³		IDLH: 250 mg/m <sup>3</sup> F
Supplier Trade Secre	et	TWA: 1.5 m	ng/m³		A: 1 mg/m³ ) TWA: 1 mg/m³		IDLH: 10 mg/m <sup>3</sup> TWA: 0.015 mg/m <sup>3</sup>
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Supplier Trade Secret	TWA	: 0.02 mg/m³ TWA: 0.2 mg/m³		mg/m³ TWA: ng/m³	TWA: 0.02 mg/n TWA: 0.1 mg/n		TWA: 0.2 mg/m <sup>3</sup> TWA: 0.02 mg/m <sup>3</sup>
Supplier Trade Secret	-	ΓWA: 2 mg/m³	TWA: 2	2 mg/m <sup>3</sup>	TWA: 2 mg/m	3	TWA: 2 mg/m <sup>3</sup>
Supplier Trade Secret		WA: 0.2 mg/m <sup>3</sup> ΓWA: 1 mg/m <sup>3</sup>	l .	mg/m³ 2 mg/m³	TWA: 0.2 mg/n TWA: 1 mg/m		TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Supplier Trade Secret	Т	WA: 10 mg/m <sup>3</sup>	TWA: 1.	0 mg/m <sup>3</sup>	TWA: 1 mg/m	3	TWA: 10 mg/m <sup>3</sup>
Phosphate(1-), hexafluoro-, lithium 21324-40-3	Т	WA: 2.5 mg/m <sup>3</sup>	TWA: 2.	5 mg/m³	TWA: 2.5 mg/n	n <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
Supplier Trade Secret	Т	WA: 1.5 mg/m <sup>3</sup>	TWA: 0.0	05 mg/m <sup>3</sup>	TWA: 1 mg/m	3	TWA: 1 mg/m <sup>3</sup>

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe dust. Take off contaminated clothing and wash before reuse. Contaminated

work clothing should not be allowed out of the workplace.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateSolidAppearanceSolidOdorOdorless

**Color** No information available



**Odor Threshold** No data available

**Property** Values Remarks Method

No data available Hq None known None known No data available Melting / freezing point Boiling point / boiling range No data available None known Flash Point No data available None known No data available **Evaporation Rate** None known Flammability (solid, gas) No data available None known Flammability Limit in Air

None known

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known

Water Solubility Insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other Information

**Explosive properties** No information available **Oxidizing properties** No information available **Softening Point** No information available Molecular Weight No information available **VOC Content (** $\overline{\text{%}}$ **)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

### 10. STABILITY AND REACTIVITY

Reactivity No information available.

Stable under normal conditions. Chemical stability

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization does not occur. **Hazardous Polymerization** 

Conditions to avoid Excessive heat.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information

In case of rupture:



**Inhalation** Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on

components). May cause irritation of respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Severely irritating to eyes. May cause burns. May cause

irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation. Toxic in contact with

skin.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Redness. Burning. May cause

blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

### Numerical measures of toxicity

#### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 871.00 mg/kg

 ATEmix (dermal)
 300.00 mg/kg

 ATEmix (inhalation-vapor)
 0.50 mg/L

### Unknown acute toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity

75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

96 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

60 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	-	-	> 2000 mg/m³ (Rat) 4 h
Supplier Trade Secret	= 30 g/kg (Rat)	-	-
Supplier Trade Secret	= 29000 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Supplier Trade Secret	= 10 g/kg (Rat)	> 3 g/kg (Rabbit)	> 730 mg/m³ (Rat) 8 h
Supplier Trade Secret	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat)1 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.



Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	A3	Group 2B	Reasonably Anticipated	Х
		Group 1	Known	
Supplier Trade Secret	-	Group 2B	Reasonably Anticipated	Х

### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Supplier Trade Secret	-	96h LC50: > 100 mg/L	-	-
		(Danio rerio)		
Supplier Trade Secret	-	96h LC50: = 13.6 mg/L	-	-
		(Morone saxatilis)		
Supplier Trade Secret	96h EC50: 0.031 - 0.054	96h LC50: = 0.052 mg/L	-	48h EC50: = 0.03 mg/L
	mg/L	(Oncorhynchus mykiss)		(Daphnia magna)
	(Pseudokirchneriella	96h LC50: = 0.3 mg/L		
	subcapitata) 72h EC50:	(Cyprinus carpio) 96h		
	0.0426 - 0.0535 mg/L	LC50: = 1.25 mg/L		
	(Pseudokirchneriella	(Lepomis macrochirus)		
	subcapitata)	96h LC50: = 0.2 mg/L		
		(Pimephales promelas)		
		96h LC50: = 0.8 mg/L		
		(Cyprinus carpio) 96h		
		LC50: 0.0068 - 0.0156		
		mg/L (Pimephales		
		promelas) 96h LC50: =		
		0.112 mg/L (Poecilia		
		reticulata) 96h LC50: <		
		0.3 mg/L (Pimephales		
		promelas)		
Supplier Trade Secret	72h EC50: > 500 mg/L	96h LC50: = 5300 mg/L	EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L
	(Desmodesmus	(Leuciscus idus) 96h		(Daphnia magna)
	subspicatus)	LC50: > 1000 mg/L		
		(Cyprinus carpio)		



Supplier Trade Secret	-	96h LC50: > 100 mg/L	-	-
		(Oncorhynchus mykiss)		
Supplier Trade Secret	72h EC50: = 0.18 mg/L	96h LC50: = 10.4 mg/L	-	48h EC50: > 100 mg/L
	(Pseudokirchneriella	(Cyprinus carpio) 96h		(Daphnia magna) 48h
	subcapitata) 96h EC50:	LC50: = 1.3 mg/L		EC50: = 1 mg/L (Daphnia
	0.174 - 0.311 mg/L	(Cyprinus carpio) 96h		magna)
	(Pseudokirchneriella	LC50: > 100 mg/L		
	subcapitata)	(Brachydanio rerio)		

Persistence and Degradability

No information available.

**Bioaccumulation** 

**Component Information** 

Chemical name	Log Pow
Supplier Trade Secret	0.48

**Mobility** No information available.

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Supplier Trade Secret	Toxic
Supplier Trade Secret	Toxic
Supplier Trade Secret	Ignitable powder
Supplier Trade Secret	Toxic powder Ignitable powder

### 14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard



Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT NOT REGULATED

Proper Shipping Name NON REGULATED

**Hazard Class** N/A **Emergency Response Guide** 147

Number

**TDG** 

UN3480 UN-No.

LITHIUM ION BATTERIES **Proper Shipping Name** 

Hazard Class

Description UN3480, LITHIUM ION BATTERIES, 9

**MEX** 

UN-No. UN3480

**Proper Shipping Name** LITHIUM ION BATTERIES

**Hazard Class** 

Description UN3480, LITHIUM ION BATTERIES, 9

**ICAO** 

UN-No. UN3480

**Proper Shipping Name** LITHIUM ION BATTERIES

**Hazard Class** 

Description UN3480, LITHIUM ION BATTERIES, 9

IATA

UN-No. UN3480

**Proper Shipping Name** LITHIUM ION BATTERIES

**Hazard Class ERG Code** 9F

Description UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO

UN3480 UN-No.

**Proper Shipping Name** LITHIUM ION BATTERIES

Hazard Class 9

EmS-No.

**Description** UN3480, LITHIUM ION BATTERIES, 9

RID

UN-No. UN3480

**Proper Shipping Name** LITHIUM ION BATTERIES

**Hazard Class** Classification code

UN3480, LITHIUM ION BATTERIES, 9 Description

ADR

UN-No. UN3480

**Proper Shipping Name** LITHIUM ION BATTERIES

**Hazard Class** 9 Classification code M4 **Tunnel restriction code** 

UN3480, LITHIUM ION BATTERIES, 9 Description

ADN



**UN-No.** UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 Classification code M4

**Special Provisions** 188, 230, 310, 348, 636, 661

**Description** UN3480, LITHIUM ION BATTERIES, 9

Limited Quantity 0

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### **International Inventories**

TSCA

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold
			Values %
Supplier Trade Secret -		40 - 50%	1.0 0.1
Supplier Trade Secret -		10 - 20%	1.0
Supplier Trade Secret -		0 - 10%	1.0
Supplier Trade Secret -		0 - 10%	0.1

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret		X		
Supplier Trade Secret		X	Х	
Supplier Trade Secret		Х	Х	

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Supplier Trade Secret	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Supplier Trade Secret	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

# **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Supplier Trade Secret -	carcinogen, 5/7/2004		
Supplier Trade Secret -	carcinogen, 10/1/1989 (metallic)		

# U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	Х		Х	Х	Х
Supplier Trade Secret	Х	Х	Х		
Supplier Trade Secret	Х	X	Х	Х	Х
Supplier Trade Secret	Х	X	Х	Х	
Phosphate(1-), hexafluoro-, lithium 21324-40-3	Х				
Supplier Trade Secret		Х	Х		
Supplier Trade Secret	Χ	Х	Х	Х	Х

16. OTHER INFORMATION				
NFPA	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 0	Flammability 0	Physical hazards 0	Personal Protection X
Prepared By	Product Stewardship			



23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 20-Mar-2020

Revision Date 20-Mar-2017

Revision Note No information available

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

