According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

#### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: RockSolid Metallic Color Shot
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Dyestuff/Colouring agent
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

ROCKSOLID FLOORS

2271 2nd St. N

North St. Paul, MN 55109 Phone: 866-765-4310 Fax: 763-780-4896



#### · Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada) +01 703-527-3887 (International)

Poison Control Centres:

In the United Kingdom: 844 892 0111

In Australia: 131126

In New Zealand: +0800 764 766

#### 2 Hazards identification

#### · Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Regulated
- Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard-determining components of labelling: None.
- · Hazard statements Not Regulated
- · Additional information: Repeated exposure may cause skin dryness or cracking.
- · Hazard description:
- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

None in reportable quantities.

| 12001-26-2 Mica             | 50-100% |
|-----------------------------|---------|
| 13463-67-7 titanium dioxide | 25-50%  |

(Contd. on page 2)

#### According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

Trade name: RockSolid Metallic Color Shot

(Contd. of page 1)

#### 4 First aid measures

- · Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Most important symptoms and effects, both acute and delayed

Breathing difficulty

Coughing

Slight irritant effect on skin and mucous membranes.

- · Hazards Danger of impaired breathing.
- · Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

#### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid formation of dust.

- Environmental precautions: Do not allow to penetrate the ground/soil.
- Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

Trade name: RockSolid Metallic Color Shot

(Contd. of page 2)

#### 7 Handling and storage

#### · Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Any unavoidable deposit of dust must be regularly removed.

Use only in well ventilated areas.

- Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Protect from humidity and water.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

| Ingredients with limit values that require monitoring at the workplace: |                                                                             |  |  |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------|--|--|
| 12001-26-2 Mica                                                         |                                                                             |  |  |
| NES (Australia)                                                         | Long-term value: 2.5 mg/m³                                                  |  |  |
| PEL (USA)                                                               | Long-term value: 20 mppcf ppm < 1% crystalline silica                       |  |  |
| REL (USA)                                                               | Long-term value: 3* mg/m³ *respirable dust; containing < 1% quartz          |  |  |
| TLV (USA)                                                               | Long-term value: 3* mg/m³ *as respirable fraction                           |  |  |
| WES (New Zealand)                                                       | Long-term value: 3* mg/m³ respirable dust                                   |  |  |
| 13463-67-7 titanium dioxide                                             |                                                                             |  |  |
| NES (Australia)                                                         | Long-term value: 10 mg/m³                                                   |  |  |
| PEL (USA)                                                               | Long-term value: 15* mg/m³ *total dust                                      |  |  |
| REL (USA)                                                               | See Pocket Guide App. A                                                     |  |  |
| TLV (USA)                                                               | Long-term value: (10) NIC-1* mg/m³ *respirable fraction, NIC-A3             |  |  |
| WES (New Zealand)                                                       | Long-term value: 10* mg/m³<br>*inhalable dust: no asbestos, < 1%free silica |  |  |

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

#### According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

Trade name: RockSolid Metallic Color Shot

(Contd. of page 3)

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

- · **Body protection:** Protective work clothing
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

#### 9 Physical and chemical properties

| · Information on basic physical and c<br>· General Information<br>· Appearance: | hemical properties |
|---------------------------------------------------------------------------------|--------------------|
| Form:                                                                           | Powder             |
| Colour:                                                                         | Light grey         |
| · Odour:                                                                        | Odourless          |
| · Odour threshold:                                                              | Not determined.    |
| · pH-value:                                                                     | Not applicable.    |
| · Change in condition                                                           |                    |
| Melting point/Melting range:                                                    | Not Determined.    |
| Boiling point/Boiling range:                                                    | Undetermined.      |
| · Flash point:                                                                  | Not applicable.    |
| · Flammability (solid, gaseous):                                                | Not determined.    |
| · Ignition temperature:                                                         | Not determined.    |
| · Decomposition temperature:                                                    | Not determined.    |

(Contd. on page 5)

According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

Trade name: RockSolid Metallic Color Shot

(Contd. of page 4)

| <ul> <li>Self-igniting: Product is not self-igniting.</li> <li>Danger of explosion: Product does not present an explosion hazard.</li> <li>Explosion limits:         <ul> <li>Lower: Not determined.</li> <li>Upper: Not applicable.</li> </ul> </li> <li>Vapour pressure: Not applicable.</li> <li>Density at 20 °C: 3.1 g/cm³         <ul> <li>Relative density Not determined.</li> <li>Vapour density Not applicable.</li> <li>Evaporation rate Not applicable.</li> </ul> </li> <li>Solubility in / Miscibility with water: Insoluble.</li> <li>Partition coefficient (n-octanol/water): Not determined.</li> </ul> |                        |                                               |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------|--|
| <ul> <li>Explosion limits:         Lower:         Upper:         Not determined.         Vapour pressure:         Not applicable.         Oensity at 20 °C:         Relative density         Not determined.         Not determined.         Not determined.         Not applicable.         Vapour density         Not applicable.         Evaporation rate         Not applicable.         Solubility in / Miscibility with water:</li></ul>                                                                                                                                                                           | · Self-igniting:       | Product is not self-igniting.                 |  |
| Lower: Upper: Not determined.  Vapour pressure: Not applicable.  Density at 20 °C: Relative density Vapour density Vapour density Evaporation rate  Not applicable.  Solubility in / Miscibility with water: Insoluble.                                                                                                                                                                                                                                                                                                                                                                                                  | · Danger of explosion: | Product does not present an explosion hazard. |  |
| Upper: Not determined.  Vapour pressure: Not applicable.  Density at 20 °C: 3.1 g/cm³ Relative density Not determined.  Vapour density Not applicable. Evaporation rate Not applicable.  Solubility in / Miscibility with water: Insoluble.                                                                                                                                                                                                                                                                                                                                                                              | · Explosion limits:    |                                               |  |
| <ul> <li>Vapour pressure: Not applicable.</li> <li>Density at 20 °C: 3.1 g/cm³</li> <li>Relative density Not determined.</li> <li>Vapour density Not applicable.</li> <li>Evaporation rate Not applicable.</li> <li>Solubility in / Miscibility with water: Insoluble.</li> </ul>                                                                                                                                                                                                                                                                                                                                        | Lower:                 | Not determined.                               |  |
| Density at 20 °C: Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble.                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Upper:                 | Not determined.                               |  |
| <ul> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> <li>Solubility in / Miscibility with water:</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | · Vapour pressure:     | Not applicable.                               |  |
| <ul> <li>Vapour density Not applicable.</li> <li>Evaporation rate Not applicable.</li> <li>Solubility in / Miscibility with water: Insoluble.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Density at 20 °C:      | 3.1 g/cm³                                     |  |
| Evaporation rate     Not applicable.      Solubility in / Miscibility with water:      Insoluble.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | · Relative density     | Not determined.                               |  |
| Solubility in / Miscibility with water: Insoluble.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | · Vapour density       | Not applicable.                               |  |
| water: Insoluble.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | · Evaporation rate     | Not applicable.                               |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                        |                                               |  |
| · Partition coefficient (n-octanol/water): Not determined.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                        |                                               |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                        |                                               |  |
| · Viscosity:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | · Viscosity:           |                                               |  |
| Dynamic: Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Dynamic:               | Not applicable.                               |  |
| Kinematic: Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Kinematic:             |                                               |  |
| Other information No further relevant information available.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | · Other information    | No further relevant information available.    |  |

#### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- Conditions to avoid Moisture.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Possible in traces.

#### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

· Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 6)

According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

Trade name: RockSolid Metallic Color Shot

(Contd. of page 5)

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability

Inorganic product, is not eliminable from water by means of biological cleaning processes.

- · Bioaccumulative potential Does not accumulate in organisms.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

#### 14 Transport information

| · UN-Number<br>· DOT, ADG, ADN, IMDG, IATA                              | Not Regulated        |
|-------------------------------------------------------------------------|----------------------|
| · UN proper shipping name<br>· DOT, ADG, ADN, IMDG, IATA                | Not Regulated        |
| · Transport hazard class(es)                                            |                      |
| · DOT, ADG, ADN, IMDG, IATA<br>· Class                                  | Not Regulated        |
| · Packing group<br>· DOT, ADG, IMDG, IATA                               | Not Regulated        |
| · Environmental hazards: · Marine pollutant:                            | No                   |
| · Special precautions for user                                          | Not applicable.      |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | f<br>Not applicable. |
| · UN "Model Regulation":                                                | -                    |

#### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA

| · Section 355 (extremely hazardous substances): |  |
|-------------------------------------------------|--|
| None of the ingredients is listed.              |  |

(Contd. on page 7)

Safety Data Sheet
According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

Trade name: RockSolid Metallic Color Shot

None of the ingredients is listed.

(Contd. of page 6)

| · Section 313 (Specific toxic chemical listings):                |    |  |  |  |
|------------------------------------------------------------------|----|--|--|--|
| None of the ingredients is listed.                               |    |  |  |  |
| · TSCA (Toxic Substances Control Act):                           |    |  |  |  |
| All ingredients are listed.                                      |    |  |  |  |
| · Proposition 65 (California):                                   |    |  |  |  |
| · Chemicals known to cause cancer:                               |    |  |  |  |
| 13463-67-7 titanium dioxide                                      |    |  |  |  |
| 1333-86-4 Carbon black                                           |    |  |  |  |
| · Chemicals known to cause reproductive toxicity for females:    |    |  |  |  |
| None of the ingredients is listed.                               |    |  |  |  |
| · Chemicals known to cause reproductive toxicity for males:      |    |  |  |  |
| None of the ingredients is listed.                               |    |  |  |  |
| · Chemicals known to cause developmental toxicity:               |    |  |  |  |
| None of the ingredients is listed.                               |    |  |  |  |
| · Carcinogenic Categories                                        |    |  |  |  |
| · EPA (Environmental Protection Agency)                          |    |  |  |  |
| None of the ingredients is listed.                               |    |  |  |  |
| · IARC (International Agency for Research on Cancer)             |    |  |  |  |
| 13463-67-7 titanium dioxide                                      | 2B |  |  |  |
| 1333-86-4 Carbon black                                           | 2B |  |  |  |
| TLV (Threshold Limit Value established by ACGIH)                 |    |  |  |  |
| 13463-67-7 titanium dioxide                                      | A4 |  |  |  |
| 1333-86-4 Carbon black                                           | A4 |  |  |  |
| · MAK (German Maximum Workplace Concentration)                   |    |  |  |  |
| 13463-67-7 titanium dioxide                                      | 3A |  |  |  |
| 1333-86-4 Carbon black                                           | 3B |  |  |  |
| NIOSH-Ca (National Institute for Occupational Safety and Health) | ·  |  |  |  |
| 13463-67-7 titanium dioxide                                      |    |  |  |  |
| 1333-86-4 Carbon black                                           |    |  |  |  |
| · OSHA-Ca (Occupational Safety & Health Administration)          |    |  |  |  |
| None of the ingredients is listed.                               |    |  |  |  |
| · Canada                                                         |    |  |  |  |
| · Canadian Domestic Substances List (DSL)                        |    |  |  |  |
| All ingredients are listed.                                      |    |  |  |  |
| · Canadian Ingredient Disclosure list (limit 0.1%)               |    |  |  |  |
| None of the ingredients is listed.                               |    |  |  |  |
| · Canadian Ingredient Disclosure list (limit 1%)                 |    |  |  |  |
| 12001-26-2 Mica                                                  |    |  |  |  |
| Australian Inventory of Chemical Substances                      |    |  |  |  |
| All ingredients are listed.                                      |    |  |  |  |
| · Standard for the Uniform Scheduling of Drugs and Poisons       |    |  |  |  |
| None of the ingredients is listed                                |    |  |  |  |

#### According to NOHSC and Code of Practice for Safety Data Sheets, 2011

Printing date 16.01.2014 Revision: 16.01.2014

Trade name: RockSolid Metallic Color Shot

(Contd. of page 7)

· HSNO Chemical Classification and Information Database (CCID)

1333-86-4 Carbon black

· New Zealand Inventory of Chemicals (NZIOC)

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

#### Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Contd. on page 2)

### Safety Data Sheet

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 12.03.2014 Revision: 12.03.2014

#### 1 Identification of the substance/mixture and of the company/undertaking

- ·1.1 Product identifier
- ·Trade name: Polycuramine Clear Part B
- ·1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- ·Application of the substance / the mixture Hardening agent/ Curing agent
- -1.3 Details of the supplier of the Safety Data Sheet
- ·Manufacturer/Supplier:

ROCKSOLID FLOORS

2271 2nd St. N

North St. Paul, MN 55109 Phone: 866-765-4310

Fax: 763-780-4896

· 1.4 Emergency telephone number:

CHEMTREC

1-8 00-4 24-93 0 0/US/ Ca rad a)

+0 170 352 73 8 8 (I rt erna to n b)

#### 2 Hazards identification

- ·2.1 Classification of the substance or mixture
- ·Classification according to Regulation (EC) No 1272/2008

The following classifications are applicable only to the general GHS regulations and not the specific CLP regulation: H361.

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H361fd, H411.

H361: Suspected of damaging fertility or the unborn child.

health hazard

| Repr. 2           | H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child. |
|-------------------|--------|--------------------------------------------------------------------------|
| corrosion         |        |                                                                          |
| Skin Corr. 1B     | H314   | Causes severe skin burns and eye damage.                                 |
| environme         | ent    |                                                                          |
| Aquatic Chronic 2 | H411   | Toxic to aquatic life with long lasting effects.                         |
|                   |        |                                                                          |
| Acute Tox. 4      | H302   | Harmful if swallowed.                                                    |
| Acute Tox. 4      | H312   | Harmful in contact with skin.                                            |

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 1)

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

Xn; Harmful

R20/21/22-62-63: Harmful by inhalation, in contact with skin and if swallowed. Possible risk of impaired

fertility. Possible risk of harm to the unborn child.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).









GHS05 GHS07 GHS08 GHS09

- · Signal word Danger
- Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine nonylphenol

Benzyl alcohol

Poly [(methyl-1,2-ethanediyl)] ,alpha-hydro-omega-(2-aminomethylethoxy)-ether with 2-ethyl-2(hydroxymethyl)-1,3-propanediol

(Contd. on page 3)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

· Hazard statements

(Contd. of page 2)

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H361fd, H411.

The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H361.

H361: Suspected of damaging fertility or the unborn child.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P281 Use personal protective equipment as required.

P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333+P313

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Hazard description:

· WHMIS-symbols:

D2A - Very toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



Health = 3Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



\*3 Health = \*3 1 Fire = 1

REACTIVITY 0 Reactivity = 0

\* - Indicates a long term health hazard from repeated or prolonged exposures.

#### HMIS Long Term Health Hazard Substances

25154-52-3 nonylphenol

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 4)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

· **vPvB:** Not applicable.

(Contd. of page 3)

#### 3 Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous components:                                            |                                                                                                                                                          |         |
|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| CAS: 2855-13-2<br>EINECS: 220-666-8<br>Index number: 612-067-00-9  | L                                                                                                                                                        | 40-70%  |
|                                                                    | Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 3, H412                                                   |         |
| CAS: 100-51-6<br>EINECS: 202-859-9                                 | Benzyl alcohol                                                                                                                                           | 20-40%  |
|                                                                    | Acute Tox. 4, H302; Acute Tox. 4, H332                                                                                                                   | 40.000/ |
| CAS: 25154-52-3<br>EINECS: 246-672-0<br>Index number: 601-053-00-8 | nonylphenol C R34; Xn R22-62-63; N R50/53 Repr. Cat. 3                                                                                                   | 10-20%  |
|                                                                    | Repr. 2, H361fd Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302                                                    |         |
| CAS: 39423-51-3<br>NLP: 500-105-6                                  | Poly [(methyl-1,2-ethanediyl)] ,alpha-hydro-omega-(2-aminomethylethoxy)-ether with 2-ethyl-2(hydroxymethyl)-1,3-propanediol  Xn R21/22; Xi R41; N R51/53 | 10-20%  |
|                                                                    | Eye Dam. 1, H318 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H312                                                                          |         |

#### ·SVHC

25154-52-3 nonylphenol

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Do not pull solidified product off the skin.

Immediately rinse with water.

(Contd. on page 5)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 4)

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Strong caustic effect on skin and mucous membranes.

Breathing difficulty

Coughing

Dizziness

Cramp

Dizziness

Nausea

· Hazards

Danger of gastric perforation.

Danger of severe eye injury.

4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Monitor circulation, possible shock treatment.

### 5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Use large quantities of foam as it is partially destroyed by the product.

#### 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 6)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 5)

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

Store away from metals.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

#### 100-51-6 Benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.

(Contd. on page 7)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 6)

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Pregnant women should strictly avoid inhalation or skin contact.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

Use suitable respiratory protective device when high concentrations are present.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:

Contact lenses should not be worn.



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

(Contd. on page 8)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 7)

#### 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Colour:
Clear to straw color.
Ammonia-like
Odour threshold:
Not determined.

PH-value:
Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

Flash point:

Flammability (solid, gaseous):

Auto/Self-ignition temperature:

Mot Determined.

401 ° F / 205 °C

205 ° F / 96 °C

Not applicable.

698 ° F / 370 °C

Not determined.

· **Self-igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: 1,0 Vol % 13,0 Vol %

• Vapour pressure at 20 °C: 0,1 hPa

• Density at 20 °C: 1 g/cm³

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

• **9.2 Other information** No further relevant information available.

(Contd. on page 9)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 8)

#### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

Corrosive action on metals.

Exothermic reaction with acids.

- · 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Ammonia

#### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

| , water  | Acute toxicity.                                                                                                                        |                     |  |  |  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------|---------------------|--|--|--|
| · LD/LC5 | · LD/LC50 values relevant for classification:                                                                                          |                     |  |  |  |
| 2855-13  | 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine                                                                                 |                     |  |  |  |
| Oral     | Oral LD50 1030 mg/kg (rat)                                                                                                             |                     |  |  |  |
| 100-51-  | 100-51-6 Benzyl alcohol                                                                                                                |                     |  |  |  |
| Oral     | LD50                                                                                                                                   | 1230 mg/kg (rat)    |  |  |  |
| Dermal   | LD50                                                                                                                                   | 2000 mg/kg (rabbit) |  |  |  |
| 25154-   | 25154-52-3 nonylphenol                                                                                                                 |                     |  |  |  |
| Oral     | LD50                                                                                                                                   | 1620 mg/kg (rat)    |  |  |  |
| 39423-   | 39423-51-3 Poly [(methyl-1,2-ethanediyl)] ,alpha-hydro-omega-(2-aminomethylethoxy)-ether with 2-ethyl-2(hydroxymethyl)-1,3-propanediol |                     |  |  |  |
| Oral     |                                                                                                                                        | 220 mg/kg (rat)     |  |  |  |

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Corrosive Irritant

(Contd. on page 10)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 9)

Danger through skin adsorption.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Toxic and/or corrosive effects may be delayed up to 24 hours.

- · Sensitisation: Sensitization possible by skin contact.
- Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Repr. 2

#### 12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

Toxic for aquatic organisms

#### 100-51-6 Benzyl alcohol

LC50 460 mg/l (pimephales promelas)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Toxic for fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 11)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 10)

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

14.2 UN proper shipping name

· DOT

· ADR

·IMDG

·IATA

· DOT

UN2735

Polyamines, liquid, corrosive, n.o.s. (Isophoronediamine, nonylphenol)

2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(ISOPHORONEDIAMINE, nonylphenol), ENVIRONMENTALLY HAZARDOUS

POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(ISOPHORONEDIAMINE, nonylphenol), MARINE **POLLUTANT** 

POLYAMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONEDIAMINE, nonylphenol)

· 14.3 Transport hazard class(es)



· Class 8 Corrosive substances.

· Label

· ADR



· Class 8 (C7) Corrosive substances.

· Label

· IMDG



· Class 8 Corrosive substances.

(Contd. on page 12)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

· Label 8 (Contd. of page 11)

·IATA



· Class 8 Corrosive substances.

· Label

· 14.4 Packing group

· DOT, ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: Yes

Symbol (fish and tree)
Symbol (fish and tree)

Special marking (ADR): Symbol (fish and tree)

• **14.6 Special precautions for user** Warning: Corrosive substances.

Danger code (Kemler):EMS Number:Segregation groups80F-A,S-BAlkalis

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

• UN "Model Regulation": UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(ISOPHORONEDIAMINE, nonylphenol),

**ENVIRONMENTALLY HAZARDOUS, 8, III** 

#### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 13)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 12)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

25154-52-3 nonylphenol

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.

(Contd. on page 14)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

(Contd. of page 13) H318 Causes serious eye damage. H332 Harmful if inhaled. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. R20/22 Harmful by inhalation and if swallowed. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R62 Possible risk of impaired fertility. Possible risk of harm to the unborn child. R63 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Repr. 2: Reproductive toxicity, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 12.03.2014 Revision: 12.03.2014

#### 1 Identification of the substance/mixture and of the company/undertaking

- ·1.1 Product identifier
- ·Trade name: Polycuramine Clear Part A
- ·1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- ·Application of the substance / the mixture Concrete surfacer
- -1.3 Details of the supplier of the Safety Data Sheet

·Manufacturer/Supplier:

ROCKSOLID FLOORS

2271 2nd St. N

North St. Paul, MN 55109

Phone: 866-765-4310

Fax: 763-780-4896

-1. 4 Emergency telephone number:

**CHEMTREC** 

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

#### 2 Hazards identification

·2.1 Classification of the substance or mixture

·Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

#### health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

·Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/38: Irritating to eyes and skin.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

(Contd. on page 2)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 1)



N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).







GHS07 GHS08 GHS09

#### · Signal word Danger

#### · Hazard-determining components of labelling:

Reaction products of Epichlorohydrin and Bisphenol A

Stoddard solvent

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

4-chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene

#### · Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P281 Use personal protective equipment as required.

P261 Avoid breathing mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 3)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 2)

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Additional information:

Restricted to professional users.

- · Hazard description:
- · WHMIS-symbols:

D2A - Very toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



\*1 Health = \*1 1 Fire = 1

\* - Indicates a long term health hazard from repeated or prolonged exposures.

#### · HMIS Long Term Health Hazard Substances

25085-99-8 Reaction products of Epichlorohydrin and Bisphenol A

8052-41-3 Stoddard solvent

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

CAS: 25085-99-8 NLP: 500-033-5

Reaction products of Epichlorohydrin and Bisphenol A

Xi R36/38; Xi R43; N R51/53

Aguatic Chronic 2, H411

Kin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317

(Contd. on page 4)

> 70%

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

|                            | (1)                                                     | Contd. of page 3) |
|----------------------------|---------------------------------------------------------|-------------------|
| CAS: 17557-23-2            | 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane           | 10-20%            |
| EINECS: 241-536-7          | x Xi R38; x Xi R43                                      |                   |
| Index number: 603-094-00-7 | Skin Irrit. 2, H315; Skin Sens. 1, H317                 |                   |
| CAS: 98-56-6               | 4-chloro-α,α,α-trifluorotoluene                         | 5-10%             |
| EINECS: 202-681-1          | Xi R43; 👺 N R51/53                                      |                   |
|                            | R10                                                     |                   |
|                            | Flam. Liq. 3, H226                                      |                   |
|                            | Aquatic Chronic 2, H411                                 |                   |
|                            | Skin Sens. 1, H317                                      |                   |
| CAS: 8052-41-3             | Stoddard solvent                                        | 0,1-1,0%          |
| EINECS: 232-489-3          | <b>★</b> Xn R65                                         |                   |
| Index number: 649-345-00-4 | R10                                                     |                   |
|                            | Flam. Liq. 3, H226                                      |                   |
|                            | white Muta. 1B, H340; Carc. 1B, H350; Asp. Tox. 1, H304 |                   |

<sup>·</sup> **Additional information:** For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Do not pull solidified product off the skin.

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritant to skin and mucous membranes.

Irritant to eves.

Gastric or intestinal disorders.

Nausea

Breathing difficulty

Coughing

Dizziness

- · Hazards Carcinogenic.
- 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If necessary oxygen respiration treatment.

(Contd. on page 5)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

Medical supervision for at least 48 hours.

(Contd. of page 4)

#### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

#### 6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Pick up mechanically.

Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

(Contd. on page 6)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 5)

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

#### 8052-41-3 Stoddard solvent

PEL (USA) Long-term value: 2900 mg/m³, 500 ppm

REL (USA) Long-term value: 350 mg/m³

Ceiling limit: 1800\* mg/m³

\*15-min

TLV (USA) | Long-term value: 525 mg/m³, 100 ppm

EL (Canada) | Short-term value: 580 mg/m³

Long-term value: 290 mg/m³
EV (Canada) Long-term value: 525 mg/m³

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

Use suitable respiratory protective device when high concentrations are present.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 7)

Printing date 12.03.2014 Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part A

(Contd. of page 6)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

### 9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Colour:
Clear
Odour:
Odour threshold:

PH-value:

Liquid
Clear
Odourless
Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

Flash point:

Flammability (solid, gaseous):

Auto/Self-ignition temperature:

Not determined.

Not determined.

Not determined.

· **Self-igniting:** Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

**Lower:** Not determined.

(Contd. on page 8)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 7)

Upper: Not determined.

Vapour pressure: Not determined.

Density at 20 °C: 1,11 g/cm³
Relative density Not determined.

Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic at 25 °C:** 500 mPas **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

#### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

Reacts with alkali, amines and strong acids.

- **10.4 Conditions to avoid** Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrogen fluoride

#### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Danger through skin adsorption.

(Contd. on page 9)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 8)

Toxic and/or corrosive effects may be delayed up to 24 hours.

- · Sensitisation: Sensitization possible by skin contact.
- Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure. Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Muta. 1B, Carc. 1B

#### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Toxic for aquatic organisms

#### 98-56-6 4-chloro-α,α,α-trifluorotoluene

EC50 (dynamic) 3,0 mg/kg (zebra fish)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Toxic for fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 10)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 9)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

#### **14 Transport information**

· 14.1 UN-Number

· **DOT** Not Regulated · **ADR, IMDG, IATA** UN3082

· 14.2 UN proper shipping name

· **DOT** Not Regulated

· ADR 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro-α,α,α-

trifluorotoluene)

• IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro- $\alpha$ ,  $\alpha$ ,  $\alpha$ -trifluorotoluene),

MARINE POLLUTANT

· IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Reaction products of Epichlorohydrin

and Bisphenol A, 4-chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene)

· 14.3 Transport hazard class(es)

· DOT

· Class Not Regulated

· ADR



· Class 9 (M6) Miscellaneous dangerous substances and

articles.

· Label

· IMDG, IATA



· Class 9 Miscellaneous dangerous substances and articles.

· Label

· 14.4 Packing group

· DOT Not Regulated · ADR, IMDG, IATA

14.5 Environmental hazards:

· Marine pollutant: Yes

Symbol (fish and tree)

(Contd. on page 11)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 10)

Special marking (ADR):Special marking (IATA):Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and

articles.

Danger code (Kemler):EMS Number:90F-A,S-F

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

· UN "Model Regulation": UN3082, ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro- $\alpha$ ,  $\alpha$ ,  $\alpha$ -

trifluorotoluene), 9, III

#### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 12)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 11)

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H411 Toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R36/38 Irritating to eyes and skin.
- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 13)

Printing date 12.03.2014 Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 12)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 1B: Germ cell mutagenicity, Hazard Category 1B Carc. 1B: Carcinogenicity, Hazard Category 1B Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com