

LED Work Light

Fixture Whips

Temporary Lighting



2018

**Electrical Safety &
Cord Set Products**

Tube Guards

Lamp Holders

Cord Sets

LED "CORN COB" Work Light

Low, Medium & High Bay LED Work Light

Bergen's new LED work light offers high lumen, omni directional lamps perfect for industrial, commercial & residential job site applications. LED Corn Cob lamps are high lumen and energy efficient replacements for Metal Halide (MH) and High Pressure Sodium (HPS) lamps.

Overall Features

- Replaces HID, CFL, and Incandescent
- 6ft Power Cord, NEMA 5-15 120v
- 1ft. Daisy-Chain Option
- Locking Connector
- 60w or 100w
- 360° Illumination
- Fully Assembled
- Snap-Lock Hook & Wire Guard

Bergens NEW fixture design with female daisy-chain outlet comes assembled right out of the box. This new daisy-chain feature saves the electrician time and money when installing multiple fixtures. The function of the daisy-chain allows up to fourteen 100w units to be connected together on a single 15A circuit compared only three of the 400w Metal Halide units.

Fixture can be used with E39 CFL or LED



BLITE-100LED

New Higher Lumen Output LED Chips!

7,500 Lumens



Locking Connector

Now with daisy-chain outlet

13,000 Lumens



Full Color Packaging, Compact Design. Great For Counter Display Area!

Cat#	Description	Replaces	Watts	Base	Volts	CCT	Life/Hours
BLITE-60LED	LED Work Light, Hook / Lamp / Cord Plug & Cage Included	250w HID	60	Mogul	120-277	5000K	50,000
BLITE-100LED	LED Work Light, Hook / Lamp / Cord Plug & Cage Included	400w HID	100	Mogul	120-277	5000K	50,000



Bergen Industries, Inc. | P. 800.875.1846 | F. 800.875.9419 | www.bergeninc.com

LED TEMPORARY LUMINAIRE

Portable, Durable, Easy To Install, Lightweight Temporary Lighting

Bergen's "NEW" LED TEMP HIGH BAY FIXTURE is an energy savings, no assembly, impact resistant, long life solution to traditional HID & CFL Work Lights. Each fixture is **IP65** rated (similar brands are only IP64 rated), equipped with a 10ft power cord, 12KV surge protection, snap-lock hanging hook & stainless steel cage.

Cat No.
K5-100

Heavy Duty Snap-Lock Hook

Daisy Chain Feature

100% Aluminum Driver
Good Heat Dissipation

Corrosion Resistant
Stainless Steel Cage

10ft 18/3 SJTW Cord

Theft Resistant Self
Enclosed Lamp

13,000
LUMEN

100
WATT

130
LUMENS PER WATT

PERFECT FOR **CONSTRUCTION SITES**
OR ANY OTHER LOCATION REQUIRING A TEMPORARY WORK LIGHT



Bergen Industries, Inc. | P. 800.875.1846 | F. 800.875.9419 | www.bergeninc.com

LED TEMPORARY LUMINAIRE




BENEFITS


- Impact resistance
- Internal surge protection
- No filament or glass shell
- No lead
- No UV
- No radiation
- No flicker or glare

FEATURES

- 360 degree beam angle
- Samsung LED Chips
- Up to 85% energy savings
- DLC, RoHS Compliant, IP65
- Suitable for damp locations
- 120-277 VAC
- Corrosion Resistant Cage
- 10ft Power Cord



FIXTURE DIMENSION



K5-100 SPECIFICATIONS

WATT	100
LUMEN	13,000
CCT	5000-5500k
CRI	>80
POWER FACTOR	0.9
IP RATING	65
APPLICATION	Dry or Damp Locations
L70 LUMEN DEPRECIATION*	50,000hrs
EFFICACY**	120
OPERATING TEMPERATURE	-4F(-20C) to 113F(45C)
LAMP REPLACEMENT	NO
WARRANTY	50,000hrs / 5yrs
LIGHTING LOAD @ 120V/15A	10 Maximum

* L70 - usable light levels the point at which the LED luminaire has dimmed to 70% of its original output
 **Luminous efficacy is the ratio of luminous flux coming out (in lumens) to electricity going out (in watts)



Temp Light Fixtures



BLITE-105CFL



BLITE-400PS



BLITE-400PS-277



BLITE-105CFL

- Easy installation units comes fully assembled
- 105w CFL equal to 300w incandescent lamp
- 1ft Daisy Chain or Power Tool Option
- Low to medium bay lighting applications
- Bright Temp Lighting at a Low Cost!



BLITE-400PS

- Labor saving units comes fully assembled
- Multi-Tap ballast: 120v, 208v, 240v, 277v (factory wired 120v)
- 400w, clear MH Pulse Start lamp (included) meets OSHA1926.56 for minimum illumination of work areas (minimum of 5 foot-candles for general construction area lighting)



BLITE-400PS-277

- Labor saving units comes fully assembled
- Multi-Tap ballast: 120v, 208v, 240v, 277v (factory wired 277v)
- 400w, clear MH Pulse Start lamp (included) meets OSHA1926.56 for minimum illumination of work areas (minimum of 5 foot-candles for general construction area lighting)



Overall Features

- Snap-Lock Hook
- Open-Close Cage
- Lamp Included
- Power supply cord



Packaging Great For Counter Area Displays



Replacement Lamps



Industrial / Commercial LED "Corn" Lamps

- High Lumen Omni-Directional 10w to 150w LED
- UL Listed, IP64 Rated / Damp Location
- Replaces HID, CFL and Incandescent
- Direct wire range voltage 100-277v
- Approved for totally enclosed fixtures (10w-60w)
- Base up, base down or horizontal operation
- 75% less energy consumption




See Bergen's full LED Catalog for more Corn Lamp Options



Industrial / Commercial HID

- UL Listed
- 400w Pulse Start Open-Rated
- EX39 Base "Mogul Extended"
- High Efficiency, High Lumen
- Uniform Light Distribution

* ONLY EX39 BASE CAN BE USED WITH BERGEN'S BLITE-400PS



The EX39 base has an extended center terminal that can reach the center contact of an EX39 socket



Residential / Commercial High Wattage Spiral

- UL Listed
- E39 Base
- 120v, 277v available in 105w
- 10,000 hour average rated life
- Instant on and self-ballasted

Applications

- Warehouses
- Gymnasiums
- High Bay
- Low Bay

Cat#	Lamp Description	Watts	Volts	Color Temp	Lumens	Life/Hours	MOL (inches)	Standard Carton Qty.
LED60-5039	60w LED Corn Light / E39	60	100-277	5000K	6,600	40,000	12.5	8
LED100-5039	100w LED Corn Light / E39	100	100-277	5000K	11,000	40,000	12.1	8
MPS400L	400w Pulse Start HID / EX39	400	120-277	4000K	40,000	20,000	11.5	15
CFL105-120	105w CFL / E39	105	120	5000K	7,000	10,000	11.25	12
CFL105-277	105w 277v CFL / E39	105	277	5000K	7,000	10,000	11.25	6



Residential / Commercial LED Stick Light

- UL Listed
- E26 Base
- 120v Non-Dimmable
- 12,000 hour average rated life
- Instant on



Cat# 1250STK (Case Qty 50pc / Ten 5packs)

Cat#	Description	Case Wt	Case Dimension
1250STK	12w LED Stick Light / 5000k / 1100 lm / 120v / Non Dimmable / E26 / 12,000hr / MOL 5.35"	50pc 12lbs	21x10.5x6
850STK	8w LED Stick Light / 5000k / 800 lm / 120v / Non Dimmable / E26 / 12,000hr / MOL 4.25"	50pc 11lbs	20x10x6



Temp Lights / Contractor Series



Recognized under the UL 8750 safety standard for LED lighting

GL100-142STK is Bergen's NEW LED Stringer. Each unit is constructed of 14/2 SJTW cord. Listed for hard usage / outdoor usage. 100ft standard includes 10 (12w) LED Stick Lights, cages & molded 15A straight blade plug & connector. Each 12w Stick Light is 5000k / 1,100lm. Compact design packaging for less warehouse space & easy job site clean up.

10 Led Stick Lights Packaged with Stringer




LED Stick Light also sold separately



Cat# 1250STK (Case Qty 50pc / Ten 5packs)



Cat#	Description	Case Wt	Case Dimension
GL100-142STK	14/2 SJTW, 100' w/ 15A male & female, Plastic Cages, 10pc 12w LED Stick Light Included	1pc 14lbs	10x14x14
1250STK	12w LED Stick Light / 5000k / 1100 lm / 120v / Non Dimmable / E26 / 12,000hr / MOL 5.35"	50pc 12lbs	21x10.5x6
850STK	8w LED Stick Light / 5000k / 800 lm / 120v / Non Dimmable / E26 / 12,000hr / MOL 4.25"	50pc 11lbs	20x10x6



Low Profile Molding Design

Unlike competitors, Bergen's mold design allows all units to be compatible with CFL or LED medium base lamps.

Snap Lock Cage



15A Male & Female Ends



Full Color Packaging



Bergen's Heavy Duty 12awg 3wire temp light stringer is factory packaged with 10 Yellow Metal Lamp Guards (MC-200Y). Full Color packaging for display! Also available in 50ft (GL50MC-123MPC).

ORDERING INFORMATION

Cat#	Description	Lamp Style	Case Wt	Case Dimension
GL50-142MPC	14/2 SJTW, 50' w/ 15A male & female, Plastic Cages	150w max Type A	1pc 7lbs	9x11x13
GL100-142MPC	14/2 SJTW, 100' w/ 15A male & female, Plastic Cages	150w max Type A	1pc 13lbs	10x13x14
GL50-123MPC	12/3 SJTW, 50' w/ 15A male & female, Plastic Cages	150w max Type A	1pc 10lbs	10x11x13
GL100-123MPC	12/3 SJTW, 100' w/ 15A male & female, Plastic Cages	150w max Type A	1pc 19lbs	11x14x15
GL100-143MPC	14/3 SJTW, 100' w/ 15A male & female, Plastic Cages	150w max Type A	1pc 15lbs	11x13x15
GL50MC-123MPC	12/3 SJTW, 50' w/ 15A male & female, Metal Guards	150w max Type A	1pc 11lbs	7x11x15
GL100MC-123MPC	12/3 SJTW, 100' w/ 15A male & female, Metal Guards	150w max Type A	1pc 22lbs	11x11x16



Bergen Industries, Inc. | P. 800.875.1846 | F. 800.875.9419 | www.bergeninc.com

Temp Lights / U.S. Made



Economy Temporary Lighting Unit

Bergen's YFW-100 is a basic "Flat" wire unit, manufactured with 14AWG stranded "AWM" flat cord style wire and a pin type lamp-holder every 10ft on center. O.S.H.A. and N.E.C. compliant, each unit is rated for damp locations & contains 10 "Heavy Duty" heat resistant yellow lamp guards which are uniquely designed for superior performance and extended life. Available in 14/2 construction, 50'-200'.



ORDERING INFORMATION

Cat#	Description	Lamp Style	Case Wt	Case Dimension
YFW-100	14/2 Flat Wire / 100ft / 10 Lamp Holders 10ft center's	150w max Type A	1pc 9lbs	18x18x6
YFW-100-20	14/2 Flat Wire / 100ft / 5 Lamp Holders 20ft center's	150w max Type A	1pc 9lbs	18x18x6
YFW-200-20	14/2 Flat Wire / 200ft / 10 Lamp Holders 20ft center's	150w max Type A	1pc 15lbs	18x18x6


Custom Lengths Available

Bergen's Deluxe Series is an indoor / outdoor Hard Usage, temp light system. Available in 14/2 (black), & 12/2 (yellow) construction each unit is constructed of heavy duty SJTW round cord. The GL series is OSHA & NEC compliant. Lampholders are spaced on 10ft centers & rated for 150 watts. Each unit is supplied with yellow plastic bulb protectors.

Because we still manufacture in the U.S., Bergen is capable of making custom lengths & spacing for unique stringer applications. All Black 14/2 SJTW or Yellow 12/2 SJTW units available with minimum of 12" spacing between sockets. Commonly used for restaurant patios, tents, outdoor festivals to small work areas, think of Bergen for all your custom stringer needs.

Commonly Used For:

Restaurants, patios, tents, chicken coops, town squares, outdoor festivals & small work areas



Available with Metal Guards
 Cat# MC-200B 50/carton
 Cat# MC-200Y 50/carton
 Cat# MC-200 50/carton
 Cat# SG-200 50/carton



Bergen Industries, Inc. | P. 800.875.1846 | F. 800.875.9419 | www.bergeninc.com

Safety Cages & Lamp Sockets



Cat# **BC-200**

"Standard Cage"
High strength, impact-resistant thermoplastic. Fits most Temporary Lighting & lampholders. "Snap-Locking" collar 150 watt max type "A" bulb.

Packaged 100 per carton

OSHA
Acceptable



Cat# **MC-200**

"Metal Cage"
Heavy duty 10-gauge Electro Galvanizing rust resistant coating. 1-1/2" universal adjustable collar fits most temp light and keyless sockets. (screws included)
Open bottom for easy re-lamping
200 watt max type "A" bulb

Packaged 50 per carton


OSHA
Acceptable



Cat# **SG-200**

"Small Wire Guard"
Keyless lamp guard easy "open-close" bottom for re-lamping. Fits most temp light and keyless sockets. Rust resistant zinc plating. Screws and nuts included. 200 watt max type "A" bulb

Packaged 50 per carton



Cat# **IC-200**

"Import Cage"
High strength, impact-resistant thermoplastic. Fits model MPC Series temp light stringers. Zip Tie "Snap Locking" Collar wont fall off the socket!
150 watt max type "A" bulb

Packaged 50 per carton

OSHA
Acceptable



Cat# **MC-200B**

"Metal Cage"
Heavy duty 10-gauge Black Vinyl coated Bronze plated 1 1/2" universal collar fits most temp light and keyless sockets. Rust resistant zinc plating (screws included)
Open bottom for easy re-lamping
200 watt max type "A" bulb

Packaged 50 per carton



Cat# **MC-200Y**

"Metal Cage"
Heavy duty 10-gauge Yellow Vinyl coated Bronze plated 1-1/2" universal collar fits most temp light and keyless sockets. Rust resistant zinc plating (screws included) Open bottom for easy re-lamping. 200 watt max type "A" bulb

Packaged 50 per carton



Pin-Type & Pigtail Lamp Holder

Ordering Information

Cat#	Description	Base	Max Wattage	Ship Case	WT / Case
LH-22WP	US Made Pigtail Lampholder With Hook	Medium	200	100	11
LH-145WP	Pigtail Lampholder No Hook	Medium	200	100	11
521-WP	Pin-Type Socket Meets U.L. 496 Requirements	Medium	200	100	11



Utility Lighting

Keyless & Pull Chain Lamp Holders for Commercial and Residential Applications.
Use in closets, garages, basements & utility rooms.



BK1



BK5



BK2



BK3



BK4



BK6



BK7

Porcelain Keyless Lampholder

- UL E26 Porcelain Lampholder
- 4-Terminal
- Medium Base fits 3.25" or 4" Outlet Box
- Residential, Commercial & Industrial Use
- Nickel Plated Brass Screwshell
- Stainless Steel Mounting Screws Included

Plastic Keyless Lampholder

- UL E309529
- 4-Terminal
- Medium Base fits 3.25" or 4" Outlet Box
- Residential, Commercial & Industrial Use
- Aluminum Screwshell
- Stainless Steel Mounting Screws Included UV Resistant will not fade or discolor BK2, BK4, & BK6 have guard neck for use with lamp guard's: (BC-200, MC200, SG200, EC200)

Attic & Closet Light



Ordering Information

Cat#	Description	Lamp	Ship Case	WT / Case
BK1	Keyless Porcelain Lamp Holder	Medium Base	50	32
BK2	Keyless Plastic Lamp Holder (With Lip)	Medium Base	108	24
BK3	Keyless Plastic Lamp Holder	Medium Base	108	24
BK4	Keyless Plastic Lamp Holder with 6" Conductors	Medium Base	108	24
BK5	Porcelain Pull Chain Lamp Holder	Medium Base	50	46
BK6	Plastic Pull Chain Lamp Holder	Medium Base	108	31
BK7	Keyless Porcelain Lamp Holder with 6" Conductors	Medium Base	50	33
BK10	Keyless Plastic Closet Light GU24 with 6" Conductors	GU24	24	13

GU24 Keyless Lamp Holder

- UL E309529
- Includes 13W GU24 Bi-Pin CFL
- 900 lumens / 2700K / 10,000hr
- Impact resistant construction
- 6" conductors
- For use with wall switch (indoor only)



Extension Cords

SJTW, 12AWG OUTDOOR SINGLE RECEPTACLE EXTENSION CORDS - 15A

Heavy duty super flexible & durable extension cord with indicator light. Molded, water resistant high visible yellow vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight.



Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
OC25123LT	12/3	25'	YELLOW	15A 125V	12 46
OC50123LT	12/3	50'	YELLOW	15A 125V	6 47
OC100123LT	12/3	100'	YELLOW	15A 125V	4 60



SJTW, 14AWG OUTDOOR SINGLE RECEPTACLE EXTENSION CORDS - 15A

Heavy duty super flexible & durable extension cord. Molded, water resistant high visible orange vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight.




Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
OC25163	16/3	25'	ORANGE	15A 125V	18 36
OC25143	14/3	25'	ORANGE	15A 125V	12 33
OC50143	14/3	50'	ORANGE	15A 125V	8 40
OC100143	14/3	100'	ORANGE	15A 125V	4 39



Extension Cords - Triple Tap


SJTW, 12AWG OUTDOOR TRIPLE TAP EXTENSION CORDS - 15A

Heavy duty super flexible & durable multi-outlet outdoor extension cord with indicator light. Molded, water resistant high visible yellow vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight. 

Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
OC25123-3T	12/3	25'	YELLOW	15A 125V	12 46
OC50123-3T	12/3	50'	YELLOW	15A 125V	4 32
OC100123-3T	12/3	100'	YELLOW	15A 125V	2 29



SJTW, 14AWG OUTDOOR TRIPLE TAP EXTENSION CORDS - 15A

Heavy duty super flexible & durable multi-outlet outdoor extension cord. Molded, water resistant high visible orange vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight. 

Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
OC25143-3T	14/3	25'	ORANGE	15A 125V	12 36
OC50143-3T	14/3	50'	ORANGE	15A 125V	8 44



Power Supply & Appliance Cords

SJTW, 3-WIRE APPLIANCE & POWER TOOL CORDS - 13A

For use with major appliances, motors and power tools, U-Ground NEMA 5-15.



Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
PS313163	16/3	3'	BLACK	13A 125V 1625W	25 9
PS613163	16/3	6'	BLACK	13A 125V 1625W	25 13
PS 913163	16/3	9'	BLACK	13A 125V 1625W	25 17



SJTW, 3-WIRE APPLIANCE & POWER TOOL CORDS - 15A

For use with major appliances, motors and power tools, U-Ground NEMA 5-15.



Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
PS615143	14/3	6'	BLACK	15A 125V 1875W	25 15
PS915143	14/3	9'	BLACK	15A 125V 1875W	25 19



SPT-3, GARBAGE DISPOSAL / GENERAL PURPOSE - 13A

Straight Plug, other end split & stripped and tin dipped, NEMA 5-15P.



Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
PS16303	16/3	3'	GRAY	13A 125V 1625W	60 16
PS16306	16/3	6'	GRAY	13A 125V 1625W	40 19



SPT-3, GARBAGE DISPOSAL / GENERAL PURPOSE - 13A

Right Angle Plug, other end split, stripped and tin dipped, NEMA 5-15P.



Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
PS16303R	16/3	3'	GRAY	13A 125V 1625W	60 16
PS16306R	16/3	6'	GRAY	13A 125V 1625W	40 19



Dryer & Range Cords

SRDT, 3-WIRE DRYER CORD SETS - 30A

Right angle plug, ring terminals, strain-relief kit, sleeve packaging, NEMA 10-30P.

Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
D100304	10/3	4'	GRAY	30A 125/250V	10 12
D100306	10/3	6'	GRAY	30A 125/250V	10 16



SRDT, 3-WIRE RANGE CORD SETS - 50A

Right angle plug, ring terminals, strain-relief kit, sleeve packaging, NEMA 10-30P.

Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
R628104	6/2, 8/1	4'	GRAY	50A 125/250V	10 20
R628106	6/2, 8/1	6'	GRAY	50A 125/250V	8 22



SRDT, 4-WIRE DRYER CORD SETS - 30A

Right angle plug, ring terminals, strain-relief kit, sleeve packaging, NEMA 10-30P.

Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
D100404	10/4	4'	BLACK	30A 125/250V	10 18
D100405	10/4	5'	BLACK	30A 125/250V	8 16
D100406	10/4	6'	BLACK	30A 125/250V	6 15



SRDT, 4-WIRE RANGE CORD SETS - 50A

Right angle plug, ring terminals, strain-relief kit, sleeve packaging, NEMA 10-30P.

Cat#	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
R628204	6/2, 8/2	4'	BLACK	50A 125/250V	8 20
R628206	6/2, 8/2	6'	BLACK	50A 125/250V	6 22



Fixture Whips

Flexible Steel Pre-Assembled Whips

Fixture Whips - Complete assembly ready to install. Includes 6" wire leads each end and Die Cast Screw In Connectors or Snap-in Fittings for easy and hassle-free hook-ups

- U.L. File Number: E361306 , E361307
- Stranded or Solid Conductors
- Meets Requirements of 2011 NEC
- 25pc Bundle or 200pc Barrel




Connector, Squeeze, Zinc Die Cast, Insulated Throat, Trade Size 1/2 Inch

Cat#	Type	Description	Bundle Barrel
BFW-1836S	Fixture Whip	6ft 18/3 Solid, Steel, Snap-In Connectors	25 200
BFW-1846S	Fixture Whip	6ft 18/4 Solid, Steel, Snap-In Connectors	25 200
BFW-1836S-01	Fixture Whip	6ft 18/3 Solid, Steel, Die Cast Screw-In Connectors	25 200
BFW-1846S-01	Fixture Whip	6ft 18/4 Solid, Steel, Die Cast Screw-In Connectors	25 200
BFW-1436S	Fixture Whip	6ft 14/3 Solid, Steel, Snap-In Connectors	25 200
BFW-1446S	Fixture Whip	6ft 14/3 Solid, Steel, Snap-In Connectors	25 200
BFW-1236S	Fixture Whip	6ft 12/3 Solid, Steel, Snap-In Connectors	25 200
BFW-1246S	Fixture Whip	6ft 12/3 Solid, Steel, Snap-In Connectors	25 200

Steel or Aluminum, Custom lengths, Connectors & Wire Colors. Call Bergen for a complete list.

BFW-1236S-01



Tube Guards

Bergen has an extensive line of Tube Guards including standard tubes for everyday use to special UV filtering, Matrix, T5 & light changing color tubes. Made in the USA since 1973, Bergen is your one stop shop for all Tube Guards & accessories.

FG SERIES

FOR ALL YOUR TUBE GUARD NEEDS



Standard Clear Tubes

- T5, T6, T8 & T12
- Food Prep & Public Use Areas
- Commercial Kitchens & Factories

MATRIX

Glare Reducer

- Dims lamp output
- Creates a smoother, softer light
- Eliminates hot spots in fixture



Standard Color Tubes

4ft Length Only



ACCESSORIES

Lamp Lock

End Caps



UV Filtering

UV filtering tubes eliminate virtually all UV radiation (over 99%) and thereby retard photochemical degradation in textiles, water colors, historical documents, works of art & other sensitive display items. These UV Tube Guards are used in museums, art galleries, libraries, classrooms & other areas where the prevention of UV degradation is critical.

CLEAR - 390nm



AMBER - 540nm



RED - 600nm



Bergen Industries, Inc. | P. 800.875.1846 | F. 800.875.9419 | www.bergeninc.com

Bergen Sales Representatives

Alabama

Bishop & Brogdon
790 Great Southern Pkwy SW
Atlanta, GA 30336
P 404.494.4333
www.bishop-brogdon.com

Alaska

Cascade Western Reps
2729 SE 6th Ave.
Portland, OR 97202
P 503.238.8800 F 503.238.0569
www.cascadewestern.com

Arizona

Allied Group Sales
201 S. 28th Street
Phoenix, AZ 85034
P 602.244.8500 F 602.244.0020
www.alliedgroupsales.com

Arkansas

Porter Sales
6001 Murray Street
Little Rock, AR 72209
P 501.570.8100 F 501.570.8190
www.porter-sales.com

California *Southern*

Blanchard Associates
2591 Lindsay Privado Drive
Ontario, CA 91761
P 909.974.0111 F 909.974.0117
www.blanchardassociates.com

Colorado

ASA Electrical Solutions
523 Park Point Dr. Suite 230
Golden, CO 80401
P 303.674.8387 F 303.679.1315
www.asaelectrical.com

Connecticut

Gallagher Sales Assoc.
2 Shaker Rd. Suite D213
Shirley, MA 01464
P 978.772.6506 F 978.772.6509
www.gallaghersales.net

Delaware

Biben Marketing Group
2201 Washington Ave.
Philadelphia, PA 19146
P 215.985.9400 F 215.545.0990
www.bibensales.com

Florida

Marvin Bochner, Inc.
3145 NW 38th Street
Miami, FL 33142
P 305.633.0678 F 305.633.2706
www.mbiol1.wix.com

Bishop & Brogdon

(Florida Panhandle Only)
790 Great Southern Pkwy SW
Atlanta, GA 30336
P 404.494.4333
www.bishop-brogdon.com

Georgia

Bishop & Brogdon
790 Great Southern Pkwy SW
Atlanta, GA 30336
P 404.494.4333
www.bishop-brogdon.com

Hawaii

Pacific Rim Connections, Inc
2026 Stanley St., Unit #1
Honolulu, HI 96819
P 808.847.0007 F 808.842.7400
sterling@pacrim50.com

Idaho

BDY
2550 Decker Lake Blvd Suite 12
Salt Lake City, UT 84119
P 801.972.0070 F 801.973.0526
www.bdyrep.com

Illinois

Callas / Kingsley Electrical Sales
845 Lively Blvd
Wood Dale, IL 60191
P 630.595.7887 F 630.595.6992
www.ckelectricalsales.com

Indiana

Lester Sales Co, Inc.
4312 W Minnesota St.
Indianapolis, IN 46241
P 317.244.7811 F 317.248.2369
www.lestersalesco.com

Iowa

Bixler Marketing Group, Inc.
1306 35th Avenue
Council Bluffs, IA 51501
P 712.328.1841 F 712.328.7449
E jeff@bixlermarketing.com

Kansas

Meglio ESI Group
9917 Pflumm Road
Lenexa, KS 66215
P 913.397.6000 F 913.397.7003
www.meglio-esi.com

Kentucky

Lester Sales Co, Inc.
4312 W Minnesota St.
Indianapolis, IN 46241
P 317.244.7811 F 317.248.2369
www.lestersalesco.com

Louisiana

Bell & McCoy
6251 Equity Drive
Baton Rouge, LA 70809
P 225.753.1400 F 225.753.4605
www.bellandmccoy.com

Maine

Gallagher Sales Assoc.
2 Shaker Rd. Suite D213
Shirley, MA 01464
P 978.772.6506 F 978.772.6509
www.gallaghersales.net

Maryland

Biben Marketing Group
2201 Washington Ave.
Philadelphia, PA 19146
P 215.985.9400 F 215.545.0990
www.bibensales.com

Massachusetts

Gallagher Sales Assoc.
2 Shaker Rd. Suite D213
Shirley, MA 01464
P 978.772.6506 F 978.772.6509
www.gallaghersales.net

Michigan

Electrical Materials Inc.
44262 Phoenix Drive
Sterling Heights, MI 48314
P 586.254.770 F 586.254.4790
www.electricalmaterialsinc.com

Callas / Kingsley Electrical Sales
(Michigan Upper Peninsula Only)
845 Lively Blvd
Wood Dale, IL 60191
P 630.595.7887 F 630.595.6922
www.ckelectricalsales.com

Minnesota

AJB Sales
2520 Broadway Street, NE
Minneapolis, MN 55413
P 612.378.1468 F 612.378.1478
www.aibsales.com

Mississippi

Porter Sales
(North Mississippi)
6001 Murray Street
Little Rock, AR 72209
P 501.570.8100 F 501.570.8190
www.porter-sales.com

Bell & McCoy Lighting & Controls

(South Mississippi)
7601 North Loop East
Houston, TX 77028
P 713.223.4146 F 713.222.8946
www.bellandmccoy.com

Missouri

Meglio ESI Group
(Western Part)
9917 Pflumm Road
Lenexa, KS 66215
P 913.397.6000 F 913.397.7003
www.meglio-esi.com

Meglio & Associates

14220 Ladue Rd.
Chesterfield, MO 63017
P 314.524.4424 F 314.524.6447
www.meglio.com

Montana

AJB Sales
2520 Broadway Street, NE
Minneapolis, MN 55413
P 612.378.1468 F 612.378.1478
www.aibsales.com

Nebraska

Midwest Equipment Co.
1924 Saint Andrews Court NE
Cedar Rapids, IA 52402
P 319.892.3406
www.midwestequipmentco.com

Nevada

Allied Group Sales
201 S. 28th Street
Phoenix, AZ 85034
P 702.423.9430 F 602.244.0020
www.alliedgroupsales.com

New Hampshire

Gallagher Sales Assoc.
2 Shaker Rd. Suite D213
Shirley, MA 01464
P 978.772.6506 F 978.772.6509
www.gallaghersales.net

New Jersey

Thea & Schoen
380 Allwood Road
Clifton, NJ 07012
P 973.472.4720
www.theaschoeninc.com

Biben Marketing Group

(Southern New Jersey)
2277 Washington Ave.
Philadelphia, PA 19146
P 215.985.9400 F 215.545.0990
www.bibensales.com

New Mexico

ASA Electrical Solutions
523 Park Point Dr. Suite 230
Golden, CO 80401
P 303.674.8387 F 303.679.1315
www.asaelectrical.com

New York

Thea & Schoen
380 Allwood Road
Clifton, NJ 07012
P 973.472.4720
www.theaschoeninc.com

Mills Talbot Company

(Upstate New York)
100 Thompson Street
Fayetteville, NY 13066
P 315.637.0511 F 315.637.0512
www.millstalbot.com

North Carolina

KMS Sales
355 Park Avenue
Youngsville, NC 27596
P 919.554.9100 F 919.554.9191
www.kmssales.com

North Dakota

AJB Sales
2520 Broadway Street, NE
Minneapolis, MN 55413
P 612.378.1468 F 612.378.1478
www.aibsales.com

Ohio

Riffle & Associates, Inc.
2671 Crescentville Rd.
Cincinnati, OH 45241
P 513.771.0002 F 513.771.0011
www.riffleassoc.com

Oklahoma

Bell & McCoy Lighting & Controls
4630 Nall Road
Farmers Branch, TX 75244
P 972.406.8700 F 972.406.8706
www.bellandmccoy.com

Oregon

Cascade Western Reps
2729 SE 6th Ave.
Portland, OR 97202
P 503.238.8800 F 503.238.0569
www.cascadewestern.com

Pennsylvania

Burns
(Western Pennsylvania)
100 Oak Street
Irwin, PA 15642
P 724.864.9282 F 724.864.8799
E burnsec15642@yahoo.com

Josheph E. Biben Sales

(Eastern Pennsylvania)
2277 Washington Ave.
Philadelphia, PA 19146
P 215.985.9400 F 215.545.0990
www.bibensales.com

Rhode Island

Gallagher Sales Assoc.
2 Shaker Rd. Suite D213
Shirley, MA 01464
P 978.772.6506 F 978.772.6509
www.gallaghersales.net

South Carolina

KMS Sales
355 Park Avenue
Youngsville, NC 27596
P 919.554.9100 F 919.554.9191
www.kmssales.com

South Dakota

AJB Sales
2520 Broadway Street, NE
Minneapolis, MN 55413
P 612.378.1468 F 612.378.1478
www.aibsales.com

Tennessee

Porter Sales
(Western Tennessee)
6001 Murray Street
Little Rock, AR 72209
P 501.570.8100 F 501.570.8190
www.porter-sales.com

Davenport & Associates

(Eastern Tennessee)
823 Cowan Street
Nashville, TN 37207
P 615.256.5757 F 615.726.1860
E nathan@davenportassoc.com

Texas

Bell & McCoy Lighting & Controls
(North Texas)
4630 Nall Road
Farmers Branch, TX 75244
P 972.406.8700 F 972.406.8706
www.bellandmccoy.com

Bell & McCoy Lighting & Controls

(South Texas)
7601 North Loop East
Houston, TX 77028
P 713.223.4146 F 713.222.8946
www.bellandmccoy.com

Utah

BDY
2550 Decker Lake Blvd Suite 12
Salt Lake City, UT 84119
P 801.972.0070 F 801.973.0526
www.bdyrep.com

Vermont

Gallagher Sales Assoc.
2 Shaker Rd. Suite D213
Shirley, MA 01464
P 978.772.6506 F 978.772.6509
www.gallaghersales.net

Virginia

Invictus Sales & Marketing LLC
9060 Salient Lane
Mechanicsville, VA 23116
P 844.377.5952
www.mvinvictussales.com

Washington

Cascade Western Reps
2729 SE 6th Ave.
Portland, OR 97202
P 503.238.8800 F 503.238.0569
www.cascadewestern.com

West Virginia

Burns
100 Oak Street
Irwin, PA 15642
P 724.864.9282 F 724.864.8799
E burnsec15642@yahoo.com

Wisconsin *(Western)*

AJB Sales
2520 Broadway Street, NE
Minneapolis, MN 55413
P 612.378.1468 F 612.378.1478
www.aibsales.com

Wyoming

ASA Electrical Solutions
523 Park Point Dr. Suite 230
Golden, CO 80401
P 303.674.8387 F 303.679.1315
www.asaelectrical.com