SAFETY DATA SHEET

Issuing Date 08-Oct-2019

Revision Date 08-Oct-2019

Revision Number 0

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier	
Product Name	fluid film aerosol
Other means of identification	
Product Code(s)	1124127
Recommended use of the chemical	and restrictions on use
Recommended Use	Corrosion inhibitor
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
Supplier Identification	Eureka Chemical Company
Address	234 Lawrence Ave South San Franciso CA 94080 US
Telephone	Phone:650-761-3536 Fax:650-589-1943
E-mail	jwilson@fluid-film.com
Emergency telephone number	
Company Emergency Phone Number	650-761-3536

2. HAZARDS IDENTIFICATION

Classification

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Flammable aerosols	Category 1
Gases under pressure	Liquefied Gas

Appearance Amber

Physical state Aerosol

Odor Aromatic

GHS Label elements, including precautionary statements

Danger

Hazard statements

May cause genetic defects May cause cancer Extremely flammable aerosol Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life with long lasting effects.

Unknown acute toxicity

95.8 % of the mixture consists of ingredient(s) of unknown toxicity

32.46 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

32.46 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

95.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

95.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

95.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.



<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Supplier Trade Secret	-	60 - 70%	-	-
Supplier Trade Secret	-	20 - 30%	-	-
Supplier Trade Secret	-	0 - 10%	-	-

4. FIRST AID MEASURES	
First aid measures	
General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8).
Most important symptoms and eff	ects, both acute and delayed
Symptoms	No information available.
Indication of any immediate medio	cal attention and special treatment needed
Note to physicians	Treat symptomatically.
5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray.

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.
Hazardous Combustion Products	Carbon oxides.
Explosion Data	

Sensitivity to Mechanical Impact	Yes.
Sensitivity to Static Discharge	Yes.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.
Other Information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.
Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric
motors and static electricity). Keep in properly labeled containers. Do not store near
combustible materials. Keep in an area equipped with sprinklers. Store in accordance with
the particular national regulations. Store in accordance with local regulations. Store locked
up.

.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 5 mg/m ³ , as oil mist,	TWA: 5 mg/m ³ , as oil mist,	
	mineral	mineral	
	STEL: TWA: 10 mg/m ³ , as oil		
	mist, mineral		
Other Exposure Guidelines		the Court of Appeals decision in a ion 15 for national exposure cont	AFL-CIO v. OSHA, 965 F.2d 962 rol parameters.
Appropriate engineering control	ols		
Engineering controls	Showers Eyewash stations Ventilation systems.		
Individual protection measures	s, such as personal protective	equipment	
Eye/face protection	Tight sealing safety goggle	9S.	
Hand protection	Impervious gloves. Wear s	uitable gloves.	
Skin and body protection	Wear suitable protective c Antistatic boots.	othing. Long sleeved clothing. Cl	nemical resistant apron.
Respiratory protection		needed under normal use condi perienced, ventilation and evacua	
General hygiene consideration	smoke when using this pro the workplace. Regular cle	good industrial hygiene and safe oduct. Contaminated work clothin eaning of equipment, work area a s and immediately after handling	g should not be allowed out of nd clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties		
Physical state	Aerosol	
Appearance	Amber	
Odor	Aromatic	
Color	No information available	
Odor Threshold	No data available	
Property_	Values_	Remarks Method
pH	7.8	
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known

Vapor density Relative density	No data available .88	None known
Water Solubility	Very low solubility	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/wat	er0	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other Information Explosive properties Oxidizing properties Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution	No information available No information available	

10. STABILITY AND REACTIVITY

No information available.
Stable under normal conditions.
None under normal processing.
Hazardous polymerization does not occur.
Heat, flames and sparks. Excessive heat.
None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Information on toxicological effects	<u>.</u>

Symptoms

No information available.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity

95.8 % of the mixture consists of ingredient(s) of unknown toxicity

32.46 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

32.46 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

95.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 95.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

95.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name Oral LD50		Dermal LD50	Inhalation LC50
Supplier Trade Secret	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Supplier Trade Secret	> 20 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present			
Reproductive toxicity	No information available.		
STOT - single exposure	No information available.		

STOT - repeated exposure No information available.

No information available. Aspiration hazard

12. ECOLOGICAL INFORMATION

Ecoto	xicity

Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
-	·		·	



			Microorganisms	Flea)
Supplier Trade Secret	-	96h LC50: > 5000 mg/L	-	48h EC50: > 1000 mg/L
		(Oncorhynchus mykiss)		
Supplier Trade Secret	-	96h LC50: 1.0 - 10.0	-	48h EC50: 6.2 - 12 mg/L
		mg/L (Pimephales		
		promelas) 96h LC50: 5.7		
		- 9.7 mg/L (Pimephales		
		promelas)		

Persistence and Degradability No int

No information available.

Bioaccumulation

Component Information

Chemical name		Log Pow	
Supplier Trade Secret		2.8	
Mobility	No information available.		
Other adverse effects	No information available.		
	13. DISPOSAL CO	ONSIDERATIONS	
Waste treatment methods			
Waste from residues/unused products	m residues/unused Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do not reuse empty containers.		
US EPA Waste Number	ber D001		
California Waste Codes	331		
14. TRANSPORT INFORMATION			

DOT Proper Shipping Name Hazard Class Description Emergency Response Guide Number	CONSUMER COMMODITY ORM-D CONSUMER COMMODITY, ORM-D 126
TDG UN-No. Proper Shipping Name Hazard Class Description	UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1
<u>MEX</u> UN-No. Proper Shipping Name Hazard Class Description	UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1

ICAO UN-No. Proper Shipping Name Hazard Class Description	UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1
IATA UN-No. Proper Shipping Name Hazard Class ERG Code Description	UN1950 AEROSOLS, FLAMMABLE 2.1 10L UN1950, AEROSOLS, FLAMMABLE, 2.1
IMDG/IMO UN-No. Proper Shipping Name Hazard Class EmS-No. Description	UN1950 AEROSOLS 2.1 F-D, S-U UN1950, AEROSOLS, 2.1
RID UN-No. Proper Shipping Name Hazard Class Classification code Description ADR/RID-Labels	UN1950 AEROSOLS 2.1 5F UN1950, AEROSOLS, 2.1 2.1
ADR UN-No. Proper Shipping Name Hazard Class Classification code Tunnel restriction code Description	UN1950 AEROSOLS 2.1 5F (D) UN1950, AEROSOLS, 2.1, (D)
ADN UN-No. Proper Shipping Name Hazard Class Classification code Special Provisions Description Hazard Labels Limited Quantity Ventilation	UN1950 AEROSOLS 2.1 5F 190, 327, 344, 625 UN1950, AEROSOLS, 2.1 2.1 1 L VE01, VE04

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories



TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret					Х

16. OTHER INFORMATION



<u>NFPA</u>	Health hazards 1	Flammability 4	Instability 0	Physical and Chemical Properties -
HMIS Chronic Hazard Star Lege	Health hazards 1* and *= Chronic	Flammability 4 Health Hazard	Physical hazards 0	Personal Protection X
Prepared By	23 British / Latham, N	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501		
Issuing Date	08-Oct-20	19		
Revision Date	08-Oct-20	08-Oct-2019		
Revision Note	No informa	ation available		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet