

METER OFFERING QUICK CHART



MODEL	DM6200	DM6250	DM6400	DM6450
FUNCTIONS				
AC Voltage	500V	500V	750V	750V
DC Voltage	600V	600V	1000V	1000V
AC Current	-	-	10A	10A
DC Current	-	-	10A	10A
True RMS	-	-	-	-
Resistance	✓	✓	✓	✓
Diode Test	-	✓	✓	✓
Continuity (Audible)	-	✓	✓	✓
Temperature (Probe type)	-	✓	-	-
Battery Testing	✓	✓	✓	-
FEATURES				
Manual or Auto Ranging	Manual	Auto	Manual	Auto
Total Functions	4	7	8	9
Total Ranges	14	7	28	10
Display Count	1999	1999	1999	3999
Low Battery Indicator	✓	✓	✓	✓
Auto Off	✓	✓	-	✓
Rubber Boot or Molding	✓	✓	✓	✓
Backlit LCD	-	-	-	-
Agency Approval				
CAT Rating	III 600V	III 600V	III 600V, II 1000V	III 600V, II 1000V
Drop Rating				
Crush Rating				
Warranty				



MODEL	DM6650T	SDMM10000	DM2A	HSP5
FUNCTIONS				
AC Voltage	750V	600V	450V	300V
DC Voltage	750V	600V	450V	300V
AC Current	10A	-	-	-
DC Current	10A	-	-	250mA
True RMS	✓	-	-	-
Resistance	✓	✓	✓	✓
Diode Test	✓	✓	✓	-
Continuity (Audible)	✓	✓	✓	-
Non-Contact Voltage Detection	✓	-	-	-
Battery Testing	-	-	-	-
FEATURES				
Manual or Auto Ranging	Auto	Auto	Auto	Manual
Total Functions	10	5	4	5
Total Ranges	38	15	17	13
Display Count	5999	3999	3999	-
Low Battery Indicator	✓	✓	✓	-
Auto Off	✓	✓	✓	-
Rubber Boot or Molding	✓	-	-	-
Bluetooth	-	✓	-	-
Backlit LCD	✓	-	-	-
Agency Approval				
CAT Rating	IV 600V, III 1000V	II 600V	II 450V	II 300V
Drop Rating				
Crush Rating				
Warranty				

CLAMP METER OFFERING QUICK CHART



MODEL	DSA200AOC	DSA500A	DSA540A	DSA660
FUNCTIONS				
AC Voltage	600V	600V	600V	600V
DC Voltage	600V	600V	600V	600V
Non Contact AC Voltage	-	✓	✓	✓
AC Current	200A	400A	400A	600A
DC Current	-	-	400A	-
Resistance and Continuity	✓	✓	✓	✓
Capacitance	✓	-	✓	-
True RMS	-	-	-	-
Frequency	✓	-	✓	✓
Non-Contact Voltage Detection	-	✓	✓	✓
Temperature (Probe type)	-	-	-	-
FEATURES				
Manual or Auto Ranging	Auto	Auto	Auto	Auto
Total Functions	9	7	10	9
Total Ranges	27	17	26	18
Low Battery Indicator	✓	✓	✓	✓
Auto Off	✓	✓	✓	✓
Backlit LCD	✓	-	-	-
Data Hold	✓	✓	✓	✓
Carrying Case	✓	✓	✓	✓
Agency Approval				
CAT Rating	III 600V	III 300V II 600V	III 300V II 600V	IV 600V
Drop Rating				
Crush Rating				
Warranty				

MODEL	DSA600TRMS	DSA1020TRMS	DSA2009TRMS
FUNCTIONS			
AC Voltage	600V	600V	750V
DC Voltage	600V	600V	1000V
Non Contact AC Voltage	✓	✓	-
AC Current	600A	1000A	2000A
DC Current	-	1000A	2000A
Resistance and Continuity	✓	✓	✓
Capacitance	✓	✓	-
True RMS	✓	✓	✓
Frequency	✓	✓	✓
Non-Contact Voltage Detection	✓	✓	✓
Temperature (Probe type)	✓	✓	-
FEATURES			
Manual or Auto Ranging	Auto	Auto	Auto
Total Functions	12	12	13
Total Ranges	28	29	25
Low Battery Indicator	✓	✓	✓
Auto Off	✓	✓	✓
Backlit LCD	✓	✓	✓
Data Hold	✓	✓	✓
Carrying Case	✓	✓	Wrist Strap
Agency Approval			
CAT Rating	III 600V	IV 600V	IV 600V III 1000V
Drop Rating			
Crush Rating			
Warranty			

VOICE/DATA/VIDEO QUICK CHART



MODEL	TT64200	TT64202	GMC-3000
FUNCTIONS			
Test CAT 3, CAT 5 and CAT 6	✓	✓	✓
Test Coax	-	✓	✓
Test and Identify Opens, Miswires, Split Pairs, Shorts and Reversals	✓	-	✓
Test for Opens, Miswires and Split Pairs	-	✓	-
Cut, strip and Crimp RJ-45 and RJ-11	-	-	✓
FEATURES			
Visual	✓	✓	✓
Audible	-	-	-
Auto-Off	✓	-	✓
Tester and Remote Snap Together	✓	✓	-
Agency Approval	CE	CE	CE
Drop Rating	10ft DROP	10ft DROP	10ft DROP
Crush Rating	250lb CRUSH	250lb CRUSH	250lb CRUSH
Warranty	LIFETIME Warranty	LIFETIME Warranty	LIFETIME Warranty



MODEL	ET64220	TT6200L	ET65220
FUNCTIONS			
Line Tracing	✓	-	✓
Test Continuity	-	-	✓
3 tones for multiple wire traces	-	-	✓
Test Single/Dual Telephone Lines	-	✓	-
FEATURES			
Visual	✓	✓	✓
Audible	✓	-	✓
Auto-Off	45 Minutes	-	30 Minutes
Pocket Clip	✓	✓	-
Agency Approval	-	-	CE
Drop Rating	10ft DROP	10ft DROP	10ft DROP
Crush Rating	250lb CRUSH	250lb CRUSH	250lb CRUSH
Warranty	LIFETIME Warranty	LIFETIME Warranty	LIFETIME Warranty