

5 Year Limited Household Warranty

Range Kleen Mfg., Inc. warrants pot racks to be free from defects in workmanship and materials under normal household use to the original purchaser for 5 years from the date of original purchase. To maintain your pot rack, we recommend that you follow the Use and Care instructions carefully.

During this period, Range Kleen Mfg., Inc. will repair or replace, at its option, any defective item returned to Range Kleen with original purchase receipt. If the item is out of production, an item of similar value and function will be substituted. Commercial use of this product voids this warranty. Incidental or consequential damages are not covered by this warranty. This warranty is non-transferable.

This warranty will not cover damage caused by misuse of the product in direct opposition to the supplied Use and Care. All discoloration, scratches and stains, or other signs of misuse or abuse of the pot rack that do not affect the function of your pot rack are not covered under this warranty.

This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

Range Kleen Mfg., Inc. • P.O. Box 696 • Lima, OH 45802

©2007
Designed in USA/Made in China
Printed in China

F5.2



The Heart of Your Home.



Double Shelf Wall Pot Rack




Use and Care

Before using for the first time . . .

Remove all parts from packaging. Lay out all parts and compare to the picture below to ensure that you have all parts needed to install your Range Kleen Pot Rack. Should any part be missing, please contact Customer Service at 419.331.8000.(Hours: Monday through Friday, 8:00am-5:00pm EST)

Parts List: (See Photo 1 Below.)



NOTE: Parts may vary slightly from photo.

Warranty Service

Should you require warranty replacement, please follow these instructions:

1. Contact Customer Service at 419.331.8000, Fax 419.331.4538 or email us at info@rangekleen.com to ensure that your situation falls under our warranty guidelines.
2. Once warranty replacement has been requested, pack carefully only the defective piece in question for warranty inspection and ship to:
Range Kleen Cookware Warranty Service, 4240 East Road, Lima, Ohio 45807
3. Include with your shipment:
 - Original Purchase Receipt (Retain a copy of the receipt for your personal records.)
 - A brief note explaining the problem you are having and how it occurred.
 - Your name, address, daytime phone number and email address (if available) so that we may contact you upon receipt of your shipment.

We strongly recommend that you use a shipping service that provides you with tracking capabilities to enable you to follow up on the delivery of your shipment. Range Kleen is not responsible for lost or damaged goods shipped to us. Improperly packed goods that incur damage during shipment will also void your warranty.

Customer Service Contact Information

Should you have any questions or concerns, please contact Customer Service at 419.331.8000, Fax 419.331.4538 or email at info@rangekleen.com
Hours: Monday through Friday, 8:00am-5:00pm EST

Attaching Pot Rack to Wall (cont.)

5. Pre-drill the area with a drill bit that is smaller than the diameter of the screws provided. If you have hit wall studs, you will not need to use the wall anchors included. If you do not hit wall studs when drilling the holes, use a hammer to lightly tap the wall anchors into the wall and then proceed with step 6.
6. Have a partner hold the pot rack up to the wall, matching the screw holes to the drilled holes and carefully screw the pot rack to the wall. Be careful not to over-tighten and strip out the screws as the pot rack will not hold any weight if this is done.
7. Using the pot hooks enclosed, display your cookware on your new pot rack.

IMPORTANT:

WALL ANCHORS MUST BE USED IF YOU DO NOT HIT WALL STUDS. NOTE: MAXIMUM LOAD LEVEL IS 30 POUNDS. DO NOT PLACE MORE THAN 30 POUNDS ON POT RACK. OVERLOADING COULD RESULT IN PERSONAL INJURY AS WELL AS PROPERTY DAMAGE.

CONSULT A PROFESSIONAL FOR HELP IN INSTALLING YOUR POT RACK IF YOU ARE UNSURE OF PROPER INSTALLATION.

Assembling the Pot Rack

1. Place the small grid shelf inside the small semi circle shelf and the large grid shelf inside the large semi circle shelf by holding the grid shelves at an angle and sliding under the raised screw placement areas. Lower the front round side of the grid shelf into the semi circle shelf. You may need to pull forward on the semi circle shelf slightly to allow the grid shelf to lower below the raised screw placement areas.

NOTE: IF YOU ARE ASSEMBLING ON A DELICATE WORK SURFACE, PROTECT AREA WHILE ASSEMBLING TO PREVENT DAMAGE TO YOUR WORK TOP OR YOUR POT RACK.

2. Attach each of the three posts to the bottom shelf using the decorative ball screws. Posts attach to the outside of the semi circle shelf. See photo 2. Do not tighten decorative ball screws until you complete step 3.



Photo 2

3. Holding the small semi circle shelf at the correct level, start each decorative ball screw until it holds the small shelf in place. Once you have all the decorative ball screws in place, go back and tighten each decorative ball screw. Straighten and align the shelves as you are tightening.

Tools Needed For Pot Rack Installation

- Tape Measure
- Hammer
- Pencil
- Stud Finder
- Screwdriver
- Drill
- Level

What You Should Do Prior To Hanging Your Pot Rack

1. Measure the workable area in your kitchen that you would like to hang your pot rack to ensure you have enough room to easily access items you place on the pot rack.
2. Assemble pot rack and have a partner hold it in position to determine how high you should hang the pot rack. Measure the distance using the largest pan you will be hanging from your pot rack.
3. If you are mounting into brick or masonry, you will need to visit your local hardware store for proper installation tools and screws/bolts.
4. We highly recommend you consult a professional in your area if you are unsure of the proper way to hang your pot rack. Poor installation of the pot rack could result in property damage or personal injury.

Attaching Pot Rack to Wall

1. Always protect the area directly below where you are going to hang your pot rack by laying a drop cloth or tarp over the area below the installation area.
2. Determine where you are going to hang your pot rack. Do not hang the pot rack too high, as you can use the top shelf for displaying smaller items or placing other decor.
3. Using a stud finder, run along wall where you are going to install the pot rack to locate the studs in the wall. For safest installation, we strongly recommend that the top shelf hole and the bottom shelf middle hole be located and attached to a wall stud.
4. Hold pot rack up to wall and mark where the four wall screws will be placed once you have located the wall studs. (See arrows in photo 3 indicating where the pot rack will attach to the wall.) Make sure to use a level when performing this task to ensure that you are hanging the pot rack level. Using a partner from this step forward is always helpful.




Photo 3