


# HOME DECORATORS COLLECTION

HD#:1002954870 MFG#:10806-LT18


ASSEMBLY INSTRUCTION


Made in China



Please assemble this item on a clean, soft surface to prevent damage.

## PARTS LIST



|          |                    |   |            |
|----------|--------------------|---|------------|
| <b>A</b> | <b>Linen Tower</b> |  | <b>1PC</b> |
|----------|--------------------|---|------------|




**Pull the right clip upward and left clip downward at the same time, then draw the drawer box out.**

Please assemble this item on a clean, soft surface to prevent damage.

## PARTS LIST

|          |                                 |   |      |
|----------|---------------------------------|---|------|
| <b>A</b> | Linen Tower                     |  | 1PC  |
| <b>B</b> | Furniture Tipping Restraint Bag |  | 1BAG |



**WARNING:** This furniture tipping restraint must be used as part of assembly.



## **IMPORTANT HEALTH NOTICE**

SOME OF THE BUILDING MATERIALS USED IN THIS HOME (OR THESE BUILDING MATERIALS) EMIT FORMALDEHYDE. EYE, NOSE, AND THROAT IRRITATION, HEADACHE, NAUSEA AND A VARIETY OF ASTHMA-LIKE SYMPTOMS, INCLUDING SHORTNESS OF BREATH, HAVE BEEN REPORTED AS A RESULT OF FORMALDEHYDE EXPOSURE. ELDERLY PERSONS AND YOUNG CHILDREN, AS WELL AS ANYONE WITH A HISTORY OF ASTHMA, ALLERGIES, OR LUNG PROBLEMS, MAY BE AT GREATER RISK. RESEARCH IS CONTINUING ON THE POSSIBLE LONG-TERM EFFECTS OF EXPOSURE TO FORMALDEHYDE.

REDUCED VENTILATION MAY ALLOW FORMALDEHYDE AND OTHER CONTAMINANTS TO ACCUMULATE IN THE INDOOR AIR. HIGH INDOOR TEMPERATURES AND HUMIDITY RAISE FORMALDEHYDE LEVELS, WHEN A HOME IS TO BE LOCATED IN AREAS SUBJECT TO EXTREME SUMMER TEMPERATURES, AN AIR-CONDITIONING SYSTEM CAN BE USED TO CONTROL INDOOR TEMPERATURE LEVELS. OTHER MEANS OF CONTROLLED MECHANICAL VENTILATION CAN BE USED TO REDUCE LEVELS OF FORMALDEHYDE AND OTHER INDOOR AIR CONTAMINANTS.

IF YOU HAVE ANY QUESTIONS REGARDING THE HEALTH EFFECTS OF FORMALDEHYDE, CONSULT YOUR DOCTOR OR LOCAL HEALTH DEPARTMENT.