

18V X2 LXT® LITHIUM-ION (36V) BRUSHLESS CORDLESS 7-1/4" CIRCULAR SAW KIT (5.0AH)



5.0Ah BATTERY

3
YEAR
WARRANTY
LITHIUM-ION
TOOL & BATTERY


ALSO AVAILABLE AS A BARE TOOL: XSH06Z

PRODUCT HIGHLIGHTS



DESIGN

0° - 56° bevel capacity with positive stops at 22.5°, 45°, and 56°



CAPACITY

Large 2-5/8" cutting capacity at 90°



PERFORMANCE

Delivers up to 610 cross-cuts per charge in 2x4 SPF using two LXT® 5.0Ah batteries




PRODUCTIVITY

Built-in tether notch (tether sold separately)

RELATED PRODUCTS

1. Tool Hook, XSH06 (199386-8)
2. Rip Fence (164095-8)
3. 7-1/4" 24T C.T. Circular Saw Blade, 10/pk (B-61656-10)
4. 3-1/2" Framing Nailer (AN923)
5. 3.0 HP Big Bore™ Air Compressor (MAC5200)



NEW TOOL OVERVIEW XSH06PT

LXT[®] X2 18V + 18V 36V BRUSHLESS

FEATURES

- Powered by two LXT® batteries; X2 LXT® technology delivers more power, speed and run time without the hassles of a cord
- Makita built electronically controlled BL™ Motor delivers 6,000 RPM for maximum performance and 50% longer run time per charge
- The BL™ Brushless Motor eliminates carbon brushes, enabling the BL™ Motor to run cooler and more efficiently for longer life
- Automatic Speed Change™ technology adjusts cutting speed and torque during cut for optimum performance
- Electric brake for maximum productivity
- Die-cast magnesium base, blade guard, and blade cover provide a lightweight, durable design
- Extreme Protection Technology (XPT™) is engineered for improved dust and water resistance for operation in harsh conditions
- 3-stage L.E.D. gauges indicate battery charge levels
- On-board blade wrench for convenience
- Flat motor housing design for stability when changing the blade
- Dual L.E.D. lights illuminate the work area

SPECIFICATIONS

Blade Diameter	7-1/4"
Arbor	5/8"
Max. Cutting Capacity (at 90°)	2-5/8"
Max. Cutting Capacity (at 45°)	1-13/16"
Max. Cutting Capacity (at 50°)	1-5/16"
No Load Speed	6,000 RPM
Battery	2X 18V LXT® Lithium-Ion
Overall Length	13-1/2"
Net Weight (with battery)	10.5 lbs.
Power Type	Cordless
UPC Code (XSH06Z)	088381-869119
UPC Code (XSH06PT)	088381-869133

STANDARD EQUIPMENT

- 18V LXT® Lithium-Ion Dual Port Charger (DC18RD)
- (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B)
- 7-1/4" 24T C.T. Circular Saw Blade (B-61656)
- Wrench
- Tool Bag
- Dust Extracting Attachment (196520-1)



18V Lithium-Ion Dual Port Rapid Optimum Charger

Model DC18RD

CHARGES TWO BATTERIES SIMULTANEOUSLY

- Charges two (2) 18V LXT® Lithium-Ion 2.0 Ah batteries in only 25 minutes
- Charges two (2) 18V LXT® Lithium-Ion 3.0 Ah batteries in only 30 minutes
- Charges two (2) 18V LXT® Lithium-Ion 4.0 Ah batteries in only 40 minutes
- Charges two (2) 18V LXT® Lithium-Ion 5.0 Ah batteries in only 45 minutes
- Built-in USB port for charging portable electronic devices



18V
LITHIUM-ION

INNOVATION



Dual port charger

CONVENIENCE



Built-in USB port for charging portable electronic devices

TECHNOLOGY



Charges 2 batteries simultaneously

CHARGE TIME

2 BATTERIES		25 Minute Charge Time
		30 Minute Charge Time
		40 Minute Charge Time
		45 Minute Charge Time

DUAL PORT CHARGER

18V Lithium-Ion Dual Port Rapid Optimum Charger

Model DC18RD

FEATURES & BENEFITS

- Charges two (2) 18V Compact Lithium-Ion 2.0 Ah batteries in only 25 minutes
- Charges two (2) 18V LXT® Lithium-Ion 3.0 Ah batteries in only 30 minutes
- Charges two (2) 18V LXT® Lithium-Ion 4.0 Ah batteries in only 40 minutes
- Charges two (2) 18V LXT® Lithium-Ion 5.0 Ah batteries in only 45 minutes
- Built-in USB port for charging portable electronic devices
- The Makita Rapid Optimum Charger communicates with the battery's built-in chip throughout the charging process to optimize battery life by actively controlling current, voltage and temperature
- Built-in fan circulates air through the battery during the charging process to cool the battery for faster charge time.
- Optimizes battery life by actively controlling current, voltage and temperature
- 1 year warranty on the charger

SPECIFICATIONS

Charging voltages		14.4V - 18V
Charging times	(2) BL1820	25 minutes
	(2) BL1830	30 minutes
	(2) BL1840	40 minutes
	(2) BL1850	45 minutes
Net weight		4.1 lbs.
UPC code		088381-443838

OPTIONAL ACCESSORIES

- 18V LXT® Lithium-Ion 2.0 Ah Battery (BL1820)
- 18V LXT® Lithium-Ion 3.0 Ah Battery (BL1830)
- 18V LXT® Lithium-Ion 4.0 Ah Battery (BL1840)
- 18V LXT® Lithium-Ion 5.0 Ah Battery (BL1850)



Model DC18RD



Makita offers a wide variety of accessories. For a complete listing, please refer to the Makita General Catalog or visit our website at makitatools.com, or call 1-800-4MAKITA.

All specifications subject to change without prior notice. All models and accessories subject to stock on hand.
The Makita Teal Color is the trade dress of Makita Corporation and is protected under common law and registered with the U.S. Patent and Trademark Office
NTF-0914 MA-4221-14