



**Safety Data Sheet**

**Section 1: Identification**

**Product identifier**

- Product Name** • **WERCS 303 Aerospace Protectant**
- Synonyms** • 590430
- Product Code** • 1801; 30303; 30304; 30305; 30306; 30307; 30308; 30313; 30320; 30321; 30322; 30323; 30340; 30350; 30370; 30375; 30440; 30701; 30702; 30910

**Relevant identified uses of the substance or mixture and uses advised against**

- Recommended use** • Restores and maintains a like-new appearance, texture and color
- Restrictions on use** • Read and follow label directions, warnings and materials not to be treated

**Details of the supplier of the safety data sheet**

- Manufacturer** • Gold Eagle Co.  
 4400 S. Kildare Avenue  
 Chicago, IL 60632-4372  
 United States  
<http://www.goldeagle.com/>
- Telephone (General)** • 773-376-4400

**Emergency telephone number**

- Manufacturer** • 1-800-535-5053 - (INFOTRAC #22283)

**Section 2: Hazard Identification**

**United States (US)**

According to: OSHA 29 CFR 1910.1200 HCS

**Classification of the substance or mixture**

- OSHA HCS 2012** • Eye Irritation 2

**Label elements**

**OSHA HCS 2012**

**WARNING**



- Hazard statements** • Causes serious eye irritation

**Precautionary statements**


- Prevention** • Wash thoroughly after handling.  
 Wear eye/face protection , .
- Response** • IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice/attention.

**Other hazards**

**OSHA HCS 2012**

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

**Other information**



**Section 3 - Composition/Information on Ingredients**

**Substances**

- Material does not meet the criteria of a substance.

**Mixtures**

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Water	CAS:7732-18-5	85.5%	NDA	OSHA HCS 2012:
Polydimethyl Siloxane	CAS:63148-62-9	12%	NDA	OSHA HCS 2012: Eye Irrit. 2
Poly(oxy-1,2-ethanediyl),alpha-(2-propylheptyl)-omega hydroxy	CAS:160875-66-1	1.4%	NDA	OSHA HCS 2012: Eye Dam. 1
Nonylphenol polyethylene glycol ether	CAS:127087-87-0	1%	NDA	OSHA HCS 2012: Not Classified
Polyethylene glycol	CAS:25322-68-3	0.05%	NDA	OSHA HCS 2012: Exposure limits
Dinonylphenol ethoxylate	CAS:9014-93-1	0.05%	NDA	OSHA HCS 2012: Exposure limits

**Section 4: First-Aid Measures**

**Description of first aid measures**

**Inhalation**

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

**Skin**

- Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If irritation develops and persists, get medical attention.

**Eye**

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

**Ingestion**

- Do NOT induce vomiting. Obtain medical attention immediately if ingested.

**Most important symptoms and effects, both acute and delayed**

- Refer to Section 11 - Toxicological Information.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials

other than this product may have occurred.

## Section 5: Fire-Fighting Measures

### Extinguishing media

**Suitable Extinguishing Media** • LARGE FIRE: Water spray, fog or regular foam.  
SMALL FIRES: Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Unsuitable Extinguishing Media** • No data available.

### Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** • Poses no unusual fire or explosion hazard.

**Hazardous Combustion Products** • No data available.

### Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.  
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.  
Wear positive pressure self-contained breathing apparatus (SCBA).  
LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

## Section 6 - Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** • Ventilate enclosed areas. Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE) Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**Emergency Procedures** • As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Stay upwind. Keep unauthorized personnel away. Ventilate closed spaces before entering.

### Environmental precautions

- Avoid run off to waterways and sewers.

### Methods and material for containment and cleaning up

**Containment/Clean-up Measures** • Stop leak if you can do it without risk.  
SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.  
LARGE SPILLS: Dike far ahead of spill for later disposal.

## Section 7 - Handling and Storage

### Precautions for safe handling

**Handling** • Use only with adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing vapors, dust, or spray mist, vapours and/or spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

### Conditions for safe storage, including any incompatibilities

**Storage** • Keep container closed. Store in a cool, dry, well-ventilated place. Avoid contact with heat and ignition sources. Do not store in unmarked containers or storage devices.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

### Exposure controls

#### Engineering Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

#### Personal Protective Equipment

##### Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

##### Eye/Face

- Wear chemical splash safety goggles.

##### Skin/Body

- Wear appropriate gloves.

#### Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Water based white, opaque liquid.
Color	White	Odor	No data available
Odor Threshold	No data available		
General Properties			
Boiling Point	212 °F(100 °C)	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	pH	7 to 8
Specific Gravity/Relative Density	= 1.01 Water=1	Water Solubility	Soluble 100 %
Viscosity	3 Centistoke (cSt, cS) or mm <sup>2</sup> /sec @ 40 °C(104 °F)		
Volatility			
Vapor Pressure	17.5 mmHg (torr)	Vapor Density	0.62 Air=1
Evaporation Rate	< 1 n-Butyl Acetate = 1		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		

## Section 10: Stability and Reactivity

### Reactivity

- No dangerous reaction known under conditions of normal use.

### Chemical stability

- Stable under normal temperatures and pressures.

### Possibility of hazardous reactions

- Hazardous polymerization will not occur.

## Conditions to avoid

- Close proximity to incompatible substances.

## Incompatible materials

- Alkalis, strong oxidizers.

## Hazardous decomposition products

- If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxides gases (e.g., CO, CO<sub>2</sub>)

## Section 11 - Toxicological Information

### Information on toxicological effects

		Components
Polydimethyl Siloxane (12%)	63148-62-9	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • >17 g/kg; <i>Kidney, Ureter, and Bladder</i> . <b>Other changes;</b> <i>Nutritional and Gross Metabolic:Changes in Chemistry or Temperature:Other changes;</i> Skin-Rabbit LD50 • >2 g/kg; <i>Behavioral:Food intake (animal); Gastrointestinal:Hypermotility, diarrhea; Skin and Appendages:After systemic exposure:Dermatitis, other;</i> <b>Irritation:</b> Eye-Rabbit • 100 µL 24 Hour(s) • Mild irritation; Skin-Rabbit • 500 µL 24 Hour(s) • Mild irritation
Nonylphenol polyethylene glycol ether (1%)	127087-87-0	<b>Reproductive:</b> Ingestion/Oral-Rat TDLo • 2500 mg/kg (6-15D preg); <i>Reproductive Effects:Maternal Effects:Other effects; Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system</i>

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • No data available
Skin corrosion/Irritation	OSHA HCS 2012 • No data available
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Irritation 2
Skin sensitization	OSHA HCS 2012 • No data available
Respiratory sensitization	OSHA HCS 2012 • No data available
Aspiration Hazard	OSHA HCS 2012 • No data available
Carcinogenicity	OSHA HCS 2012 • No data available
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available
Toxicity for Reproduction	OSHA HCS 2012 • No data available
STOT-SE	OSHA HCS 2012 • No data available
STOT-RE	OSHA HCS 2012 • No data available

## Potential Health Effects

### Inhalation

- Acute (Immediate)** • No adverse health effects expected.
- Chronic (Delayed)** • No data available.

### Skin

- Acute (Immediate)** • May cause mild irritation.
- Chronic (Delayed)** • No data available.

### Eye

- Acute (Immediate)** • Causes serious eye irritation.
- Chronic (Delayed)** • No data available.

**Ingestion**

**Acute (Immediate)**

- May cause gastrointestinal disturbances including diarrhea, nausea, and vomiting.

**Chronic (Delayed)**

- No data available.

**Carcinogenic Effects**

- This product does not contain any components above de minimus concentrations that are considered carcinogenic by OSHA , IARC or NTP .

**Key to abbreviations**

LC = Lethal Concentration

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

**Section 12 - Ecological Information**

**Toxicity**

- Non-mandatory section - information about this substance not complied for this reason.

**Persistence and degradability**

- Non-mandatory section - information about this substance not complied for this reason.

**Bioaccumulative potential**

- Non-mandatory section - information about this substance not complied for this reason.

**Mobility in Soil**

- Non-mandatory section - information about this substance not complied for this reason.

**Other adverse effects**

- Non-mandatory section - information about this substance not complied for this reason.

**Section 13 - Disposal Considerations**

**Waste treatment methods**

**Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Section 14 - Transport Information**

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA

**Special precautions for user**

- None specified.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

- No data available

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

### Other Information

- WARNING: This product can expose you to chemicals (ethylene oxide, ethylbenzene and acetaldehyde), which are known to the state of California to cause cancer, and (ethylene oxide), which is known to the state of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warning.ca.gov](http://www.P65Warning.ca.gov).

## Section 16 - Other Information

### Revision Date

- 30/November/2018

### Preparation Date

- 10/September/2018

### Other Information

- Schedule B Number: 3405.90.0000.

### Disclaimer/Statement of Liability

- Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

### Key to abbreviations

NDA = No Data Available