

# SAFETY DATA SHEET

HCS-2012 APPENDIX D TO §1910.1200

Version 1  
Product Name ALKALINE BATTERY - LR03

Issue Date 10-Mar-2015  
Revision date 10-Mar-2015

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name ALKALINE BATTERY - LR03  
Chemical Name ALKALINE BATTERY

### Other means of identification

Product Code LR03 1.5V 1000mAh

### Recommended use of the chemical and restrictions on use

Recommended Use Power supply  
Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier SUZHOU XINLVZHOU ELECTRONICS CO., LTD  
Address Yangcheng Lake West Road, No777, Xiangcheng District, SuZhou City, Jiangsu Province, China.  
Postal Code -  
Phone +86-512-68702665  
FAX +86-512-68669435  
E-mail qky006@lvzhoudianzi.com.cn

### Emergency telephone number

+86-512-68702665

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

### Label elements

Symbols/Pictograms None  
Signal word None  
Hazard Statements None  
Precautionary Statements  
Prevention None  
Response None  
Storage None  
Disposal None

### Hazards not otherwise classified (HNOC)

No information available

### Unknown acute toxicity

.?% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature Mixture

Chemical Name	CAS No	Weight-%
---------------	--------	----------

Manganese dioxide	1313-13-9	15 - 40
Zinc	7440-66-6	15 - 40
Steel	12597-69-2	10 - 30
Zinc oxide	1314-13-2	3 - 7
Graphite	7782-42-5	1 - 5
Copper	7440-50-8	1 - 5
Acrylic resin	9003-01-4	0.1 - 1
Water	7732-18-5	0.1 - 1
Potassium hydroxide	1310-58-3	0.1 - 1
Polypropylene	9003-07-0	0.1 - 1
Calcium stearate	1592-23-0	0.1 - 1
Indium hydroxide (In(OH)3)	20661-21-6	0.1 - 1

#### 4. FIRST AID MEASURES

##### Description of first aid measures

General advice	Remove contaminated clothing and shoes. If symptoms persist, call a physician.
Inhalation	Not an expected route of exposure. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash hands thoroughly after handling. .
Eye contact	Not an expected route of exposure. .
Ingestion	Rinse mouth Get medical attention Never give anything by mouth to an unconscious person

##### Most important symptoms and effects, both acute and delayed

No information available.

##### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Unsuitable extinguishing media No information available.

##### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas  
 Ensure adequate ventilation, especially in confined areas  
 Remove all sources of ignition  
 Use personal protection recommended in Section 8

##### Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so  
 Pick up and transfer to properly labeled containers

Avoid release to the environment

## 7. HANDLING AND STORAGE

### Precautions for safe handling

- Handle in accordance with good industrial hygiene and safety practice
- Ensure adequate ventilation, especially in confined areas
- Avoid creating dust
- Avoid contact with eyes
- Wash thoroughly after handling
- Use personal protection recommended in Section 8

### Conditions for safe storage, including any incompatibilities

- Keep containers tightly closed in a dry, cool and well-ventilated place
- Keep away from heat

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Denmark	European Union
Manganese dioxide (CAS #: 1313-13-9)	TWA: 0.02 mg/m <sup>3</sup> Mn TWA: 0.1 mg/m <sup>3</sup> Mn	(vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 500 mg/m <sup>3</sup> Mn TWA: 1 mg/m <sup>3</sup> Mn STEL: 3 mg/m <sup>3</sup> Mn	TWA: 0.2 mg/m <sup>3</sup>	-
Zinc oxide (CAS #: 1314-13-2)	STEL: 10 mg/m <sup>3</sup> respirable fraction TWA: 2 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> fume (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) STEL: 10 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup> dust TWA: 5 mg/m <sup>3</sup> dust and fume STEL: 10 mg/m <sup>3</sup> fume	TWA: 4 mg/m <sup>3</sup>	-
Graphite (CAS #: 7782-42-5)	TWA: 2 mg/m <sup>3</sup> respirable fraction all forms except graphite fibers	-	-	TWA: 2.5 mg/m <sup>3</sup>	-
Copper (CAS #: 7440-50-8)	TWA: 0.2 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	-	TWA: 1.0 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	-
Potassium hydroxide (CAS #: 1310-58-3)	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	-
Calcium stearate (CAS #: 1592-23-0)	TWA: 10 mg/m <sup>3</sup> except stearates of toxic metals	-	-	-	-
Indium hydroxide (In(OH) <sub>3</sub> ) (CAS #: 20661-21-6)	TWA: 0.1 mg/m <sup>3</sup> In	-	-	TWA: 0.1 mg/m <sup>3</sup>	-

Chemical Name	Latvia	France	Finland	Germany	Italy
Manganese dioxide (CAS #: 1313-13-9)	TWA: 0.3 mg/m <sup>3</sup>	-	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.02 mg/m <sup>3</sup> Ceiling / Peak: 1.6 mg/m <sup>3</sup> Ceiling / Peak: 0.16 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	-

Zinc (CAS #: 7440-66-6)		-	-	TWA: 0.1 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> Ceiling / Peak: 0.4 mg/m <sup>3</sup> Ceiling / Peak: 4 mg/m <sup>3</sup>	-
Zinc oxide (CAS #: 1314-13-2)	TWA: 0.5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> Ceiling / Peak: 1 mg/m <sup>3</sup> Ceiling / Peak: 0.4 mg/m <sup>3</sup> Ceiling / Peak: 4 mg/m <sup>3</sup>	-
Potassium hydroxide (CAS #: 1310-58-3)	-	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	-	-

Chemical Name	Poland	Portugal	Spain	Switzerland	Netherlands
Manganese dioxide (CAS #: 1313-13-9)	TWA: 0.3 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	-
Zinc oxide (CAS #: 1314-13-2)	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	-
Potassium hydroxide (CAS #: 1310-58-3)	STEL: 1 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-
Calcium stearate (CAS #: 1592-23-0)	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	-

Chemical Name	Norway	United Kingdom	Australia	Austria	Belgium
Manganese dioxide (CAS #: 1313-13-9)	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 3 ppm STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	STEL 2 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	-
Zinc oxide (CAS #: 1314-13-2)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	-	10 mg/m <sup>3</sup> 5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> STEL	TWA: 5 mg/m <sup>3</sup>	-
Graphite (CAS #: 7782-42-5)	-	-	3 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-
Copper (CAS #: 7440-50-8)	-	-	1 mg/m <sup>3</sup> 0.2 mg/m <sup>3</sup>	STEL 4 mg/m <sup>3</sup> STEL 0.4 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	-
Potassium hydroxide (CAS #: 1310-58-3)	Ceiling: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup> Peak	TWA: 2 mg/m <sup>3</sup>	-
Calcium stearate (CAS #: 1592-23-0)	-	-	10 mg/m <sup>3</sup>	-	-
Indium hydroxide (In(OH)3) (CAS #: 20661-21-6)	-	-	0.1 mg/m <sup>3</sup>	STEL 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

- Showers
- Eyewash stations
- Ventilation systems

**Individual protection measures, such as personal protective equipment**

- Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
- Hand Protection Wear protective gloves.
- Eye/face protection No special technical protective measures are necessary.
- Skin and body protection Wear suitable protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

Appearance	Solid
Color	metallic
Odor	Odorless
Odor Threshold	Not determined
pH	Not determined
Melting point/freezing point	Not determined
Boiling point / boiling range	Not determined
Flash point	Not applicable
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Flammability Limit in Air	Not determined
Vapor Pressure	Not applicable
Vapor density	Not determined
Density	Not determined
Relative density	Not determined
Bulk density	Not determined
Specific gravity	Not determined
Water solubility	Not determined
Partition coefficient (LogPow)	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic viscosity	Not determined
Explosive properties	Not an explosive
Oxidizing properties	Not determined

**Other information**

No information available

**10. STABILITY AND REACTIVITY****Reactivity**

Stable under recommended storage and handling conditions (see SECTION 7, handling and storage).

**Chemical stability**

Stable under normal conditions

**Possibility of Hazardous Reactions**

None under normal processing

**Conditions to avoid**

Strong heating. Incompatible materials

**Incompatible materials**

Strong acids Strong bases Strong oxidizing agents

**Hazardous Decomposition Products**

None known based on information supplied

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system
Eye contact	Contact with eyes may cause irritation
Skin Contact	Substance may cause slight skin irritation Ingestion may cause irritation to mucous membranes

**Information on toxicological effects****Acute toxicity**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Manganese dioxide (CAS #: 1313-13-9)	= 9000 mg/kg ( Rat )	-	-
Zinc oxide (CAS #: 1314-13-2)	> 5000 mg/kg ( Rat )	-	-
Copper (CAS #: 7440-50-8)	> 2500 mg/kg bw(rat)	> 2000 mg/kg bw(rat)	=1.03 mg/L/4 h(rat)
Acrylic resin (CAS #: 9003-01-4)	10250 mg/kg (rat, carbomer 910) 4100 mg/kg (rat, carbomer 943)	3 g/kg (rat, carbomer 910)	1.71 mg/L (rat)
Potassium hydroxide (CAS #: 1310-58-3)	= 333 mg/kg (Rat)	-	-
Calcium stearate (CAS #: 1592-23-0)	> 10 g/kg ( Rat )	-	-
Polypropylene (CAS #: 9003-07-0)	>5 g/kg	-	-

**Skin corrosion/irritation**

Non-irritating to the skin

**Serious eye damage/eye irritation**

No eye irritation

**Sensitization**

No information available

**Germ cell mutagenicity**

No information available

**Carcinogenicity**

No information available

**Reproductive toxicity**

No information available

**STOT - single exposure**

No information available

**STOT - repeated exposure**

No information available

**Aspiration hazard**

No information available

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
---------------	---------------------------	-----------	----------------

Zinc (CAS #: 7440-66-6)	0.11 - 0.271 mg/L/96h Pseudokirchneriella subcapitata static 0.09 - 0.125 mg/L/72h Pseudokirchneriella subcapitata static	2.16 - 3.05 mg/L/96h Pimephales promelas flow-through 0.211 - 0.269 mg/L/96h Pimephales promelas semi-static 2.66: mg/L/96h Pimephales promelas static 30 mg/L/96h Cyprinus carpio 0.45 mg/L/96h Cyprinus carpio semi-static 7.8 mg/L/96h Cyprinus carpio static 3.5 mg/L/96h Lepomis macrochirus static 0.24 mg/L/96h Oncorhynchus mykiss flow-through 0.59 mg/L/96h Oncorhynchus mykiss semi-static 0.41 mg/L/96h Oncorhynchus mykiss static	0.139 - 0.908 mg/L/48h Daphnia magna Static
Zinc oxide (CAS #: 1314-13-2)	-	1.1 mg/l/96h	0.098 mg/l/48h Daphnia magna
Copper (CAS #: 7440-50-8)	0.031 - 0.054 mg/L/96h Pseudokirchneriella subcapitata static 0.0426 - 0.0535 mg/L/72h Pseudokirchneriella subcapitata static	-	-
Potassium hydroxide (CAS #: 1310-58-3)	-	80mg/L/96h Gambusia affinis static	-

**Persistence and degradability**

No information available

**Bioaccumulative potential**

Chemical Name	Partition coefficient (LogPow)
Manganese dioxide (CAS #: 1313-13-9)	<0

**Mobility in soil**

No information available

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Zinc 7440-66-6	Ignitable powder Toxic
Zinc oxide 1314-13-2	Toxic
Copper 7440-50-8	Toxic
Potassium hydroxide 1310-58-3	Toxic Corrosive

Indium hydroxide (In(OH) <sub>3</sub> ) 20661-21-6	Toxic
---	-------

## 14. TRANSPORT INFORMATION

The batteries are considered to be "Dry cell" batteries and are unregulated for purpose of transportation by the U.S. DOT, ICAO, IATA and IMDG. The only DOT requirement for shipping these batteries is special provision 130 which states : " Batteries, dry are not subject to the requirements of this subchapter only when they are offered for transportation in a manner that prevents the dangerous evolution of heat ( For example, by the effective insulation of exposed terminals). The only requirement for shipping these batteries by ICAO and IATA is Special Provision A123 which states: " An electrical battery or battery powered device having the potential of dangerous evolutions of heat that is not prepared so as to prevent a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or in the case of equipment, by disconnection of the battery and protection of exposed terminals) is forbidden from transportation." The international Maritime Dangerous Goods Code (IMDG) regulate them for ocean transportation under Special Provision 304 which says : Batteries, dry , containing corrosive electrolyte which will not flow out of the battery if the battery case is cracked are not subject to the provision of this Code provided the batteries are securely packed and protected against short-circuits. Example of such batteries are : alkali-manganese, zinc carbon, nickel metal hydride and nickel-cadmium batteries. Such battery have been packed in inner packaging in such a manner as to effectively prevent short circuit and movement that could lead to short-circuit.

### **DOT / IMDG / IATA**

<b>UN/ID No.</b>	Not regulated
<b>Proper shipping name</b>	Not regulated
<b>Hazard Class</b>	Not regulated
<b>Packing Group</b>	Not regulated
<b>Special precautions</b>	No information available
<b>Marine pollutant</b>	Not applicable
<b>UN/ID No.</b>	Not Regulated
<b>UN/ID No.</b>	Not Regulated
<b>UN/ID No.</b>	Not Regulated

## 15. REGULATORY INFORMATION

### **International Inventories**

Component	AICS	DSL/NDL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	TSCA
Manganese dioxide 1313-13-9 ( 15 - 40 )	X	X	X	X	X	X	X	X
Zinc 7440-66-6 ( 15 - 40 )	X	X	X	-	X	X	X	X
Zinc oxide 1314-13-2 ( 3 - 7 )	X	X	X	X	X	X	X	X
Graphite 7782-42-5 ( 1 - 5 )	X	X	X	-	X	X	X	X
Copper 7440-50-8 ( 1 - 5 )	X	X	X	-	X	X	X	X
Acrylic resin 9003-01-4 ( 0.1 - 1 )	X	X	-	X	X	X	X	X
Water 7732-18-5 ( 0.1 - 1 )	X	X	X	-	X	X	X	X
Potassium hydroxide 1310-58-3 ( 0.1 - 1 )	X	X	X	X	X	X	X	X

Polypropylene 9003-07-0 ( 0.1 - 1 )	X	X	-	X	X	X	X	X
Calcium stearate 1592-23-0 ( 0.1 - 1 )	X	X	X	X	X	X	X	X
Indium hydroxide (In(OH)3) 20661-21-6 ( 0.1 - 1 )	X	X	-	-	-	-	-	-

"-" Not Listed

"X" Listed

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Manganese dioxide - 1313-13-9	1.0
Zinc - 7440-66-6	1.0
Zinc oxide - 1314-13-2	1.0

**SARA 311/312 Hazard Categories**

Does not apply

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc 7440-66-6	-	X	X	-
Zinc oxide 1314-13-2	-	X	-	-
Copper 7440-50-8	-	X	X	-
Potassium hydroxide 1310-58-3	1000 lb	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Zinc 7440-66-6	1000 lb	-	RQ 454 kg final RQ RQ 1000 lb final RQ
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Manganese dioxide 1313-13-9	X	-	X
Zinc 7440-66-6	X	X	X

Zinc oxide 1314-13-2	X	X	X
Potassium hydroxide 1310-58-3	X	X	X

## 16. OTHER INFORMATION

### Revision Note

Issue Date 10-Mar-2015  
Revision date 10-Mar-2015  
Revision Note Not applicable

### Key or legend to abbreviations and acronyms used in the safety data sheet

**TWA** - TWA (time-weighted average)

**STEL** - STEL (Short Term Exposure Limit)

**Ceiling** - Maximum limit value

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

----- End of Safety Data Sheet -----