
SHOWER DOOR

SLIDING MOD STYLE SHOWER TRACK 48-60"



MATERIAL: Anodized Aluminum Extrusions (Track) and Zinc Die Cast (Mounting Brackets).

Bronze Finish is Powder Coated.

INSTALLATION: Detailed Instructions, Templates and Hardware Included for Easy Installation.

UNIQUE FEATURE: Constructed of Corrosion Resistant Anodized Alumninum.

48" - 60" Track Assembly Kit

Fits 48" Shower Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm),

with a Height of 71 1/2" (182cm).

Fits 60" Shower Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm),

with a Height of 71 1/2" (182cm).

NOTE: Height of 74" (188cm) Required for installation

Compatible with all 3/8" (10mm) Delta Shower Glass Wall Studs located over threshold Required for Installation


WARRANTY: 5 Year Limited Warranty.



TECHNICAL DATA

Shower Door

3/8"(10mm) SLIDING SHOWER 48 & 60" GLASS PANELS



MATERIALS: 3/8" (10mm) Tempered Glass Panels.

INSTALLATION: Detailed Instructions and Hardware Included in Track Kit (Sold separately)

for Easy Installation.

UNIQUE FEATURES: Spot Guard Easy Clean Coating.

Available in Clear, Rain and Niebla.

Includes Pre-Installed Clear Bottom Glazing.


MOD:

48": Fits Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm - 120cm) 60": Fits Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm - 149cm)

NOTE: Not compatible with Delta Traditional or Delta Contemporary Track Kits

WARRANTY: 5 Year Limited Warranty.





MATERIALS: Zinc Posts for all, Aluminum Bar: Brushed Nickel, Oil Rubbed Bronze, and Polished Brass. Stainless Steel Bar: Polished Chrome.

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE:

Coordinates with Delta* Faucets and Bath Hardware. Compatible with All Delta* Sliding Bathtub or Shower Doors.

WARRANTY: 5 Year Limited Warranty.

