Dalton Enterprises, Inc. Phone: (203) 272-3221



SAFETY DATA SHEET



Product: PT Primer X

Section I - PRODUCT AND COMPANY IDENTIFICATION

Product Name: PT Primer X

Manufacturer Name: Dalton Enterprises, Inc.

Item#: 3050

Address: 131 Willow Street Cheshire, CT 06410

Telephone Number: (203) 272-3221

24 Hour Emergency Number: (203) 272-3221

U.S. And Canada: (203) 272-3221

Trade Names and Synonyms: Aqueous Polyurethane Dispersion

Recommended Use and Restrictions: Concrete primer

Section II - HAZARDS IDENTIFICATION

Classification

Eye Irritation Category 2A

Label Elements



GHS Pictogram:

Signal Word: Warning

Hazard Statements: Causes eye irritation

Precautionary Statements – Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

IF IN EYES: Rinse thoroughly with water for several minutes

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

Dalton Enterprises, Inc.

Phone: (203) 272-3221

SDS Date: 06/15/18

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, Get medical advice/attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms, Call a POISON CENTER or doctor/physician.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

No information available.

Section III - COMPOSITION

CAS#	CAS # Component 25085-34-1 Styrene Acrylic/Epoxy Copolymer*		Classification (GHS-US)	
25085-34-1			Eye Irrit. 2A; H320	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section IV - FIRST-AID MEASURES

Emergency and First Aid Procedures

General Advice: Present this safety data sheet to the physician in attendance. **Eye Contact:** Flush thoroughly with water. If irritation persists, see a physician.

Skin Contact: Clean exposed area thoroughly with soap and water. If irritation persists, see a physician.

Ingestion: If swallowed do NOT induce vomiting. Seek medical attention.

Inhalation: Move to fresh air if symptoms develop. If irritation persists, see a physician.

Most Important Symptoms: Possibility of eye irritation.

Indication of Immediate Medical Attention and Special Treatment Needed: Treat Symptomatically

Section V - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: CO2, Dry Chemical, Foam, Sand, Water

Unsuitable Extinguishing Media: N/A

Specific Hazards arising from the Chemical: Combustion may yield fumes, smoke, carbon monoxide,

carbon dioxide, Oxide of Nitrogen

Dalton Enterprises, Inc.

Phone: (203) 272-3221

Product: PT Primer X

SDS Date: 06/15/18

Special Protective Equipment and Precautions for Firefighters: Wear full protective clothing, including self-contained breathing apparatus (Positive Pressure/Pressure Demand), helmet, and face mask.

Section VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Avoid skin and eye contact, use proper protective equipment recommended in section 8.

Methods and Materials for Containment and Cleanup: Contain spill and dike with inert material (sand, sawdust, dirt, etc.). Place in closed container for proper disposal. Avoid runoff to waterways and sewers. Dispose of in accordance with local regulations.

Section VII - HANDLING AND STORAGE

Precautions for Safe Handling: Store in a dry area, avoid eye contact and wash thoroughly after handling **Conditions for Safe Storage, Including Incompatibilities:** Keep container closed and upright to prevent leakage. Store in a cool, dry, ventilated area. Avoid freezing. Avoid Oxidizing Agents.

Section VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Exposure Guidelines

Component	ACGIH TWA (mg/m³)	OSHA PEL (TWA) (mg/m3)	
Styrene Acrylic/ Epoxy Copolymer	10mg/m3	N/A	

Engineering Controls: Ensure adequate exhaust/ventilation

Individual Protection Measures

Eyes/Face: Safety goggles

Skin: Wear gloves, as well as long sleeves and pants to avoid skin contact

Respiratory: None required if good ventilation is maintained.

Hygienic controls: Wash thoroughly with soap and water before eating or drinking. Wash

contaminated clothing.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Liquid

Physical State: Liquid

Odor: Mild Ammonia

Upper Explosive Limit: N/A

Lower Explosive Limit: N/A

Vapor Pressure: N/A

Odor Threshold: N/A

PH: 7-10 (as supplied)

Vapor Tressure: N/A

Vapor Density: N/A

Specific Gravity: 1.03 g/l @ 25C

Melting Point: N/A

Solubility In Water: Dispersible

Flash Point: N/A

Evaporation Rate: N/A

Auto Ignition Temperature: N/A

Decomposition Temperature: N/A

Flammability: N/A VOC: 64 g/l

Dalton Enterprises, Inc.

Phone: (203) 272-3221

Phone: (203) 272-3221

Product: PT Primer X

SDS Date: 06/15/18

Section X - STABILITY AND REACTIVITY

Reactivity: Stable under normal conditions

Chemical Stability: Stable

Hazardous Reactions: None known under normal conditions **Conditions to avoid:** Keep from freezing and extreme heat

Incompatibility: Strong oxidizers, Isocyanates

Hazardous Decomposition Products: Combustion may yield fumes, smoke, oxides of nitrogen, carbon

monoxide and carbon dioxide.

Section XI - TOXICOLOGICAL INFORMATION

Health Effects

Eye Contact: Minor irritation may result Skin Contact: Minor irritation may result Ingestion: Minor irritation may result Inhalation: Minor irritation may result

Toxicological Effects

Component	CAS#	Acute oral toxicity	Acute dermal toxicity
Styrene acrylic/Epoxy copolymer	25085-34-1	Not Available	Not Available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization: Product not known to cause sensitization

Mutagenic Effects: None known

Carcinogenicity: Product not known to cause cancer

Reproductive Toxicity: No toxicity known STOT – Single Exposure: None Known STOT – Repeated Exposure: None Known Chronic Toxicity: No Known Effect Target Organ Effects: Eyes, Skin.

Aspiration Hazard: Based on available data, the classification criteria are not met.

Numerical Measures of Toxicity

No data available

Section XII - ECOLOGICAL INFORMATION

Ecological Fate:Persistence/Degradability:
No data available
No data available

Bioaccumulation Potential: No data available

Mobility in Soil: No data available
Other Adverse Effects: No data available

Dalton Enterprises, Inc.

Product: PT Primer X

SDS Date: 06/15/18

Analysis for ecological effects has not been conducted.

Section XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with Local, State, and Federal regulations.

Section XIV - TRANSPORT INFORMATION

DOT – U.S. Department of Transportation **Proper Shipping Name:** Not regulated

TDG - Canada - Transport of Dangerous Goods **Proper Shipping Name:** Not Restricted

IATA – International Air Transport Association Proper Shipping Name: Not regulated

IMDG – International Maritime Dangerous Goods

Proper Shipping Name: Not regulated

Section XV - REGULATORY INFORMATION

International Inventories

TSCA: Complies

US Federal Regulations

SARA 313: This product contains no chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372)

SARA Hazard Category (311/312): Acute Health Hazard – Eye Irritant

CWA (Clean Water Act): This product contains no chemicals regulated by the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA: This product contains no substances regulated by the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

		State Right to Know		
Component Name	CAS	MA	MA NJ	PA
none				

Dalton Enterprises, Inc.

Phone: (203) 272-3221

SDS Date: 06/15/18

California Prop 65:

WARNING! This product contains a chemical known to the State of California to cause cancer

Weight PercentComponentCAS #TraceEthyl Benzene100-41-4TraceEthyl Acrylate140-88-5

International Regulations

WHMIS: Non Hazardous

Section XV - OTHER INFORMATION

Other precautions:

Keep out of reach of children.

Always read label plus precautions and follow directions carefully.

Do not breathe vapor or spray mist.

Use only with adequate ventilation.

Do not take internally.

Avoid contact with eyes and skin.

Wash thoroughly after using.

Additional Technical Data Sheets and/or SDS are available upon request.

Revision Date: 06/15/2018 **Supersedes:** 06/29/17

NFPA Rating: Health 1; Fire 0: Reactivity 0

Disclaimer/Statement of Liability:

THE INFORMATION AND RECOMMENDATIONS PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND AND THIS CORPORATION DISCLAIMS ANY AND ALL LIABILITY OR LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME.