# Safety Data Sheet



#### 1. Identification **RKSOLID METALLIC TINT - BRILLIANT Product Name: Revision Date:** 9/9/2015 BLUE **Product Identifier:** 60078L Supercedes Date: New SDS Product Use/Class: Pigment/ Particulate Blend Rust-Oleum ROCKSOLID Rust-Oleum ROCKSOLID Manufacturer: Supplier: 11 Hawthorn Parkway 11 Hawthorn Parkway Vernon Hills, IL 60061 Vernon Hills, IL 60061 USA USA Preparer: Regulatory Department 24 Hour Hotline: 847-367-7700 **Emergency Telephone:**

#### 2. Hazard Identification

#### Classification

#### Symbol(s) of Product

Not a hazardous substance or mixture.

#### Signal Word

No Signal Word has been assigned.

#### 3. Composition/Information On Ingredients

#### HAZARDOUS SUBSTANCES

Chemical Name	CAS-No.	<u>Wt.%</u> Range	GHS Symbols	GHS Statements
Mica	12001-26-2	50-75	No Information	No Information
Titanium Dioxide	13463-67-7	25-50	No Information	No Information

#### 4. First-aid Measures

**FIRST AID - EYE CONTACT:** Immediately flush eyes with plenty of water for at least 15 minutes holding eyelids open. Get medical attention. Do NOT allow rubbing of eyes or keeping eyes closed.

FIRST AID - SKIN CONTACT: Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

**FIRST AID - INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention. Do NOT use mouth-to-mouth resuscitation. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical assistance immediately.

FIRST AID - INGESTION: If swallowed, rinse mouth with water. If feeling unwell, get medical attention.

#### 5. Fire-fighting Measures

#### EXTINGUISHING MEDIA: None Known

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Keep containers tightly closed. FLASH POINT IS TESTED TO BE GREATER THAN 200 DEGREES F. No unusual fire or explosion hazards noted.

SPECIAL FIREFIGHTING PROCEDURES: Water may be used to cool closed containers to prevent buildup of steam.

#### 6. Accidental Release Measures

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:** Dispose of according to local, state (provincial) and federal regulations. Do not incinerate closed containers. Sweep up gently to avoid dust cloud formation.

#### 7. Handling and Storage

**HANDLING:** Wash thoroughly after handling. Wash hands before eating. Remove contaminated clothing and launder before reuse. Use only with adequate ventilation. Follow all MSDS/label precautions even after container is emptied because it may retain product residues. Avoid breathing fumes, vapors, or mist. Avoid contact with eyes, skin and clothing. **STORAGE:** Store in a dry, well ventilated place. Keep container tightly closed when not in use.

#### 8. Exposure Controls/Personal Protection

Chemical Name	CAS-No.	Weight % Less Than	ACGIH TLV- TWA	ACGIH TLV- STEL	OSHA PEL-TWA	OSHA PEL- CEILING
Mica	12001-26-2	75.0	3 mg/m3	N.E.	N.E.	N.E.
Titanium Dioxide	13463-67-7	35.0	10 mg/m3	N.E.	15 mg/m3	N.E.

#### PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Prevent build-up of vapors by opening all doors and windows to achieve cross-ventilation.

**RESPIRATORY PROTECTION:** A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

SKIN PROTECTION: Use gloves to prevent prolonged skin contact. Nitrile or Neoprene gloves may afford adequate skin protection.

EYE PROTECTION: Use safety eyewear designed to protect against splash of liquids.

**OTHER PROTECTIVE EQUIPMENT:** Refer to safety supervisor or industrial hygienist for further guidance regarding types of personal protective equipment and their applications.

**HYGIENIC PRACTICES:** Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing immediately and launder before reuse.

#### 9. Physical and Chemical Properties

Appearance:	Particulate Solid	Physical State:	Solid
Odor:	None	Odor Threshold:	N.E.
Relative Density:	3.119	pH:	N.A.
Freeze Point, °C:	N.D.	Viscosity:	No Information
Solubility in Water:	None	Partition Coefficient, n-octanol/	ND
Decompostion Temp., °C:	N.D.	water:	N.D.
Boiling Range, °C:	999 - 3,000	Explosive Limits, vol%:	N.A N.A.
Flammability:	Does not Support Combustion	Flash Point, °C:	94
Evaporation Rate:	Slower than Ether	Auto-ignition Temp., °C:	N.D.
Vapor Density:	Heavier than Air	Vapor Pressure:	N.D.

(See "Other information" Section for abbreviation legend)

#### 10. Stability and Reactivity

CONDITIONS TO AVOID: Avoid contact with strong acid and strong bases.

**INCOMPATIBILITY:** Incompatible with strong oxidizing agents, strong acids and strong alkalies.

HAZARDOUS DECOMPOSITION: When heated to decomposition, it emits acrid smoke and irritating fumes.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

#### 11. Toxicological information

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Irritating, and may injure eye tissue if not removed promptly.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: Low hazard for usual industrial handling or commercial handling by trained personnel.

**EFFECTS OF OVEREXPOSURE - INHALATION:** High gas, vapor, mist or dust concentrations may be harmful if inhaled. Avoid breathing fumes, spray, vapors, or mist.

EFFECTS OF OVEREXPOSURE - INGESTION: Expected to be a low ingestion hazard.

**EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS:** Contains Titanium Dioxide. Titanium Dioxide is listed as a Group 2B-"Possibly carcinogenic to humans" by IARC. No significant exposure to Titanium Dioxide is thought to occur during the use of products in which Titanium Dioxide is bound to other materials, such as in paints during brush application or drying. Risk of overexposure depends on duration and level of exposure to dust from repeated sanding of surfaces or spray mist and the actual concentration of Titanium Dioxide in the formula. (Ref: IARC Monograph, Vol. 93, 2010)

PRIMARY ROUTE(S) OF ENTRY: Eye Contact, Ingestion, Inhalation

#### ACUTE TOXICITY VALUES

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
13463-67-7	Titanium Dioxide	>10000 mg/kg Rat	N.I.	N.I.

#### N.I. - No Information

#### 12. Ecological Information

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

#### **13. Disposal Information**

**DISPOSAL INFORMATION:** Dispose of material in accordance to local, state, and federal regulations and ordinances. Do not allow to enter waterways, wastewater, soil, storm drains or sewer systems.

#### 14. Transport Information

•				
	Domestic (USDOT)	International (IMDG)	<u>Air (IATA)</u>	<u>TDG (Canada)</u>
UN Number:	N.A.	N.A.	N.A.	N.A.
Proper Shipping Name:	Not Regulated	Not Regulated	Not Regulated	Not Regulated
Hazard Class:	N.A.	N.A.	N.A.	N.A.
Packing Group:	N.A.	N.A.	N.A.	N.A.
Limited Quantity:	No	No	No	No

#### 15. Regulatory Information

#### U.S. Federal Regulations:

#### **CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard, Chronic Health Hazard

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

#### **Toxic Substances Control Act:**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

No TSCA 12(b) components exist in this product.

16. Other Information					
HMIS RATINGS Health: 1* Flammability:	0	Physical Hazard:	0	Personal Protection: X	
NFPA RATINGS Health: 1 Flammability:	0	Instability	0		
VOLATILE ORGANIC COMPOUN	NDS, g/L:	0			
SDS REVISION DATE:	9/9/2015				
REASON FOR REVISION:					

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

The manufacturer believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials. The manufacturer makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and to comply with all applicable international, federal, state, and local laws and regulations.

# Safety Data Sheet

# **RUST-OLEUM** CORPORATION \* Trusted Quality Since 1921 \*

www.rustoleum.com

1. Identification			
Product Name:	ADD SPC 200X CITRIC ACID ANHYDROUS	Revision Date:	1/5/2015
Product Identifier:	251149	Supercedes Date:	12/11/2014
Product Use/Class:	Concrete Etch/ Citric Acid		
Supplier:	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA	Manufacturer:	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA
Preparer:	Regulatory Department		
Emergency Telephone:	24 Hour Hotline: 847-367-7700		

# 2. Hazard Identification

EMERGENCY OVERVIEW: Harmful if swallowed. Causes eye irritation. Causes skin irritation. May cause eye, skin, or respiratory tract irritation. KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled. Use ventilation necessary to keep exposures below recommended exposure limits, if any.

#### Classification

Symbol(s) of Product



Signal Word Warning

# GHS HAZARD STATEMENTS

GID HAZARD STATEMENTS				
Acute Toxicity, Dermal, category 5	H313	May be harmful in contact with skin.		
Skin Irritation, category 2	H315	Causes skin irritation.		
Aspiration Hazard, category 2	H305	May be harmful if swallowed and enters airways.		
Skin Irritation, category 3	H316	Causes mild skin irritation.		
Eye Irritation, category 2B	H320	Causes eye irritation.		
GHS PRECAUTIONARY STATEMENTS	5			
P102	Keep out of	reach of children.		
P103	Read label before use.			
P202	Do not handle until all safety precautions have been read and understood.			
P234	Keep only in original container.			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.			
P262	Do not get i	n eyes, on skin, or on clothing.		
P264	Wash tho	roughly after handling.		
P270	Do not eat, drink or smoke when using this product.			
P271	Use only outdoors or in a well-ventilated area.			
P273	Avoid releas	se to the environment.		

Page	2	/	5	

P280 Wear protective gloves/protective clothing/eye protection/face protecti	on.
P281 Use personal protective equipment as required.	
P285 In case of inadequate ventilation wear respiratory protection.	
P312 Call a POISON CENTER or doctor/physician if you feel unwell.	
P335 Brush off loose particles from skin.	
P351 Rinse cautiously with water for several minutes.	
P374 Fight fire with normal precautions from a reasonable distance.	
P402 Store in a dry place.	
P321 Specific treatment (see on this label).	
P352 Wash with plenty of soap and water.	
P362 Take off contaminated clothing and wash before reuse.	
P332+P313 If skin irritation occurs: Get medical advice/attention.	
P403+P233 Store in a well-ventilated place. Keep container tightly closed.	
P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.	

#### 3. Composition/Information On Ingredients

#### HAZARDOUS SUBSTANCES

Chemical Name	<u>CAS-No.</u>	<u>Wt.%</u> Range	GHS Symbols	GHS Statements
Citric Acid, Anhydrous	77-92-9	75-100		

The text for GHS Hazard Statements shown above (if any) is given in the "16. Other Information" section.

#### 4. First-aid Measures

**FIRST AID - EYE CONTACT:** Immediately flush eyes with plenty of water for at least 15 minutes holding eyelids open. Get medical attention. Do NOT allow rubbing of eyes or keeping eyes closed.

FIRST AID - SKIN CONTACT: Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

**FIRST AID - INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention. Do NOT use mouth-to-mouth resuscitation. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical assistance immediately.

**FIRST AID - INGESTION:** Swallowing less than an ounce will not cause significant harm. For larger amounts, do not induce vomiting, but give one or two glasses of water to drink and get medical attention. If swallowed, rinse mouth with water. If feeling unwell, get medical attention.

#### 5. Fire-fighting Measures

**EXTINGUISHING MEDIA:** Alcohol Film Forming Foam, Carbon Dioxide, Dry Chemical, Dry Sand, Water Fog

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** No unusual fire or explosion hazards noted. Keep containers tightly closed. FLASH POINT IS TESTED TO BE GREATER THAN 200 DEGREES F.

SPECIAL FIREFIGHTING PROCEDURES: Water may be used to cool closed containers to prevent buildup of steam. If water is used, fog nozzles are preferred.

#### 6. Accidental Release Measures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: If spilled, contain spilled material and remove with inert absorbent. Dispose of contaminated absorbent, container, and unused contents in accordance with local, state, and federal regulations. Do not incinerate closed containers

#### 7. Handling and Storage

HANDLING: Wash thoroughly after handling. Wash hands before eating. Remove contaminated clothing and launder before reuse. Use only with adequate ventilation. Follow all MSDS/label precautions even after container is emptied because it may retain product residues. Avoid breathing fumes, vapors, or mist. Avoid contact with eyes, skin and clothing.

STORAGE: Store in a dry, well ventilated place. Keep container tightly closed when not in use.

#### Page 3 / 5

#### 8. Exposure Controls/Personal Protection

Chemical Name	CAS-No.	Weight % Less Than	ACGIH TLV- TWA	ACGIH TLV- STEL	OSHA PEL-TWA	OSHA PEL- CEILING
Citric Acid, Anhydrous	77-92-9	100.0	10 mg/m3 (Inhlalable Dust)	N.E.	15 mg/m3 (Respirable Dust)	N.E.

#### PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Prevent build-up of vapors by opening all doors and windows to achieve cross-ventilation.

**RESPIRATORY PROTECTION:** A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

SKIN PROTECTION: Use gloves to prevent prolonged skin contact. Nitrile or Neoprene gloves may afford adequate skin protection.

EYE PROTECTION: Use safety eyewear designed to protect against splash of liquids.

**OTHER PROTECTIVE EQUIPMENT:** Refer to safety supervisor or industrial hygienist for further guidance regarding types of personal protective equipment and their applications.

**HYGIENIC PRACTICES:** Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing immediately and launder before reuse.

#### 9. Physical and Chemical Properties

Appearance:	Particulate Solid	Physical State:	Liquid
Odor:	None	Odor Threshold:	N.E.
Relative Density:	1.668	pH:	N.A.
Freeze Point, °C:	N.D.	Viscosity:	No Information
Solubility in Water:	Soluble	Partition Coefficient, n-octanol/	
Decompostion Temp., °C:	No Information	water:	No Information
Boiling Range, °C:	999 - 999	Explosive Limits, vol%:	N.I N.I.
Flammability:	Supports Combustion	Flash Point, °C:	>93
Evaporation Rate:	Slower than Ether	Auto-ignition Temp., °C:	No Information
Vapor Density:	Heavier than Air	Vapor Pressure:	No Information

(See "Other information" Section for abbreviation legend)

#### 10. Stability and Reactivity

CONDITIONS TO AVOID: Avoid contact with strong acid and strong bases.

INCOMPATIBILITY: Incompatible with strong oxidizing agents, strong acids and strong alkalies.

HAZARDOUS DECOMPOSITION: When heated to decomposition, it emits acrid smoke and irritating fumes.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

**STABILITY:** This product is stable under normal storage conditions.

#### 11. Toxicological information

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Can cause severe eye irritation. Irritating, and may injure eye tissue if not removed promptly.

**EFFECTS OF OVEREXPOSURE - SKIN CONTACT:** Contact causes skin irritation. Low hazard for usual industrial handling or commercial handling by trained personnel.

**EFFECTS OF OVEREXPOSURE - INHALATION:** High gas, vapor, mist or dust concentrations may be harmful if inhaled. Avoid breathing fumes, spray, vapors, or mist.

EFFECTS OF OVEREXPOSURE - INGESTION: May cause nausea. Substance may be harmful if swallowed.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: No Information

PRIMARY ROUTE(S) OF ENTRY: Eye Contact, Ingestion, Inhalation, Skin Contact

#### ACUTE TOXICITY VALUES

The acute effects of this product have not been tested. Data on individual components are tabulated below:CAS-No.Chemical NameOral LD50Dermal LD50Vapor LC50

No hazardous items exist

N.I. - No Information

#### 12. Ecological Information

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

#### 13. Disposal Information

**DISPOSAL INFORMATION:** Dispose of material in accordance to local, state, and federal regulations and ordinances. Do not allow to enter waterways, wastewater, soil, storm drains or sewer systems.

#### 14. Transport Information

	Domestic (USDOT)	International (IMDG)	<u>Air (IATA)</u>	TDG (Canada
UN Number:	N.A.	N.A.	N.A.	N.A.
Proper Shipping Name:	Not Regulated	Not Regulated	Not Regulated	Not Regulated
Hazard Class:	N.A.	N.A.	N.A.	N.A.
Packing Group:	N.A.	N.A.	N.A.	N.A.
Limited Quantity:	No	No	No	No

#### 15. Regulatory Information

#### U.S. Federal Regulations:

#### **CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

#### **Toxic Substances Control Act:**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA components exist in this product.

#### **CALIFORNIA PROPOSITION 65:**

WARNING: This product contains a substance known to the State of California to cause cancer.

No Proposition 65 Carcinogens exist in this product.

#### **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

WARNING: This product contains a substance known to the State of California to cause birth defects or other reproductive harm.

No Proposition 65 Reproductive Toxins exist in this product.

#### International Regulations:

#### **CANADIAN WHMIS:**

This SDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

16. Other Information					
HMIS RATINGS Health: 2 Flammability:	1	Physical Hazard:	0	Personal Protection:	x
CANADIAN WHMIS CLASS: NFPA RATINGS	Е				
Health: 2 Flammability:	1	Instability	0		
VOLATILE ORGANIC COMPOUN	NDS, g/L:	0			
MSDS REVISION DATE:	1/5/2015				
REASON FOR REVISION:	No Information				

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

#### Icons for GHS Pictograms shown in Section 3 describing each ingredient:

No GHS Pictograms exist for Section 3

Rust-Oleum Corporation believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials. Rust-Oleum Corporation makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and to comply with all applicable international, federal, state, and local laws and regulations.

Printing date 12.03.2014

Revision: 12.03.2014

1 Identification	of the substance/mixture and of the company/undertaking
· 1.1 Product ide	ntifier
1.2 Relevant ide	olycuramine Clear Part A entified uses of the substance or mixture and uses advised against ant information available.
<ul> <li>Application of t</li> </ul>	he substance / the mixture Concrete surfacer
Manufacturer/S ROCKSOLID FL 2271 2nd St. N North St. Paul, N Phone: 866-765- Fax: 763-780-48 <b>1.4 Emergency</b> CHEMTREC 1-800-424-9300	OORS IN 55109 4310 96 telephone number:
2 Hazards ider	tification
Classification a	
Muta. 1B	H340 May cause genetic defects.
Carc. 1B	H350 May cause cancer.
Aquatic Chronic	2 H411 Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
<ul> <li>Classification a</li> <li>Xi; Irritant</li> </ul>	ccording to Directive 67/548/EEC or Directive 1999/45/EC
R36/38: Irritat	ng to eyes and skin.
🗙 Xi; Sensitisir	ng
	cause sensitisation by skin contact. (Contd. on page 2)


GHS

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part A

(Contd. of page 1)




GHS

Printing date 12.03.2014

Revision: 12.03.2014

(Contd. on page 4)



Printing date 12.03.2014

Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

	(0	Contd. of page 3)
CAS: 17557-23-2	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	10-20%
EINECS: 241-536-7	🗙 Xi R38; 🗙 Xi R43	
Index number: 603-094-00-7	🕐 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 98-56-6	4-chloro-α,α,α-trifluorotoluene	5-10%
EINECS: 202-681-1	🗙 Xi R43; 🌄 N R51/53	
	R10	
	🚸 Flam. Lig. 3, H226	
	🚯 Aquatic Chronic 2, H411	
	🚯 Skin Sens. 1, H317	
CAS: 8052-41-3	Stoddard solvent	0,1-1,0%
EINECS: 232-489-3	🗙 Xn R65	
Index number: 649-345-00-4	R10	
	🚸 Flam. Liq. 3, H226	
	🚯 Muta. 1B, H340; Carc. 1B, H350; Asp. Tox. 1, H304	
• Additional information: For	the wording of the listed risk phrases refer to section 16.	

# 4 First aid measures

<b>4.1 Description of first aid measures</b> <b>General information:</b> Immediately remove any clothing soiled by the product.	
After inhalation: Supply fresh air; consult doctor in case of complaints.	
After skin contact:	
Do not pull solidified product off the skin.	
Clean with water and soap.	
If skin irritation continues, consult a doctor.	
After eye contact:	
Remove contact lenses if worn, if possible.	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
4.2 Most important symptoms and effects, both acute and delayed	
Allergic reactions	
Irritant to skin and mucous membranes.	
Irritant to eyes.	
Gastric or intestinal disorders.	
Nausea	
Breathing difficulty	
Coughing	
Dizziness	
Hazards Carcinogenic.	
4.3 Indication of any immediate medical attention and special treatment needed	
If swallowed, gastric irrigation with added, activated carbon.	
Treat skin and mucous membrane with antihistamine and corticoid preparations.	
If necessary oxygen respiration treatment.	
	(Contd. on page

GHS

Printing date 12.03.2014

Revision: 12.03.2014

(Contd. of page 4)

Trade name: Polycuramine Clear Part A

Medical supervision for at least 48 hours.

#### 5 Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters

#### · Protective equipment:

- Wear self-contained respiratory protective device.
- Wear fully protective suit.

Additional information No further relevant information available.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Pick up mechanically.

Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep respiratory protective device available.

#### 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.

(Contd. on page 6)

GHS

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 5)

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

8 Exposure	controls/personal protection			
· Additional in	<ul> <li>Additional information about design of technical facilities: No further data; see item 7.</li> <li>8.1 Control parameters</li> </ul>			
· 8.1 Control p				
· Ingredients v	Ingredients with limit values that require monitoring at the workplace:			
8052-41-3 St	oddard solvent			
PEL (USA)	Long-term value: 2900 mg/m <sup>3</sup> , 500 ppm			
REL (USA)	Long-term value: 350 mg/m³ Ceiling limit: 1800* mg/m³ *15-min			
TLV (USA)	Long-term value: 525 mg/m <sup>3</sup> , 100 ppm			
EL (Canada)	Short-term value: 580 mg/m³ Long-term value: 290 mg/m³			
,	Long-term value: 525 mg/m <sup>3</sup> rther relevant information available.			
· 8.2 Exposure · Personal pro	tective equipment:			
The usual pre	ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. I foodstuffs, beverages and feed.			
Immediately r Wash hands	emove all soiled and contaminated clothing. before breaks and at the end of work.			
	gases / fumes / aerosols. with the eyes and skin.			
Respiratory	protection:			
	under normal conditions of use. respiratory protective device when aerosol or mist is formed.			
	espiratory protective device when high concentrations are present.			
For spills, res	piratory protection may be advisable.			
· Protection of	f hands:			
Prote	ective gloves			
The glove ma	terial has to be impermeable and resistant to the product/ the substance/ the preparation. (Contd. on page 7)			

GHS

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part A

(Contd. of page 6)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· **Body protection:** Protective work clothing

Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

#### 9 Physical and chemical properties

9.1 Information on basic physical and General Information	d chemical properties	
<ul> <li>Appearance:</li> <li>Form:</li> <li>Colour:</li> <li>Odour:</li> <li>Odour threshold:</li> </ul>	Liquid Clear Odourless Not determined.	
· pH-value:	Not determined.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not Determined. 273° F / 134 °C	
· Flash point:	351 ° F / 177 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits: Lower:</li> </ul>	Not determined.	(Contd. on page 8)

Printing date 12.03.2014

Revision: 12.03.2014

		(Contd. of page
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1,11 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient (n-octand	ol/water): Not determined.	
Viscosity:		
Dynamic at 25 °C:	500 mPas	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

#### 10 Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

Reacts with alkali, amines and strong acids.

· 10.4 Conditions to avoid Store away from oxidizing agents.

• **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrogen fluoride

#### 11 Toxicological information

#### · 11.1 Information on toxicological effects

#### · Acute toxicity:

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

Danger through skin adsorption.

(Contd. on page 9)

GHS

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part A

(Contd. of page 8)

Toxic and/or corrosive effects may be delayed up to 24 hours. • Sensitisation: Sensitization possible by skin contact. • Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Muta. 1B, Carc. 1B

· 12.1 To	vicity
	toxicity:
	or aquatic organisms
	· •
	6 4-chloro-α,α,α-trifluorotoluene
•	dynamic) 3,0 mg/kg (zebra fish)
	rsistence and degradability No further relevant information available.
	oaccumulative potential No further relevant information available.
	bility in soil No further relevant information available.
· Ecotox	ical effects:
· Remar	
Toxic for	
	mechanical actions of the product (e.g. agglutinations) damages may occur.
	nal ecological information:
	I notes:
	nazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
	allow product to reach ground water, water course or sewage system, even in small quantities.
	to drinking water if even extremely small quantities leak into the ground.
	isonous for fish and plankton in water bodies.
	or aquatic organisms
	available data on eliminability/decomposition and bioaccumulation potential prolonged ten e of the environment can not be excluded.
	e of the environment can not be excluded.
	ot applicable.
	Not applicable.
	her adverse effects No further relevant information available.
12.0 01	
3 Dispo	sal considerations
•	
	aste treatment methods
	mendation
Must no	to be disposed together with household garbage. Do not allow product to reach sewage system.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 10)

Printing date 12.03.2014

Γ

Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 9)

Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

DOT     Not Regulated       ADR, IMDG, IATA     UN3082       14.2 UN proper shipping name     0       DOT     Not Regulated       ADR     30.82       DOT     SUBSTANCE, LIQUID, N.O.S. (Reaction products Epichlorohydrin and Bisphenol A, 4-chloro-a,o       utilized     ENVIRONMENTALLY HAZARDOUS SUBSTANCE       UIMDG     ENVIRONMENTALLY HAZARDOUS SUBSTANCE       IMDG     ENVIRONMENTALLY HAZARDOUS SUBSTANCE       LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro-a,o,a,-trifluorotoluene)       IATA     ENVIRONMENTALLY HAZARDOUS SUBSTANCE       LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro-a,o,a,-trifluorotoluene)       14.3 Transport hazard class(es)     DOT       Class     Not Regulated       ADR     Class       ADR     Vincellaneous dangerous substances a articles.       abel     9       IMDG, IATA     9       MDG, IATA     9       Class     9 Miscellaneous dangerous substances and articles.       9     9       IMDG, IATA     9       Marine pollutant:     Yes       Symbol (fish and tree)     Symbol (fish and tree)	14.1 UN-Number	
ADR, IMDG, IATA 14.2 UN proper shipping name DOT ADR MDG IMDG IMDG IATA UN3082 Not Regulated 3082 ENVIRONMENTALLY HAZARDO SUBSTANCE, LIQUID, N.O.S. (Reaction products Epichiorohydi and Bisphenol A, 4-chloro-a, a, a-trifluorotoluere) ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Reaction products of Epichlorohydi and Bisphenol A, 4-chloro-a, a, a-trifluorotoluere) IATA IATA IATA IATA IATA Class DOT Class Label IMDG, IATA Class Label IMDG, IATA IMDG, IATA DAT ADR Marine pollutant: Yes Symbol (fish and tree)		Not Regulated
14.2 UN proper shipping name       Not Regulated         DOT       3082         ADR       3082         BIDG       SUBSTANCE, LIQUID, N.O.S. (Reaction products Epichlorohydrin and Bisphenol A, 4-chloro-a,a, ortifluorotoluene)         IMDG       ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro-a,a, a-trifluorotoluene)         IATA       ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro-a,a, a-trifluorotoluene)         IATA       ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro-a,a,a-trifluorotoluene)         14.3 Transport hazard class(es)       DOT         DOT       Class       Not Regulated         ADR       ADR         IMDG, IATA       9         IMDG, IATA       9         Marine pollutant:       Yes         Symbol (fish and tree)       Symbol (fish and tree)	-	
DOT ADR       Not Regulated         ADR       3082 ENVIRONMENTALLY HAZARDO SUBSTANCE, LIQUID, N.O.S. (Reaction products Epichlorohydrin and Bisphenol A, 4-chloro-a, a, a-trifluorotoluene)         IMDG       ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Reaction products of Epichlorohyd and Bisphenol A, 4-chloro-a, a, a-trifluorotoluene)         IATA       ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Reaction products of Epichlorohyd and Bisphenol A, 4-chloro-a, a, a-trifluorotoluene)         14.3 Transport hazard class(es)       DOT         Class       Not Regulated         ADR       V         IMDG, IATA       9         MARING, IATA       9         Marine pollutant:       Yes Symbol (fish and tree)		010002
ADR       3082 ENVIRONMENTALLY HAZARDOI SUBSTANCE, LIQUID, N.O.S. (Reaction products Epichlorohydrin and Bisphenol A, 4-chloro-α, α trifluorotoluene)         IMDG       ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Reaction products of Epichlorohydr and Bisphenol A, 4-chloro-α, α, α-trifluorotoluene)         IATA       ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Reaction products of Epichlorohydr and Bisphenol A, 4-chloro-α, α, α-trifluorotoluene)         14.3 Transport hazard class(es)       DOT Class         DOT Class       9 (M6) Miscellaneous dangerous substances a articles.         Label       9         IMDG, IATA       9         MAR       9         MAR       9         Mor, IATA       9         MDG, IATA       9         MAR       9         MA	· · · •	Not Regulated
LIQUID, N.O.S. (Reaction products of Epichlorohyd and Bisphenol A, 4-chloro-α,α,α-trifluorotoluen MARINE POLLUTANT IATA ENVIRONMENTALLY HAZARDOUS SUBSTAND LIQUID, N.O.S. (Reaction products of Epichlorohyd and Bisphenol A, 4-chloro-α,α,α-trifluorotoluene) 14.3 Transport hazard class(es) DOT Class Not Regulated ADR Class 9 (M6) Miscellaneous dangerous substances a articles. Label 9 IMDG, IATA Class 9 Miscellaneous dangerous substances and articles. Substances and articles. 9 Miscellaneous dangerous substances and articles. 9 Miscellaneous dangerous dangero	ADR	3082 ENVIRONMENTALLY HAZARDO SUBSTANCE, LIQUID, N.O.S. (Reaction products Epichlorohydrin and Bisphenol A, 4-chloro-α,α
LIQUID, N.O.S. (Reaction products of Epichlorohyd and Bisphenol A, 4-chloro-α,α,α-trifluorotoluene) 14.3 Transport hazard class(es) DOT Class Not Regulated ADR Class 9 (M6) Miscellaneous dangerous substances a articles. Label 9 IMDG, IATA Class 9 Miscellaneous dangerous substances and articles. Label 9 IMDG, IATA Class 9 Miscellaneous dangerous substances and articles. Label 9 14.4 Packing group DOT Not Regulated ADR Marine pollutant: Yes Symbol (fish and tree)	IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Reaction products of Epichlorohyc and Bisphenol A, 4-chloro-α,α,α-trifluorotoluen MARINE POLLUTANT
DOT Class       Not Regulated         ADR       Image: Class         Image: Class       9 (M6) Miscellaneous dangerous substances a articles.         Label       9         IMDG, IATA       9         Image: Class       9 Miscellaneous dangerous substances and articles.         Label       9         Image: Class       9 Miscellaneous dangerous substances and articles.         Class       9 Miscellaneous dangerous substances and articles.         Label       9         Not Regulated       11         14.4 Packing group       Not Regulated         DOT       Not Regulated         ADR, IMDG, IATA       III         14.5 Environmental hazards:       Yes         Marine pollutant:       Yes         Symbol (fish and tree)       Symbol (fish and tree)	ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Reaction products of Epichlorohyc and Bisphenol A, 4-chloro-α,α,α-trifluorotoluene)
Class       Not Regulated         ADR       Import         Import       Import         Class       9 (M6) Miscellaneous dangerous substances a articles.         Label       9         IMDG, IATA       Import         Import       Import         Class       9 Miscellaneous dangerous substances and articles.         Import       Import         Import        Im	14.3 Transport hazard class(es)	
ADR ADR ADR ADR ADR ADR ADR ADR	DOT	
ADR ADR ADR Class 9 (M6) Miscellaneous dangerous substances a articles. Label 9 IMDG, IATA Class 9 Class 9 Class 9 Class 9 ADR ADR ADR IMDG, IATA Label 9 Not Regulated ADR, IMDG, IATA III 4.5 Environmental hazards: Marine pollutant: Yes Symbol (fish and tree)	Class	Not Regulated
Import       Import         Class       9 (M6) Miscellaneous dangerous substances a articles.         Label       9         IMDG, IATA       9         Import       Import         Import       Not Regulated         Import       Import         Import       Yes         Symbol (fish and tree)       Symbol (fish and tree)	ADR	
articles.         Label       9         IMDG, IATA         Impose       9         Impose       9         Class       9 Miscellaneous dangerous substances and articles.         Label       9         14.4 Packing group       9         DOT       Not Regulated         ADR, IMDG, IATA       III         14.5 Environmental hazards:       Yes         Marine pollutant:       Yes         Symbol (fish and tree)       Symbol (fish and tree)		
IMDG, IATA         Import         Im	Class	9 (M6) Miscellaneous dangerous substances a articles.
IMDG, IATA         Impose         Impose         Impose         Impose         Impose         Class         Section         Symbol (fish and tree)	Label	9
Class       9 Miscellaneous dangerous substances and articles.         Label       9         14.4 Packing group       9         DOT       Not Regulated         ADR, IMDG, IATA       III         14.5 Environmental hazards:       Yes         Marine pollutant:       Yes         Symbol (fish and tree)       Symbol (fish and tree)	IMDG, IATA	
Label     9       14.4 Packing group     9       DOT     Not Regulated       ADR, IMDG, IATA     III       14.5 Environmental hazards:     Yes       Marine pollutant:     Yes       Symbol (fish and tree)		
Label914.4 Packing groupDOTDOTNot RegulatedADR, IMDG, IATAIII14.5 Environmental hazards:YesMarine pollutant:YesSymbol (fish and tree)	Class	9 Miscellaneous dangerous substances and articles.
DOT       Not Regulated         ADR, IMDG, IATA       III         14.5 Environmental hazards:       Yes         Marine pollutant:       Yes         Symbol (fish and tree)       Symbol (fish and tree)	Label	•
ADR, IMDG, IATA       III         14.5 Environmental hazards:       Yes         Marine pollutant:       Yes         Symbol (fish and tree)       Yes	14.4 Packing group	
14.5 Environmental hazards:         Marine pollutant:       Yes         Symbol (fish and tree)	DOT	Not Regulated
Marine pollutant:       Yes         Symbol (fish and tree)       Yes	ADR, IMDG, IATA	III
Symbol (fish and tree)	14.5 Environmental hazards:	
	Marine pollutant:	

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

<ul> <li>Special marking (ADR):</li> <li>Special marking (IATA):</li> <li>14.6 Special precautions for user</li> </ul>	(Contd. of page 10) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles.
<ul> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code</li> </ul>	90 F-A,S-F <b>x II of</b> Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> <li>UN "Model Regulation":</li> </ul>	5L 3 E UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A, 4-chloro-α,α,α- trifluorotoluene), 9, III

5	Regulatory information
·	15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtur United States (USA) SARA
·	Section 355 (extremely hazardous substances):
	None of the ingredients is listed.
•	Section 313 (Specific toxic chemical listings):
	None of the ingredients is listed.
•	TSCA (Toxic Substances Control Act):
	All ingredients are listed.
·	Proposition 65 (California):
·	Chemicals known to cause cancer:
	None of the ingredients is listed.
•	Chemicals known to cause reproductive toxicity for females:
	None of the ingredients is listed.
·	Chemicals known to cause reproductive toxicity for males:
	None of the ingredients is listed.
•	Chemicals known to cause developmental toxicity:
	None of the ingredients is listed.
•	Carcinogenic Categories
·	EPA (Environmental Protection Agency)
	None of the ingredients is listed.
	(Contd. on page 1

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: Polycuramine Clear Part A

(Contd. of page 11)

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H411 Toxic to aquatic life with long lasting effects.
- R10 Flammable.

R36/38 Irritating to eyes and skin.

- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 13)

Printing date 12.03.2014

Revision: 12.03.2014


#### Trade name: Polycuramine Clear Part A

(Contd. of page 12) DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 1B: Germ cell mutagenicity, Hazard Category 1B Carc. 1B: Carcinogenicity, Hazard Category 1B Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

GHS

Printing date 12.03.2014

Revision: 12.03.2014



Printing date 12.03.2014

Revision: 12.03.2014

Skin Sens. 1		d. of page
	cording to Directive 67/548/EEC or Directive 1999/45/EC	
C; Corrosive		
R34:	Causes burns.	
Xn; Harmful		
R20/21/22-62-63:	Harmful by inhalation, in contact with skin and if swallowed. Possible risk of fertility. Possible risk of harm to the unborn child.	impaire
Xi; Sensitising		
R43:	May cause sensitisation by skin contact.	
N: Dangerous	for the environment	
R51/53:	Toxic to aquatic organisms, may cause long-term adverse effects in the environment.	e aquat
<b>Classification sys</b> The classification literature data. The classification	EU" in the latest valid version. <b>Atem:</b> is according to the latest editions of the EU-lists, and extended by com is in accordance with the latest editions of international substances list aformation from technical literature and by information provided by the compar	ts, and
2.2 Label element Labelling accordin The product is clas Hazard pictogram	ng to Regulation (EC) No 1272/2008 sified and labelled according to the CLP regulation.	
This pictog	gram only applicable for EU regulations. Not for use in the United States (OSF	IA GHS
GHS05 GHS07 GH	1508 GHS09	
Signal word Dang	er	
	ng components of labelling: ,5-trimethylcyclohexylamine	
Poly [(methyl-1,2	2-ethanediyl)] ,alpha-hydro-omega-(2-aminomethylethoxy)-ether with	2-eth
2(hydroxymethyl)-1		. on page

GHS

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part B

(Contd. of page 2) · Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H361fd, H411. The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H361. H361: Suspected of damaging fertility or the unborn child. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage.H317 May cause an allergic skin reaction. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** P281 Use personal protective equipment as required. P260 Do not breathe mist/vapours/spray. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333+P313 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects E - Corrosive material NFPA ratings (scale 0 - 4) Health = 3Fire = 1Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH \*3 Health = \*3 1 Fire = 1 FIRE Reactivity 0 Reactivity = 0 \* - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances 25154-52-3 nonylphenol · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable.

(Contd. on page 4)

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part B

· **vPvB:** Not applicable.

(Contd. of page 3)

# 3 Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 2855-13-2 EINECS: 220-666-8 Index number: 612-067-00-9	3-aminomethyl-3,5,5-trimethylcyclohexylamine C R34; Xn R21/22; Xi R43 R52/53 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 3, H412	40-70%
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5	Benzyl alcohol X N R20/22	20-40%
CAS: 25154-52-3 EINECS: 246-672-0 Index number: 601-053-00-8	nonylphenol C R34; Xn R22-62-63; N R50/53 Repr. Cat. 3 Repr. 2, H361fd Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302	10-20%
CAS: 39423-51-3 NLP: 500-105-6	Poly [(methyl-1,2-ethanediyl)], alpha-hydro-omega-(2- aminomethylethoxy)-ether with 2-ethyl-2(hydroxymethyl)-1,3- propanediol X N R21/22; X Xi R41; N R51/53 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H312	10-20%
SVHC		
25154-52-3 nonylphenol		

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

#### · 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

#### • After skin contact:

Do not pull solidified product off the skin.

Immediately rinse with water.

(Contd. on page 5)

GHS

Printing date 12.03.2014

**Trade name: Polycuramine Clear Part B** 

Revision: 12.03.2014

	(Contd. of page
If skin irritation continues, consult a doctor.	
Seek immediate medical help for blistering or open wounds.	
After eye contact:	
Remove contact lenses if worn, if possible.	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
4.2 Most important symptoms and effects, both acute and delayed	
Allergic reactions	
Strong caustic effect on skin and mucous membranes.	
Breathing difficulty	
Coughing	
Dizziness	
Cramp	
Dizziness	
Nausea	
Hazards	
Danger of gastric perforation.	
Danger of severe eye injury.	
4.3 Indication of any immediate medical attention and special treatment needed	
Medical supervision for at least 48 hours.	
If necessary oxygen respiration treatment.	
Monitor circulation, possible shock treatment.	

#### **5** Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Use large quantities of foam as it is partially destroyed by the product.

#### 6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

#### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 6)

GHS

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part B

(Contd. of page 5)

Inform respective authorities in case of seepage into water course or sewage system.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

· Information about fire - and explosion protection: Keep respiratory protective device available.

#### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

Store away from metals.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 100-51-6 Benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

· DNELs No further relevant information available.

• **PNECs** No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 7)

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part B

(Contd. of page 6) · 8.2 Exposure controls · Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Pregnant women should strictly avoid inhalation or skin contact. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. **Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eve protection: Contact lenses should not be worn. Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information.

No further relevant information available.

(Contd. on page 8)

Printing date 12.03.2014

Trade name: Polycuramine Clear Part B

<ul> <li>9.1 Information on basic physical a</li> <li>General Information</li> </ul>	and chemical properties
Appearance: Form: Colour: Odour: Odour:	Liquid Clear to straw color. Ammonia-like Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. 401 ° F / 205 °C
Flash point:	205 ° F / 96 °C
Flammability (solid, gaseous):	Not applicable.
Auto/Self-ignition temperature:	698 ° F / 370 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	1,0 Vol % 13,0 Vol %
Vapour pressure at 20 °C:	0,1 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	1 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity: Dynamic: Kinematic: 9.2 Other information	Not determined. Not determined. No further relevant information available.

Revision: 12.03.2014

(Contd. of page 7)

(Contd. on page 9)

Printing date 12.03.2014

Revision: 12.03.2014

#### Trade name: Polycuramine Clear Part B

(Contd. of page 8)

#### 10 Stability and reactivity

#### · 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

#### 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

Corrosive action on metals.

Exothermic reaction with acids.

• **10.4 Conditions to avoid** Store away from oxidizing agents.

• **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Ammonia

## 11 Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1030 mg/kg (rat)

100-51-6 Benzyl alcohol

Oral LD50 1230 mg/kg (rat)

Dermal LD50 2000 mg/kg (rabbit)

#### 25154-52-3 nonylphenol

Oral LD50 1620 mg/kg (rat)

# 39423-51-3 Poly [(methyl-1,2-ethanediyl)] ,alpha-hydro-omega-(2-aminomethylethoxy)-ether with 2-ethyl-2(hydroxymethyl)-1,3-propanediol

Oral LD50 220 mg/kg (rat)

#### Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

· on the eye: Strong caustic effect.

• Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful Corrosive Irritant

(Contd. on page 10)

GHS

Printing date 12.03.2014

Revision: 12.03.2014

(Contd. of page 9)

#### Trade name: Polycuramine Clear Part B

Danger through skin adsorption.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Toxic and/or corrosive effects may be delayed up to 24 hours.

Sensitisation: Sensitization possible by skin contact.

· Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Repr. 2

	2.1 Toxicity
	Aquatic toxicity:
	Foxic for aquatic organisms
1	00-51-6 Benzyl alcohol
L	C50 460 mg/l (pimephales promelas)
· 1	2.2 Persistence and degradability No further relevant information available.
	2.3 Bioaccumulative potential No further relevant information available.
• 1	2.4 Mobility in soil No further relevant information available.
۰E	Ecotoxical effects:
۰F	Remark:
	Toxic for fish
	Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
	Additional ecological information:
_	General notes:
	Vater hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
	Do not allow product to reach ground water, water course or sewage system, even in small quantities.
	Aust not reach sewage water or drainage ditch undiluted or unneutralized.
	Danger to drinking water if even extremely small quantities leak into the ground.
	Also poisonous for fish and plankton in water bodies. Foxic for aquatic organisms
	Due to available data on eliminability/decomposition and bioaccumulation potential prolonged te
	lamage of the environment can not be excluded.
	2.5 Results of PBT and vPvB assessment
	PBT: Not applicable.
	/PvB: Not applicable.
	<b>2.6 Other adverse effects</b> No further relevant information available.

## **13 Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 11)

Printing date 12.03.2014

Revision: 12.03.2014


#### Trade name: Polycuramine Clear Part B

(Contd. of page 10)

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.



Printing date 12.03.2014

Revision: 12.03.2014

Label	(Contd. of page 1
	0
ΙΑΤΑ	
A BARAN	
· Class	8 Corrosive substances.
	8
14.4 Packing group	č
DOT, ADR, IMDG, IATA	
14.5 Environmental hazards:	
Marine pollutant:	Yes
•	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Corrosive substances.
<sup>·</sup> Danger code (Kemler):	80
· EMS Number:	F-A,S-B
<ul> <li>Segregation groups</li> </ul>	Alkalis
14.7 Transport in bulk according to Anr	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
· Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	E
· UN "Model Regulation":	UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.
	(ISOPHORONEDIAMINE, nonylphenol
	ENVIRONMENTALLY HAZARDOUS, 8, III

#### **15 Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 13)

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: Polycuramine Clear Part B

	(Contd. of page 12
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
All ingredients are listed.	
<ul> <li>Other regulations, limitations and prohibitive regulations</li> <li>This product has been classified in accordance with hazard criteria of the Control and the MSDS contains all the information required by the Controlled Products Re</li> </ul>	
Substances of very high concern (SVHC) according to REACH, Article 57	
25154-52-3 nonylphenol	
15.2 Chemical safety assessment: A Chemical Safety Assessment has not bee	n carried out

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.

(Contd. on page 14)

GHS

Printing date 12.03.2014

Revision: 12.03.2014

(Contd. of page 13)

# Trade name: Polycuramine Clear Part B H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

R20/22 Harmful by inhalation and if swallowed.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R34 Causes burns.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R62 Possible risk of impaired fertility.

R63 Possible risk of harm to the unborn child.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Repr. 2: Reproductive toxicity, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com